has pompa



has pompa

Our company started its activities in 1983 and has all kinds of needs in water and energy complete solutions to meet.

Konya 1. Org. San. With our modern facility built on 8,000 m^2 closed area with 10,000 m^2 open in the region, with our computer aided and high-tech production tools, with our test laboratories and R&D studies, with our administrative and technical staff with years of experience in the field, we produce at world quality by prioritizing customer satisfaction with its widespread and wide service network.

Our Quality Policy;
To always achieve perfection by combining high-level customer satisfaction with high-level quality awareness, to be at the forefront of quality and technology and to be a leading organization in production by aiming to evaluate underground and aboveground resources in the most economical way without disturbing the natural balance with an ever-evolving, growing service approach.

Mission
With our quality innovative and environmentally friendly products/services, customer-oriented solutions,
to be a company that creates value in Turkey and the world market as the first choice of customers with our reliable and wide range of products/services and after-sales services.

Vision
With the products we produce and the services we provide, we make its brand in Turkey and world markets
to be a model business that proves.

Product Groups

Submersible Pumps
Stainless Steel Submersible Pumps
Cast Iron Submersible Pumps
Noryl Impeller Submersible Pumps

Submersible Engines

Vertical Shaft Pumps

Geothermal Pumps

Industrial Pumps
Axial Pumps
Waste Water and Drainage Pumps

Centrifugal Pumps
Horizontal Shaft Centrifugal Pumps
Vertical Shaft Centrifugal Pumps

Booster Systems
Housing Type
Industrial Type

Agricultural Irrigation Equipment
Automatic Irrigation Machines
Center Pivot Irrigation Systems

Solar - Wind Energy Pumps

Custom Production Pumps

has pompa®

SUBMERSIBLE MOTORS AND PUMPS AND ASSEMBLY MATERIALS

has pompa®

SUBMERSIBLE MOTORS AND PUMPS 3''- 4''

SUBMERSIBLE MOTORS 4''- 5''- 6''- 7''- 8''- 10''

NORYL PUMPS 5"- 6"

STAINLESS STEEL PUMPS 5''- 6''- 8''- 10''

CAST IRON PUMPS 5''- 6''- 7''- 8''- 10''

CAST IRON IMPELLER, SUBMERSIBLE ELECTROPOMP GROUPS 6''- 7''- 8''- 10'

ASSEMBLY MATERIALS

CONTROL PANELS

has pompa®

SUBMERSIBLE MOTOR PUMPS AND ASSEMBLY MATERIALS

SUBMERSIBLE MOTORS AND PUMPS

3" - 4"

3", SUBMERSIBLE ELECTROPOMP GROUP (220V)

(MAXIMUM DIAMETER OF SUBMERSIBLE ELECTROPOMP GROUP: 75 mm)

TYPE	CAPACITY									OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
	m³/h	0,00	0,60	1,20	**1,80**	**2,10**	**2,40**	2,70	3,00	inç	mm	kg	
	l/s	0,00	0,17	0,33	**0,50**	**0,58**	**0,67**	0,75	0,83				
S3 302 / 32+1 HP	MSS	95	90	82	**70**	**60**	**49**	34	20	1"	1.367	12,0	**453**

3", SINGLE SUBMERSIBLE PUMP

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 75 mm)

TYPE	CAPACITY									OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
	m³/h	0,00	0,60	1,20	**1,80**	**2,10**	**2,40**	2,70	3,00	inç	mm	kg	
	l/s	0,00	0,17	0,33	**0,50**	**0,58**	**0,67**	0,75	0,83				
S3 302 / 32	MSS	95	90	82	**70**	**60**	**49**	34	20	1"	933	4,5	**200**

3", SINGLE SUBMERSIBLE (220V)

(MAXIMUM SINGLE SUBMERSIBLE OUTER DIAMETER: 75 mm)

TYPE	HP	KW	V	A	µ F	HEIGHT	WEIGHT	PRICE (DOLAR)
						mm	kg	
S3 1 HP	1,00	0,75	220	5,7	20	434	7,5	**253**

4", 30 mt. CABLE, PANEL, PLUG, SINGLE SUBMERSIBLE MOTOR (220V)

(MAXIMUM SINGLE SUBMERSIBLE OUTER DIAMETER: 98 mm)

TYPE	HP	KW	V	A	µ F	HEIGHT	WEIGHT	PRICE (DOLAR)
						mm	kg	
0,75	0,75	0,55	220	4,8	25	335	14,0	**338**
1	1,00	0,75	220	6,3	35	360	15,0	**384**
1,5	1,50	1,10	220	8,6	40	390	17,0	**400**
2	2,00	1,50	220	10,0	50	435	18,0	**499**

30 meters WITH OUR SINGLE CABLE SUBMERSIBLE MOTORS, USING THE 4" PUMP YOU WANT, YOU PROVIDE THE MOST SUITABLE PACKAGE FOR YOUR WELL.

4", CABLE, PANEL, PLUG, FRICTION IMPELLER, SUBMERSIBLE ELECTROPOMP GROUPS (220V)

(MAXIMUM OUTER DIAMETER: 97 mm)

TYPE	HP	CAPACITY										OUT	PRICE (DOLAR)
		m³/h	0,00	0,30	0,60	0,90	1,20	1,50	1,80	2,10	2,40	2,70	inç	
		l/s	0,00	0,08	0,17	0,25	0,33	0,42	0,50	0,58	0,67	0,75		
4SKM100	**1**	MSS	60	55	49	44	38	32	25	19	13	7	1"	**274**
4SKM150	**1,5**		100	89	78	68	57	47	37	28	19	10		**346**

has pompa®

4", SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 95 mm)

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	CHROME HEAD	TECHNOPLAST HEAD
		m³/h	0,00	0,30	0,60	0,90	1,20	1,50	1,80	-	-	-	-	-	inç	mm	kg	PRICE (EURO)	
		l/s	0,00	0,08	0,17	0,25	0,33	0,42	0,50	-	-	-	-	-					
HN 4001 / 10	0,50	MSS	66	58	51	44	32	17	1	-	-	-	-	-	1 1/4"	365	3,6	**165**	**132**
HN 4001 / 13	0,50		84	74	66	57	41	23	2	-	-	-	-	-		415	4,1	**182**	**146**
HN 4001 / 19	0,75		116	102	91	77	57	30	5	-	-	-	-	-		524	5,1	**217**	**174**
HN 4001 / 26	1		166	147	131	109	78	39	7	-	-	-	-	-		679	6,5	**263**	**211**
HN 4001 / 38	1,5		246	218	194	163	123	70	10	-	-	-	-	-		915	9,1	**334**	**268**

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	CHROME HEAD	TECHNOPLAST HEAD
		m³/h	0,00	0,90	1,19	1,51	1,80	2,09	2,41	2,70	2,99	3,31	-	-	inç	mm	kg	PRICE (EURO)	
		l/s	0,00	0,25	0,33	0,42	0,50	0,58	0,67	0,75	0,83	0,92	-	-					
HN 4002 / 05	0,50	MSS	36	34	33	31	29	27	24	20	17	12	-	-	1 1/4"	277	2,7	**128**	**103**
HN 4002 / 07	0,50		48	45	43	41	38	34	30	23	19	13	-	-		312	3,1	**130**	**104**
HN 4002 / 10	0,75		68	62	60	56	51	45	39	32	23	16	-	-		365	3,6	**136**	**109**
HN 4002 / 14	1		94	88	84	79	73	64	55	44	32	20	-	-		436	4,2	**159**	**128**
HN 4002 / 20	1,5		135	125	119	110	101	89	76	59	40	23	-	-		540	5,2	**196**	**157**
HN 4002 / 27	2		187	176	169	157	145	129	113	91	64	33	-	-		693	6,7	**263**	**211**
HN 4002 / 39	3		263	244	234	217	200	177	154	124	91	45	-	-		934	9,0	**349**	**280**

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	CHROME HEAD	TECHNOPLAST HEAD
		m³/h	0,00	1,19	1,51	1,80	2,09	2,41	2,70	2,99	3,31	3,60	4,21	-	inç	mm	kg	PRICE (EURO)	
		l/s	0,00	0,33	0,42	0,50	0,58	0,67	0,75	0,83	0,92	1,00	1,17	-					
HN 4003 / 04	0,50	MSS	28	26	25	24	23	22	20	19	17	15	10	-	1 1/4"	275	2,6	**119**	**96**
HN 4003 / 07	0,75		48	44	42	40	39	36	33	30	28	24	16	-		345	3,2	**128**	**103**
HN 4003 / 10	1		70	64	62	59	56	52	48	44	39	34	23	-		410	3,8	**140**	**112**
HN 4003 / 15	1,5		104	95	92	88	83	78	72	65	58	51	34	-		525	4,5	**171**	**137**
HN 4003 / 20	2		140	129	124	119	112	105	97	87	77	66	43	-		630	5,5	**201**	**161**
HN 4003 / 30	3		205	191	183	175	164	154	142	128	113	98	65	-		875	7,8	**271**	**217**
HN 4003 / 37	4		257	241	232	222	210	194	179	161	143	123	82	-		1.065	9,3	**371**	**297**

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	CHROME HEAD	TECHNOPLAST HEAD
		m³/h	0,00	1,80	2,09	2,41	2,70	2,99	3,31	3,60	4,21	4,79	5,40	6,01	inç	mm	kg	PRICE (EURO)	
		l/s	0,00	0,50	0,58	0,67	0,75	0,83	0,92	1,00	1,17	1,33	1,50	1,67					
HN 4004 / 04	0,50	MSS	26	23	23	22	22	21	20	19	18	15	12	8	1 1/4"	275	2,6	**118**	**95**
HN 4004 / 07	0,75		44	40	39	38	36	35	33	32	28	23	17	11		345	3,2	**129**	**104**
HN 4004 / 10	1		65	59	58	56	54	52	50	47	42	35	27	18		410	3,8	**142**	**114**
HN 4004 / 14	1,5		92	84	82	80	77	75	71	69	61	51	39	25		495	4,6	**171**	**137**
HN 4004 / 18	2		119	109	107	104	100	97	93	90	79	66	51	33		585	5,4	**200**	**160**
HN 4004 / 27	3		179	164	160	154	151	145	140	133	115	99	78	54		780	6,5	**263**	**211**
HN 4004 / 32	4		211	197	192	186	181	173	167	159	141	118	93	66		950	8,4	**346**	**277**
HN 4004 / 40	5		268	246	239	232	225	215	206	195	168	138	103	71		1.125	9,5	**401**	**321**
HN 4004 / 44	5,5		292	272	265	256	247	238	226	214	184	150	120	85		1.215	10,7	**428**	**343**

4", SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 95 mm)

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	CHROME HEAD	TECHNOPLAST HEAD
		m³/h	0,00	2,70	2,99	3,31	3,60	4,21	4,79	5,40	6,01	7,20	7,99	9,00	inç	mm	kg	PRICE (EURO)	
		l/s	0,00	0,75	0,83	0,92	1,00	1,17	1,33	1,50	1,67	2,00	2,22	2,50					
HN 4006 / 06	1	MSS	35	33	33	32	32	31	30	29	27	23	19	13	2"	370	2,9	**137**	**110**
HN 4006 / 09	1,5		52	48	48	47	47	45	43	41	38	32	26	18		460	3,6	**166**	**133**
HN 4006 / 13	2		78	74	73	73	72	71	68	65	62	53	45	31		610	4,8	**200**	**160**
HN 4006 / 19	3		109	103	102	102	100	98	94	89	83	70	60	41		820	6,6	**259**	**208**
HN 4006 / 26	4		151	142	141	139	138	133	125	118	108	89	74	48		1.030	7,9	**325**	**260**
HN 4006 / 31	5		185	173	172	170	167	160	152	141	130	109	90	56		1.220	9,3	**373**	**299**
HN 4006 / 34	5,5		201	188	187	185	183	176	165	154	139	116	95	64		1.305	9,9	**397**	**318**
HN 4006 / 45	7,5		268	253	252	249	247	237	225	212	192	154	129	99		1.635	12,8	**486**	**389**

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	CHROME HEAD	TECHNOPLAST HEAD
		m³/h	0,00	4,80	5,10	6,00	6,60	6,80	7,00	7,20	7,60	8,00	9,00	-	inç	mm	kg	PRICE (EURO)	
		l/s	0,00	1,33	1,42	1,67	1,83	1,89	1,94	2,00	2,11	2,22	2,50	-					
HN 4007 / 08	1	MSS	36	30	29	28	27	26	25	24	23	21	16	-	2"	440	3,5	**191**	**153**
HN 4007 / 11	1,5		50	41	40	38	37	36	35	34	32	29	21	-		542	4,5	**218**	**175**
HN 4007 / 16	2		72	57	56	53	52	50	49	48	44	41	30	-		713	6,0	**262**	**210**
HN 4007 / 24	3		105	83	83	79	77	75	72	70	65	59	43	-		1.014	8,0	**334**	**262**
HN 4007 / 32	4		140	111	109	105	102	99	97	93	87	80	58	-		1.318	10,0	**407**	**325**
HN 4007 / 40	5		176	142	140	135	132	128	124	120	112	103	77	-		1.619	12,0	**517**	**414**
HN 4007 / 44	5,5		189	153	150	144	139	136	132	128	119	109	82	-		1.755	13,5	**554**	**444**

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	CHROME HEAD	TECHNOPLAST HEAD
		m³/h	0,00	3,60	4,21	4,79	5,40	6,01	6,98	7,99	9,00	9,61	10,80	11,99	inç	mm	kg	PRICE (EURO)	
		l/s	0,00	1,00	1,17	1,33	1,50	1,67	1,94	2,22	2,50	2,67	3,00	3,33					
HN 4008 / 04	1	MSS	25	24	24	23	23	22	20	18	15	14	10	8	2"	310	2,6	**131**	**105**
HN 4008 / 06	1,5		38	36	36	35	34	33	31	27	24	21	15	10		370	2,9	**133**	**107**
HN 4008 / 09	2		57	54	53	52	51	49	45	41	35	31	24	15		460	3,6	**152**	**119**
HN 4008 / 14	3		88	84	83	81	79	75	70	63	53	47	36	22		640	4,9	**204**	**164**
HN 4008 / 18	4		113	108	106	104	101	98	90	81	69	63	47	32		765	6,0	**237**	**190**
HN 4008 / 21	5		134	130	128	126	122	117	109	99	88	80	60	39		885	6,9	**282**	**226**
HN 4008 / 23	5,5		146	142	139	137	132	125	116	105	92	83	63	41		945	7,0	**300**	**240**
HN 4008 / 32	7,5		201	197	194	189	181	173	158	142	129	116	91	59		1.245	9,2	**386**	**309**
HN 4008 / 42	10		266	259	254	247	239	229	210	186	164	157	119	82		1.572	11,6	**501**	**401**

has pompa®

4", SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 95 mm)

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	CHROME HEAD	TECHNOPLAST HEAD
		m³/h	0,00	4,80	6,00	7,00	8,00	9,00	9,60	10,10	10,80	12,00	13,00	14,40	inç	mm	kg		
		l/s	0,00	1,33	1,67	1,94	2,22	2,50	2,67	2,81	3,00	3,33	3,61	4,00				PRICE (EURO)	
HN 4009 / 07	1,5	MSS	40	36	34	33	31	28	26	24	22	18	16	12	2"	540	3,9	**189**	**152**
HN 409 / 100	2		56	51	48	46	43	39	37	35	32	27	23	17		723	5,1	**237**	**190**
HN 4009 / 14	3		78	71	68	65	60	54	51	48	44	37	31	24		927	6,9	**302**	**242**
HN 4009 / 17	4		96	87	83	79	75	67	64	60	55	46	39	30		1.110	8,2	**362**	**290**
HN 4009 / 20	5		116	107	102	97	91	83	80	75	69	58	50	39		1.263	9,7	**404**	**324**
HN 4009 / 22	5,5		126	115	110	105	98	89	84	80	73	62	54	40		1.395	10,7	**440**	**352**
HN 4009 / 28	7,5		165	154	145	138	131	121	117	111	102	90	79	64		1.701	13,0	**526**	**421**
HN 409 / 350	10		210	195	184	175	165	156	148	141	132	116	103	85		2.088	16,0	**628**	**503**

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	CHROME HEAD	TECHNOPLAST HEAD
		m³/h	0,00	5,40	6,01	7,20	7,99	9,00	10,80	11,99	13,00	14,00	15,59	16,99	inç	mm	kg		
		l/s	0,00	1,50	1,67	2,00	2,22	2,50	3,00	3,33	3,61	3,89	4,33	4,72				PRICE (EURO)	
HN 4012/ 05	1,5	MSS	30	27	26	25	24	22	18	16	13	12	9	5	2"	440	3,4	**165**	**132**
HN 4012/ 07	2		42	38	37	35	33	31	27	23	20	17	12	7		540	4,0	**189**	**152**
HN 4012/ 11	3		64	58	57	53	51	47	40	34	30	25	18	11		770	5,8	**237**	**193**
HN 4012/ 14	4		82	74	73	69	66	61	53	46	39	34	25	15		920	6,9	**302**	**242**
HN 4012/ 17	5		101	94	92	87	84	79	68	59	52	46	36	23		1.100	8,1	**362**	**290**
HN 4012/ 18	5,5		107	99	97	93	89	83	72	63	56	49	39	26		1.150	8,5	**376**	**301**
HN 4012/ 25	7,5		150	138	134	128	123	117	103	89	80	70	55	38		1.535	11,3	**480**	**384**
HN 4012/ 32	10		194	179	175	167	160	152	133	118	105	92	75	53		1.915	14,4	**590**	**472**

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	CHROME HEAD	TECHNOPLAST HEAD
		m³/h	0,00	9,00	11,00	13,00	14,00	15,00	16,00	17,00	19,00	21,00	23,00	24,00	inç	mm	kg		
		l/s	0,00	2,50	3,06	3,61	3,89	4,17	4,44	4,72	5,28	5,83	6,39	6,67				PRICE (EURO)	
HN 4015 / 06	2	MSS	35	26	23	21	20	19	17	16	14	11	8	5	2"	539	4,4	**199**	**160**
HN 4015 / 08	3		46	34	31	28	26	25	23	22	18	14	10	7		686	5,4	**240**	**192**
HN 4015 / 11	4		63	48	43	39	37	35	33	30	26	21	15	11		907	6,9	**303**	**243**
HN 4015 / 15	5,5		87	72	61	55	52	49	47	45	39	31	21	15		1.202	9,0	**376**	**301**
HN 4015 / 20	7,5		121	98	86	76	71	67	62	58	50	40	27	18		1.570	11,6	**468**	**375**
HN 4015 / 28	10		165	130	112	98	92	86	80	74	62	49	34	25		2.159	15,8	**608**	**487**

E-TECH, 4", SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 95 mm)

TYPE	HP	CAPACITY												OUT	HEIGHT	WEIGHT	PRICE (EURO)
		m³/h	0,00	0,30	0,60	0,90	1,20	1,50	1,80	-	-	-	-	-	inç	mm	kg	
		l/s	0,00	0,08	0,17	0,25	0,33	0,42	0,50	-	-	-	-	-				
E-TECH 1/10	0,50		66	58	51	44	32	17	1	-	-	-	-	-		365	3,6	**213**
E-TECH 1/13	0,50		84	74	66	57	41	23	2	-	-	-	-	-		415	4,1	**234**
E-TECH 1/19	0,75	MSS	116	102	91	77	57	30	5	-	-	-	-	-	1 1/4"	524	5,1	**280**
E-TECH 1/26	1		166	147	131	109	78	39	7	-	-	-	-	-		679	6,5	**339**
E-TECH 1/38	1,5		246	218	194	163	123	70	10	-	-	-	-	-		915	9,1	**431**

TYPE	HP	CAPACITY												OUT	HEIGHT	WEIGHT	PRICE (EURO)
		m³/h	0,00	0,90	1,19	1,51	1,80	2,09	2,41	2,70	2,99	3,31	-	-	inç	mm	kg	
		l/s	0,00	0,25	0,33	0,42	0,50	0,58	0,67	0,75	0,83	0,92	-	-				
E-TECH 2/05	0,50		36	34	33	31	29	27	24	20	17	12	-	-		277	2,7	**165**
E-TECH 2/07	0,50		48	45	43	41	38	34	30	23	19	13	-	-		312	3,1	**168**
E-TECH 2/10	0,75		68	62	60	56	51	45	39	32	23	16	-	-		365	3,6	**173**
E-TECH 2/14	1	MSS	94	88	84	79	73	64	55	44	32	20	-	-	1 1/4"	436	4,2	**205**
E-TECH 2/20	1,5		135	125	119	110	101	89	76	59	40	23	-	-		540	5,2	**254**
E-TECH 2/27	2		187	176	169	157	145	129	113	91	64	33	-	-		693	6,7	**339**
E-TECH 2/39	3		263	244	234	217	200	177	154	124	91	45	-	-		934	9,0	**450**

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	PRICE (EURO)
		m³/h	0,00	1,19	1,51	1,80	2,09	2,41	2,70	2,99	3,31	3,60	4,21	-	inç	mm	kg	
		l/s	0,00	0,33	0,42	0,50	0,58	0,67	0,75	0,83	0,92	1,00	1,17	-				
E-TECH 3/04	0,50		28	26	25	24	23	22	20	19	17	15	10	-		275	2,6	**154**
E-TECH 3/07	0,75		48	44	42	40	39	36	33	30	28	24	16	-		345	3,2	**157**
E-TECH 3/10	1		70	64	62	59	56	52	48	44	39	34	23	-		410	3,8	**179**
E-TECH 3/15	1,5	MSS	104	95	92	88	83	78	72	65	58	51	34	-	1 1/4"	525	4,5	**222**
E-TECH 3/20	2		140	129	124	119	112	105	97	87	77	66	43	-		630	5,5	**260**
E-TECH 3/30	3		205	191	183	175	164	154	142	128	113	98	65	-		875	7,8	**350**
E-TECH 3/37	4		257	241	232	222	210	194	179	161	143	123	82	-		1.065	9,3	**478**

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	PRICE (EURO)
		m³/h	0,00	1,80	2,09	2,41	2,70	2,99	3,31	3,60	4,21	4,79	5,40	6,01	inç	mm	kg	
		l/s	0,00	0,50	0,58	0,67	0,75	0,83	0,92	1,00	1,17	1,33	1,50	1,67				
E-TECH 4/04	0,50		26	23	23	22	22	21	20	19	18	15	12	8		275	2,6	**153**
E-TECH 4/07	0,75		44	40	39	38	36	35	33	32	28	23	17	11		345	3,2	**157**
E-TECH 4/10	1		65	59	58	56	54	52	50	47	42	35	27	18		410	3,8	**173**
E-TECH 4/14	1,5		92	84	82	80	77	75	71	69	61	51	39	25		495	4,6	**222**
E-TECH 4/18	2	MSS	119	109	107	104	100	97	93	90	79	66	51	33	1 1/4"	585	5,4	**259**
E-TECH 4/27	3		179	164	160	154	151	145	140	133	115	99	78	54		780	6,5	**339**
E-TECH 4/32	4		211	197	192	186	181	173	167	159	141	118	93	66		950	8,4	**445**
E-TECH 4/40	5		268	246	239	232	225	215	206	195	168	138	103	71		1.125	9,5	**518**
E-TECH 4/44	5,5		292	272	265	256	247	238	226	214	184	150	120	85		1.215	10,7	**552**

has pompa®

E-TECH, 4", SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 95 mm)

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	PRICE (EURO)
		m³/h	0,00	2,70	2,99	3,31	3,60	4,21	4,79	5,40	6,01	7,20	7,99	9,00	inç	mm	kg	
		l/s	0,00	0,75	0,83	0,92	1,00	1,17	1,33	1,50	1,67	2,00	2,22	2,50				
E-TECH 6/06	1	MSS	35	33	33	32	32	31	30	29	27	23	19	13	2"	370	2,9	**179**
E-TECH 6/09	1,5		52	48	48	47	47	45	43	41	38	32	26	18		460	3,6	**216**
E-TECH 6/13	2		78	74	73	73	72	71	68	65	62	53	45	31		610	4,8	**259**
E-TECH 6/19	3		109	103	102	102	100	98	94	89	83	70	60	41		820	6,6	**334**
E-TECH 6/26	4		151	142	141	139	138	133	125	118	108	89	74	48		1.030	7,9	**419**
E-TECH 6/31	5		185	173	172	170	167	160	152	141	130	109	90	56		1.220	9,3	**482**
E-TECH 6/34	5,5		201	188	187	185	183	176	165	154	139	116	95	64		1.305	9,9	**512**
E-TECH 6/45	7,5		268	253	252	249	247	237	225	212	192	154	129	99		1.635	12,8	**626**

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	PRICE (EURO)
		m³/h	0,00	4,80	5,10	6,00	6,60	6,80	7,00	7,20	7,60	8,00	9,00	-	inç	mm	kg	
		l/s	0,00	1,33	1,42	1,67	1,83	1,89	1,94	2,00	2,11	2,22	2,50	-				
E-TECH 7/08	1	MSS	36	30	29	28	27	26	25	24	23	21	16	-	2"	440	3,5	**247**
E-TECH 7/11	1,5		50	41	40	38	37	36	35	34	32	29	21	-		542	4,5	**281**
E-TECH 7/16	2		72	57	56	53	52	50	49	48	44	41	30	-		713	6,0	**338**
E-TECH 7/24	3		105	83	83	79	77	75	72	70	65	59	43	-		1.014	8,0	**431**
E-TECH 7/32	4		140	111	109	105	102	99	97	93	87	80	58	-		1.318	10,0	**525**
E-TECH 7/40	5		176	142	140	135	132	128	124	120	112	103	77	-		1.619	12,0	**666**
E-TECH 7/44	5,5		189	153	150	144	139	136	132	128	119	109	82	-		1.755	13,5	**714**

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	PRICE (EURO)
		m³/h	0,00	3,60	4,21	4,79	5,40	6,01	6,98	7,99	9,00	9,61	10,80	11,99	inç	mm	kg	
		l/s	0,00	1,00	1,17	1,33	1,50	1,67	1,94	2,22	2,50	2,67	3,00	3,33				
E-TECH 8/04	1	MSS	25	24	24	23	23	22	20	18	15	14	10	8	2"	310	2,6	**169**
E-TECH 8/06	1,5		38	36	36	35	34	33	31	27	24	21	15	10		370	2,9	**173**
E-TECH 8/09	2		57	54	53	52	51	49	45	41	35	31	24	15		460	3,6	**196**
E-TECH 8/14	3		88	84	83	81	79	75	70	63	53	47	36	22		640	4,9	**264**
E-TECH 8/18	4		113	108	106	104	101	98	90	81	69	63	47	32		765	6,0	**306**
E-TECH 8/21	5		134	130	128	126	122	117	109	99	88	80	60	39		885	6,9	**364**
E-TECH 8/23	5,5		146	142	139	137	132	125	116	105	92	83	63	41		945	7,0	**387**
E-TECH 8/32	7,5		201	197	194	189	181	173	158	142	129	116	91	59		1.245	9,2	**498**
E-TECH 8/42	10		266	259	254	247	239	229	210	186	164	157	119	82		1.572	11,6	**646**

E-TECH, 4", SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 95 mm)

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	PRICE (EURO)
		m³/h	0,00	4,80	6,00	7,00	8,00	9,00	9,60	10,10	10,80	12,00	13,00	14,40	inç	mm	kg	
		l/s	0,00	1,33	1,67	1,94	2,22	2,50	2,67	2,81	3,00	3,33	3,61	4,00				
E-TECH 9/07	1,5	MSS	40	36	34	33	31	28	26	24	22	18	16	12	2"	540	3,9	**244**
E-TECH 9/10	2		56	51	48	46	43	39	37	35	32	27	23	17		723	5,1	**306**
E-TECH 9/14	3		78	71	68	65	60	54	51	48	44	37	31	24		927	6,9	**391**
E-TECH 9/17	4		96	87	83	79	75	67	64	60	55	46	39	30		1.110	8,2	**467**
E-TECH 9/20	5		116	107	102	97	91	83	80	75	69	58	50	39		1.263	9,7	**521**
E-TECH 9/22	5,5		126	115	110	105	98	89	84	80	73	62	54	40		1.395	10,7	**568**
E-TECH 9/28	7,5		165	154	145	138	131	121	117	111	102	90	79	64		1.701	13,0	**678**
E-TECH 9/35	10		210	195	184	175	165	156	148	141	132	116	103	85		2.088	16,0	**809**

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	PRICE (EURO)
		m³/h	0,00	5,40	6,01	7,20	7,99	9,00	10,80	11,99	13,00	14,00	15,59	16,99	inç	mm	kg	
		l/s	0,00	1,50	1,67	2,00	2,22	2,50	3,00	3,33	3,61	3,89	4,33	4,72				
E-TECH 12/05	1,5	MSS	30	27	26	25	24	22	18	16	13	12	9	5	2"	440	3,4	**213**
E-TECH 12/07	2		42	38	37	35	33	31	27	23	20	17	12	7		540	4,0	**244**
E-TECH 12/11	3		64	58	57	53	51	47	40	34	30	25	18	11		770	5,8	**306**
E-TECH 12/14	4		82	74	73	69	66	61	53	46	39	34	25	15		920	6,9	**391**
E-TECH 12/17	5		101	94	92	87	84	79	68	59	52	46	36	23		1.100	8,1	**467**
E-TECH 12/18	5,5		107	99	97	93	89	83	72	63	56	49	39	26		1.150	8,5	**486**
E-TECH 12/25	7,5		150	138	134	128	123	117	103	89	80	70	55	38		1.535	11,3	**620**
E-TECH 12/32	10		194	179	175	167	160	152	133	118	105	92	75	53		1.915	14,4	**760**

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	PRICE (EURO)
		m³/h	0,00	9,00	11,00	13,00	14,00	15,00	16,00	17,00	19,00	21,00	23,00	24,00	inç	mm	kg	
		l/s	0,00	2,50	3,06	3,61	3,89	4,17	4,44	4,72	5,28	5,83	6,39	6,67				
E-TECH 15/06	2	MSS	35	26	23	21	20	19	17	16	14	11	8	5	2"	539	4,4	**258**
E-TECH 15/08	3		46	34	31	28	26	25	23	22	18	14	10	7		686	5,4	**311**
E-TECH 15/11	4		63	48	43	39	37	35	33	30	26	21	15	11		907	6,9	**392**
E-TECH 15/15	5,5		87	72	61	55	52	49	47	45	39	31	21	15		1.202	9,0	**486**
E-TECH 15/20	7,5		121	98	86	76	71	67	62	58	50	40	27	18		1.570	11,6	**604**
E-TECH 15/28	10		165	130	112	98	92	86	80	74	62	49	34	25		2.159	15,8	**784**

has pompa
SUBMERSIBLE PUMPS

PLUS, 4", IMPORTED, SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 98 mm)

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
		m³/h	0,00	0,90	1,20	1,50	1,80	2,10	2,40	2,70	3,00	-	-	-	inç	mm	kg	
		l/s	0,00	0,25	0,33	0,42	0,50	0,58	0,67	0,75	0,83	-	-	-				
S4 2 / 10	0,75		67	64	**61**	**58**	**54**	**49**	**43**	**36**	28	-	-	-		324	3,3	**196**
S4 2 / 14	1		92	86	**83**	**79**	**74**	**67**	**60**	**52**	42	-	-	-		394	3,9	**233**
S4 2 / 20	1,5	MSS	139	131	**127**	**120**	**111**	**101**	**90**	**75**	60	-	-	-	1 1/4"	499	4,9	**287**
S4 2 / 28	2		195	183	**178**	**168**	**155**	**141**	**126**	**105**	84	-	-	-		639	6,2	**397**
S4 2 / 40	3		279	262	**254**	**240**	**222**	**202**	**180**	**150**	120	-	-	-		849	8,2	**563**

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
		m³/h	0,00	1,20	1,50	1,80	2,10	2,40	2,70	3,00	3,60	4,20	-	-	inç	mm	kg	
		l/s	0,00	0,33	0,42	0,50	0,58	0,67	0,75	0,83	1,00	1,17	-	-				
S4 2,5 / 08	0,75		54	51	50	**49**	**46**	**43**	**41**	**38**	**30**	19	-	-		289	2,9	**178**
S4 2,5 / 11	1		72	68	66	**64**	**61**	**58**	**54**	**49**	**38**	26	-	-		342	3,4	**202**
S4 2,5 / 16	1,5	MSS	106	101	98	**95**	**89**	**83**	**77**	**70**	**54**	33	-	-	1 1/4"	430	4,2	**251**
S4 2,5 / 21	2		142	135	132	**127**	**122**	**115**	**108**	**100**	**79**	49	-	-		519	5,0	**294**
S4 2,5 / 32	3		208	200	194	**187**	**177**	**165**	**152**	**138**	**104**	62	-	-		787	8,1	**397**

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
		m³/h	0,00	1,50	1,80	2,10	2,40	2,70	3,00	3,60	4,20	4,80	5,40	6,00	inç	mm	kg	
		l/s	0,00	0,42	0,50	0,58	0,67	0,75	0,83	1,00	1,17	1,33	1,50	1,67				
S4 3 / 07	0,75		46	43	**42**	**41**	**39**	**38**	**36**	**33**	**28**	**22**	15	7		301	3,0	**178**
S4 3 / 09	1		59	55	**54**	**52**	**51**	**49**	**47**	**43**	**37**	**28**	20	10		344	3,3	**196**
S4 3 / 14	1,5		93	87	**86**	**83**	**81**	**79**	**76**	**68**	**58**	**47**	33	20		452	4,1	**251**
S4 3 / 18	2	MSS	120	113	**111**	**108**	**105**	**102**	**98**	**88**	**75**	**60**	42	25	1 1/4"	538	4,7	**294**
S4 3 / 27	3		175	164	**161**	**157**	**152**	**147**	**141**	**127**	**109**	**87**	61	35		805	7,2	**385**
S4 3 / 35	4		228	212	**208**	**203**	**197**	**191**	**184**	**166**	**145**	**119**	85	46		972	8,9	**513**
S4 3 / 48	5,5		309	289	**283**	**276**	**267**	**258**	**248**	**225**	**197**	**162**	120	73		1.291	10,9	**648**

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
		m³/h	0,00	2,10	2,40	2,70	3,00	3,60	4,20	4,80	5,40	6,00	-	-	inç	mm	kg	
		l/s	0,00	0,58	0,67	0,75	0,83	1,00	1,17	1,33	1,50	1,67	-	-				
S4 4 / 06	0,75		38	36	**35**	**33**	**32**	**30**	**26**	**22**	**18**	12	-	-		296	2,9	**171**
S4 4 / 08	1		51	47	**46**	**44**	**43**	**39**	**35**	**30**	**24**	18	-	-		345	3,3	**190**
S4 4 / 12	1,5		77	72	**71**	**69**	**68**	**63**	**57**	**49**	**41**	31	-	-		433	4,1	**239**
S4 4 / 16	2	MSS	102	98	**96**	**94**	**92**	**86**	**77**	**68**	**57**	46	-	-	1 1/2"	542	5,0	**281**
S4 4 / 24	3		151	142	**139**	**136**	**132**	**122**	**111**	**97**	**80**	62	-	-		815	7,6	**373**
S4 4 / 32	4		203	188	**185**	**180**	**175**	**162**	**146**	**127**	**105**	80	-	-		1.003	9,7	**501**
S4 4 / 44	5,5		278	265	**260**	**254**	**247**	**230**	**210**	**187**	**159**	127	-	-		1.334	12,2	**635**

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
		m³/h	0,00	3,00	3,60	4,20	4,80	5,40	6,00	7,20	8,40	-	-	-	inç	mm	kg	
		l/s	0,00	0,83	1,00	1,17	1,33	1,50	1,67	2,00	2,33	-	-	-				
S4 6 / 07	1		42	36	**34**	**32**	**30**	**28**	**25**	**19**	11	-	-	-		390	3,7	**202**
S4 6 / 10	1,5		62	53	**51**	**48**	**45**	**41**	**38**	**29**	18	-	-	-		483	4,6	**245**
S4 6 / 14	2		90	77	**74**	**71**	**68**	**63**	**59**	**46**	28	-	-	-		607	5,7	**294**
S4 6 / 20	3	MSS	125	107	**102**	**97**	**92**	**86**	**80**	**62**	40	-	-	-	2"	831	7,5	**379**
S4 6 / 27	4		169	145	**139**	**131**	**123**	**115**	**107**	**84**	55	-	-	-		1.086	10,6	**477**
S4 6 / 36	5,5		221	190	**181**	**173**	**164**	**154**	**143**	**112**	72	-	-	-		1.356	13,2	**617**
S4 6 / 49	7,5		302	257	**246**	**234**	**222**	**209**	**193**	**151**	96	-	-	-		1.840	16,9	**838**

PLUS, 4", IMPORTED, SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 98 mm)

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
		m³/h	0,00	4,80	5,40	6,00	7,20	8,40	9,60	10,80	12,00	-	-	-	inç	mm	kg	
		l/s	0,00	1,33	1,50	1,67	2,00	2,33	2,67	3,00	3,33	-	-	-				
S4 8 / 06	1,5	MSS	38	35	**34**	**33**	**31**	**28**	**24**	**19**	14	-	-	-	2"	356	3,4	**196**
S4 8 / 08	2		52	47	**45**	**44**	**41**	**37**	**31**	**25**	18	-	-	-		418	4,0	**220**
S4 8 / 13	3		82	75	**73**	**71**	**66**	**59**	**50**	**40**	30	-	-	-		573	5,5	**300**
S4 8 / 17	4		108	98	**96**	**94**	**87**	**79**	**70**	**58**	46	-	-	-		697	6,6	**348**
S4 8 / 23	5,5		148	134	**131**	**127**	**118**	**108**	**95**	**79**	60	-	-	-		959	9,4	**440**
S4 8 / 32	7,5		202	182	**178**	**172**	**160**	**143**	**125**	**105**	80	-	-	-		1.276	12,0	**568**

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
		m³/h	0,00	4,80	5,40	6,00	7,20	8,40	9,60	10,80	12,00	13,20	14,40	-	inç	mm	kg	
		l/s	0,00	1,33	1,50	1,67	2,00	2,33	2,67	3,00	3,33	3,67	4,00	-				
S4 9 / 07	1,5	MSS	41	35	**34**	**33**	**32**	**29**	**26**	**23**	**18**	**14**	8	-	2"	537	5,3	**276**
S4 9 / 10	2		58	49	**48**	**47**	**44**	**41**	**37**	**32**	**27**	**20**	13	-		693	6,7	**348**
S4 9 / 14	3		83	71	**69**	**67**	**63**	**58**	**54**	**48**	**40**	**31**	20	-		901	8,5	**444**
S4 9 / 18	4		107	92	**90**	**87**	**83**	**77**	**70**	**62**	**52**	**39**	26	-		1.185	11,4	**546**
S4 9 / 24	5,5		141	118	**116**	**113**	**106**	**97**	**88**	**77**	**63**	**49**	33	-		1.487	14,2	**705**
S4 9 / 32	7,5		189	162	**157**	**153**	**144**	**134**	**122**	**107**	**90**	**70**	47	-		1.904	18,0	**940**

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
		m³/h	0,00	6,00	7,20	8,40	9,60	10,80	12,00	13,20	14,40	15,60	-	-	inç	mm	kg	
		l/s	0,00	1,67	2,00	2,33	2,67	3,00	3,33	3,67	4,00	4,33	-	-				
S4 12 / 07	2	MSS	45	37	**36**	**33**	**31**	**28**	**25**	**22**	**18**	14	-	-	2"	534	5,3	**271**
S4 12 / 10	3		64	54	**52**	**48**	**44**	**41**	**36**	**32**	**26**	20	-	-		690	6,7	**341**
S4 12 / 14	4		89	76	**72**	**67**	**62**	**56**	**49**	**43**	**35**	28	-	-		989	8,6	**435**
S4 12 / 19	5,5		120	102	**97**	**91**	**89**	**76**	**68**	**58**	**48**	37	-	-		1.233	12,0	**582**
S4 12 / 26	7,5		163	136	**129**	**120**	**111**	**100**	**87**	**75**	**61**	48	-	-		1.597	15,3	**787**
S4 12 / 38	10		244	201	**195**	**179**	**168**	**152**	**135**	**120**	**98**	76	-	-		2.221	21,0	**1115**

TYPE	HP	CAPACITY													OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
		m³/h	0,00	8,40	12,00	14,40	16,80	18,00	19,20	20,40	21,60	22,80	24,00	-	inç	mm	kg	
		l/s	0,00	2,33	3,33	4,00	4,67	5,00	5,33	5,67	6,00	6,33	6,67	-				
S4 15 / 08	3	MSS	49	39	**34**	**30**	**25**	**23**	**20**	**18**	**15**	12	9	-	2"	676	6,3	**347**
S4 15 / 11	4		67	55	**48**	**42**	**36**	**33**	**30**	**27**	**23**	20	16	-		880	8,1	**447**
S4 15 / 15	5,5		93	76	**66**	**59**	**51**	**47**	**43**	**39**	**34**	29	25	-		1.149	10,5	**576**
S4 15 / 20	7,5		122	99	**86**	**76**	**67**	**61**	**56**	**50**	**44**	38	32	-		1.489	13,5	**734**
S4 15 / 26	10		159	129	**113**	**101**	**88**	**78**	**72**	**65**	**55**	46	39	-		1.897	17,1	**888**

4", COMPLETE STAINLESS, IMPORTED, SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 94 mm)

TYPE	HP	CAPACITY											OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
		m³/h	0,00	0,90	1,20	1,50	1,80	2,10	2,40	-	-	-	inç	mm	kg	
		l/s	0,00	0,25	0,33	0,42	0,50	0,58	0,67	-	-	-				
HS4002 / 13	0,75	MSS	77	68	**64**	**58**	**54**	**46**	38	-	-	-	1 1/4"	440	3,8	**390**
HS4002 / 18	1		104	94	**89**	**83**	**74**	**64**	51	-		-		545	4,7	**494**
HS4002 / 23	1,5		136	124	**118**	**108**	**98**	**84**	69	-	-	-		650	5,7	**601**
HS4002 / 28	2		166	154	**145**	**134**	**122**	**105**	86	-	-	-		755	6,6	**707**
HS4002 / 33	2		195	183	**173**	**159**	**143**	**124**	102	-	-	-		883	9,7	**877**
HS4002 / 40	3		235	218	**205**	**190**	**170**	**147**	119	-	-	-		1.030	11,5	**1.047**
HS4002 / 48	3		280	261	**246**	**228**	**204**	**178**	143	-	-	-		1.198	13,5	**1.329**
HS4002 / 55	4		321	300	**282**	**262**	**234**	**203**	164	-	-	-		1.345	15,3	**1.822**
HS4002 / 65	4		379	354	**333**	**310**	**277**	**240**	194	-	-	-		1.555	17,8	**2.229**

TYPE	HP	CAPACITY											OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
		m³/h	0,00	1,50	1,80	2,10	2,40	2,70	3,00	3,60	4,20	-	inç	mm	kg	
		l/s	0,00	0,42	0,50	0,58	0,67	0,75	0,83	1,00	1,17	-				
HS4003 / 09	0,75	MSS	57	49	**47**	**46**	**44**	**41**	**38**	**30**	19	-	1 1/4"	356	3,0	**308**
HS4003 / 12	1		77	66	**64**	**62**	**58**	**56**	**52**	**43**	28	-		419	3,6	**372**
HS4003 / 15	1,5		97	85	**83**	**80**	**77**	**74**	**69**	**57**	40	-		482	4,2	**436**
HS4003 / 18	1,5		116	101	**97**	**94**	**90**	**85**	**80**	**67**	45	-		545	4,7	**494**
HS4003 / 22	2		143	127	**120**	**115**	**110**	**105**	**97**	**80**	54	-		629	5,5	**572**
HS4003 / 25	2		160	139	**134**	**128**	**124**	**117**	**110**	**90**	60	-		692	6,1	**644**
HS4003 / 29	3		185	160	**155**	**149**	**143**	**136**	**127**	**103**	70	-		776	6,8	**726**
HS4003 / 33	3		211	183	**177**	**172**	**164**	**155**	**145**	**118**	80	-		883	9,7	**877**
HS4003 / 39	4		250	219	**213**	**204**	**195**	**185**	**172**	**138**	94	-		1.009	11,2	**1.121**
HS4003 / 45	4		288	250	**243**	**233**	**224**	**213**	**199**	**162**	110	-		1.135	12,7	**1.261**
HS4003 / 52	5,5		334	291	**282**	**272**	**261**	**247**	**230**	**184**	123	-		1.282	14,5	**1.425**
HS4003 / 60	5,5		385	336	**325**	**314**	**301**	**285**	**265**	**212**	142	-		1.450	16,5	**1.866**
HS4003 / 75	7,5		481	420	**406**	**393**	**376**	**356**	**331**	**265**	178	-		1.765	20,3	**2.271**

TYPE	HP	CAPACITY											OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
		m³/h	0,00	2,40	2,70	3,00	3,60	4,20	4,80	5,40	6,00	-	inç	mm	kg	
		l/s	0,00	0,67	0,75	0,83	1,00	1,17	1,33	1,50	1,67	-				
HS4004 / 06	0,75	MSS	38	32	31	**30**	**28**	**26**	**24**	**20**	16	-	1 1/2"	293	2,4	**258**
HS4004 / 08	1		52	43	42	**41**	**39**	**36**	**33**	**28**	23	-		335	2,8	**301**
HS4004 / 12	1,5		77	66	64	**63**	**60**	**56**	**50**	**44**	37	-		419	3,6	**380**
HS4004 / 17	2		108	93	90	**88**	**84**	**77**	**70**	**63**	54	-		524	4,5	**487**
HS4004 / 21	3		134	113	111	**108**	**103**	**96**	**87**	**77**	67	-		608	5,3	**571**
HS4004 / 25	3		157	133	129	**127**	**121**	**113**	**103**	**90**	78	-		692	6,0	**658**
HS4004 / 33	4		209	176	172	**168**	**159**	**149**	**137**	**123**	105	-		868	9,6	**877**
HS4004 / 38	5,5		242	204	199	**194**	**185**	**172**	**158**	**142**	123	-		973	10,9	**1.098**
HS4004 / 44	5,5		279	237	231	**226**	**215**	**202**	**187**	**166**	143	-		1.099	12,4	**1.241**
HS4004 / 52	7,5		330	280	273	**267**	**254**	**239**	**221**	**196**	169	-		1.267	14,4	**1.657**
HS4004 / 60	7,5		381	323	315	**308**	**293**	**276**	**255**	**226**	195	-		1.435	16,4	**1.878**

4", COMPLETE STAINLESS, IMPORTED, SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 94 mm)

TYPE	HP	CAPACITY											OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
		m³/h	0,00	3,60	4,20	4,80	5,40	6,00	7,20	8,40	9,60	10,80	inç	mm	kg	
		l/s	0,00	1,00	1,17	1,33	1,50	1,67	2,00	2,33	2,67	3,00				
HS4008 / 05	1	MSS	30	26	25	24	23	22	21	19	15	12	2"	412	4,3	**432**
HS4008 / 07	1,5		41	36	35	35	34	34	32	27	24	17		496	5,3	**531**
HS4008 / 10	2		58	51	49	47	47	46	43	38	32	25		622	6,8	**688**
HS4008 / 12	3		71	61	60	58	57	55	52	47	40	31		706	7,8	**786**
HS4008 / 15	3		87	76	74	72	70	68	64	57	49	38		832	9,3	**944**
HS4008 / 18	4		104	93	90	88	86	84	79	72	60	47		958	10,8	**1.099**
HS4008 / 21	5,5		122	107	105	102	100	98	93	85	72	55		1.084	12,3	**1.253**
HS4008 / 25	5,5		144	126	123	119	116	114	107	97	84	64		1.252	14,3	**1.457**
HS4008 / 30	7,5		174	154	149	145	142	139	131	120	103	79		1.462	16,8	**1.711**
HS4008 / 37	7,5		215	188	183	177	173	169	160	145	122	93		1.753	20,3	**2.067**
HS4008 / 44	10		256	224	218	210	206	201	190	172	145	111		2.047	23,8	**2.810**
HS4008 / 50	10		291	255	248	239	234	228	216	195	165	126		2.299	26,8	**3.163**

TYPE	HP	CAPACITY											OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
		m³/h	0,00	6,00	7,20	8,40	9,60	10,80	12,00	15,00	18,00	-	inç	mm	kg	
		l/s	0,00	1,67	2,00	2,33	2,67	3,00	3,33	4,17	5,00	-				
HS4012 / 05	2	MSS	33	32	31	30	28	27	26	22	16	-	2"	505	5,0	**574**
HS4012 / 07	3		46	44	43	42	40	37	36	30	20	-		635	6,3	**726**
HS4012 / 10	4		65	62	60	58	57	54	52	43	29	-		830	8,2	**953**
HS4012 / 13	5,5		84	80	78	77	74	72	67	56	38	-		1.025	10,2	**1.185**
HS4012 / 18	7,5		117	111	108	104	102	97	93	77	54	-		1.350	13,4	**1.375**
HS4012 / 25	10		163	154	149	145	141	135	129	107	75	-		1.805	17,8	**1.911**

has pompa®

has pompa®

SUBMERSIBLE MOTOR PUMPS AND ASSEMBLY MATERIALS

SUBMERSIBLE MOTORS

4"- 5"- 6"-7"- 8"- 10"

T06 COVERCO, 4", SINGLE SUBMERSIBLE ENGINES

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 95 mm)

	TYPE		HEIGHT (mm)	WEIGHT (kg)	STANDART PRICE (EURO)	YÜKSEK TRAST PRICE (EURO)
	HP	KW				
MONOFAZE 220 V	**0,50**	0,37	364	8,1	**292**	**-**
	0,75	0,55	389	9,2	**305**	**-**
	1	0,75	411	10,3	**318**	**-**
	1,5	1,1	434	11,4	**335**	**-**
	2	1,5	467	12,8	**399**	**-**
	3	2,2	565	17,4	**496**	**-**
TRİFAZE 380 V	**1**	0,75	384	8,6	**303**	**-**
	1,5	1,1	411	10,6	**323**	**-**
	2	1,5	428	10,8	**348**	**-**
	3	2,2	467	12,5	**407**	**440**
	4	3	522	15,0	**574**	**623**
	5,5	4	587	18,3	**732**	**767**
	7,5	5,5	687	24,3	**841**	**894**
	10	7,5	768	28,3	**-**	**1.056**

TRAST LOAD 4,500 (N) FOR HIGH TRANS ENGINES

T07 4", SINGLE SUBMERSIBLE ENGINES (BRONZE HEAD)

(MAXIMUM SINGLE SUBMERSIBLE OUTER DIAMETER: 98 mm)

	TYPE		HEIGHT (mm)	WEIGHT (kg)	PRICE (DOLAR)
	HP	KW			
MONOFAZE 220 V	**0,50**	0,37	315	7,5	**232**
	0,75	0,55	335	8,0	**250**
	1	0,75	360	9,0	**268**
	1,5	1,10	390	11,0	**289**
	2	1,50	435	12,0	**322**
	3	2,20	480	14,0	**406**
TRİFAZE 380 V	**1**	0,75	405	9,0	**272**
	1,5	1,10	425	10,0	**291**
	2	1,50	432	11,0	**321**
	3	2,20	492	14,0	**413**
	4	3,00	581	19,0	**511**
	5,5	4,00	621	21,0	**633**
	7,5	5,50	740	25,0	**761**
	10	7,50	860	31,0	**890**

4", SINGLE SUBMERSIBLE MOTORS (CASTED HEAD)

(MAXIMUM SINGLE SUBMERSIBLE OUTER DIAMETER: 98 mm)

	TYPE		HEIGHT (mm)	WEIGHT (kg)	PRICE (DOLAR)
	HP	KW			
MONOFAZE 220 V	**0,50**	0,37	315	7,5	**195**
	0,75	0,55	335	8,0	**209**
	1	0,75	360	9,0	**229**
	1,5	1,10	390	11,0	**250**
	2	1,50	435	12,0	**284**
	3	2,20	480	14,0	**357**
TRİFAZE 380 V	**1**	0,75	405	9,0	**231**
	1,5	1,10	425	10,0	**251**
	2	1,50	432	11,0	**284**
	3	2,20	492	14,0	**363**
	4	3,00	581	19,0	**464**
	5,5	4,00	621	21,0	**588**
	7,5	5,50	740	25,0	**712**
	10	7,50	860	31,0	**835**

ECO 4", SINGLE SUBMERSIBLE MOTORS (CASTED HEAD)

(MAXIMUM SINGLE SUBMERSIBLE OUTER DIAMETER: 98 mm)

	TYPE		HEIGHT (mm)	WEIGHT (kg)	PRICE (DOLAR)
	HP	KW			
MONOFAZE 220 V	**0,50**	0,37	335	8,0	**151**
	0,75	0,55	345	9,0	**157**
	1	0,75	372	10,0	**180**
	1,5	1,10	412	12,0	**209**
	2	1,50	452	13,0	**232**
	3	2,20	517	17,0	**290**
TRİFAZE 380 V	**1**	0,75	347	7,0	**160**
	1,5	1,10	402	9,0	**201**
	2	1,50	432	11,0	**225**
	3	2,20	477	14,0	**260**
	4	3,00	552	18,0	**325**
	5,5	4,00	640	21,0	**431**
	7,5	5,50	740	23,0	**543**
	10	7,50	768	26,0	**697**

4", WRAP TYPE, COMPLETE 304, WATER-COOLED, SINGLE SUBMERSIBLE MOTORS

TRIFAZE - 380/415 V - 50 Hz - WIRED

	TYPE		TRUSS LOAD (N)	WEIGHT (kg)	PRICE (DOLAR)
	HP	KW			
TRİFAZE 380 V	**2**	1,5	10.000	26,0	**748**
	3	2,2	10.000	29,0	**793**
	4	3,0	10.000	32,0	**842**
	5,5	4,0	10.000	36,0	**892**
	7,5	5,5	10.000	39,0	**1.015**
	10	7,5	10.000	42,0	**1.189**

FRANKLIN, 4", CAPSULE, WATER-COOLED, IMPORTED, SINGLE SUBMERSIBLE MOTORS

TRIFAZE - 380/415 V - 50 Hz - WIRED

	TYPE		TRUSS LOAD (N)	WEIGHT (kg)	PRICE (EURO)
	HP	KW			
TRİFAZE 380 V	**1**	0,75	3.000	8,7	**571**
	1,5	1,1	3.000	10,2	**653**
	2	1,5	3.000	11,2	**750**
	3	2,2	4.000	12,6	**928**
	4	3	4.000	15,0	**1.105**

HIGH TRAST - TRIFAZE - 380/415 V - 50 Hz - WIRED

TRİFAZE 380 V	**5,5**	4	6.500	21,8	**1.485**
	7,5	5,5	6.500	28,7	**1.723**
	10	7,5	6.500	32,7	**2.230**

KABLO	PRICE (EURO)
FRANKLIN MOTOR 4" OUT CABLE 4X1.5 1.5M (1 - 1.5 - 2 HP)	**46**
FRANKLIN MOTOR 4" OUT CABLE 4X1.5 2.5M (3 - 4 - 5.5 - 7.5 - 10 HP)	**58**

has pompa®

6", OIL COOLED, COMPLETE STAINLESS, SINGLE SUBMERSIBLE MOTORS

(MAXIMUM SINGLE SUBMERSIBLE MOTOR OUTER DIAMETER: 144 mm)

	TYPE		HEIGHT (mm)	WEIGHT (kg)	PRICE (DOLAR)
	HP	KW			
DIRECT	**7,5**	5,5	580	31	**1.006**
	10	7,5	620	34	**1.071**
	12,5	9,2	655	38	**1.084**
	15	11	685	41	**1.146**

FRANKLIN, 6", WRAPPABLE, COMPLETE STAINLESS, IMPORTED, SINGLE SUBMERSIBLE MOTORS

380/415 V - 50 Hz - THREE-PHASE - DIRECT START - 304SS - MECHANICAL SEAL TEMP - 4 mt. WIRED

	TYPE		TRUSS LOAD (N)	WEIGHT (kg)	PRICE (EURO)
	HP	KW			
DIRECT	**10**	7,5	15.500	45	**3.098**
	12,5	9,3	15.500	48	**3.166**
	15	11	15.500	51	**3.285**
	17,5	13	15.500	56	**3.537**
	20	15	15.500	61	**3.904**
	25	18,5	15.500	65	**4.402**
	30	22	15.500	74	**4.904**
	35	26	15.500	85	**5.339**

5" - 6" - 7", SINGLE SUBMERSIBLE MOTORS

K Tipi

C Tipi **V** Tipi

K Tipi

WATER COOLED

DIAMETER	POWER HP	POWER KW	HEIGHT (mm)	WEIGHT (kg)	AMPER (A)	DIAMETER	WAY OUT	(K) TYPE PRICE (DOLAR)
5"	**5,5**	4	636	38	11	123 mm	DIRECT	**906**
	7,5	5,5	636	38	14			**906**
	10	7,5	681	42	16			**929**
	12,5	9,2	731	44	20			**980**
	15	11	776	48	25			**1.045**
	17,5	13	826	54	28			**1.112**
	20	15	876	58	33		STAR TRIANGLE	**1.188**
	25	18,5	876	58	39			**1.224**
	30	22	876	58	48			**1.360**

DIAMETER	POWER HP	POWER KW	HEIGHT (mm)	WEIGHT (kg)	AMPER (A)	DIAMETER	WAY OUT	(C) TYPE PRICE (DOLAR)	(V) TYPE PRICE (DOLAR)
6"	**5,5**	4	630	46	11	C TYPE 137 mm	DIRECT	**863**	**1.007**
	7,5	5,5	630	46	13			**885**	**1.007**
	10	7,5	650	48	18			**909**	**1.057**
	12,5	9,2	690	50	22			**956**	**1.094**
	15	11	730	56	26			**1.024**	**1.178**
	17,5	13	780	60	29			**1.090**	**1.228**
	20	15	830	66	33	V TYPE 145 mm	STAR TRIANGLE	**1.224**	**1.337**
	25	18,5	880	72	41			**1.290**	**1.444**
	30	22	980	82	48			**1.384**	**1.574**
	35	26	1.030	88	56			**1.550**	**1.668**
	40	30	1.110	98	65			**1.649**	**1.884**
	50	37	1.190	106	77			**-**	**2.034**
	60	45	1.270	116	95			**-**	**2.172**

DIAMETER	POWER HP	POWER KW	HEIGHT (mm)	WEIGHT (kg)	AMPER (A)	DIAMETER	WAY OUT	(K) TYPE PRICE (DOLAR)
7"	**30**	22	976	110	49	165 mm	STAR TRIANGLE	**1.867**
	40	30	1.046	118	64			**1.897**
	50	37	1.126	130	78			**2.059**
	60	45	1.196	140	92			**2.143**
	70	52	1.246	148	109			**2.288**
	75	55	1.276	154	113			**2.406**
	80	59	1.306	158	123			**2.542**
	90	66	1.396	171	138			**2.698**

5"- MOTOR CONNECTION STANDARD; 6" NEMA, OPTIONAL 4" NEMA
7"- MOTOR CONNECTION STANDARD; 6" NEMA,

has pompa®

8" - 10", SINGLE SUBMERSIBLE MOTORS

WATER COOLED

DIAMETER	POWER HP	POWER KW	HEIGHT (mm)	WEIGHT (kg)	AMPER (A)	DIAMETER	WAY OUT	(V) TYPE PRICE (DOLAR)
8"	**30**	22	892	112	51	195 mm	STAR TRIENGLE	**1.829**
	40	30	982	131	63			**2.057**
	50	37	1.012	136	79			**2.131**
	60	45	1.062	145	96			**2.301**
	70	52	1.142	162	109			**2.405**
	75	55	1.172	169	117			**2.526**
	80	59	1.202	175	121			**2.649**
	90	66	1.272	187	138			**2.797**
	100	75	1.342	200	156			**3.044**
	110	81	1.412	213	168			**3.166**
	125	92	1.512	235	188			**3.422**
	150	110	1.692	269	226			**3.841**

8" MOTOR CONNECTION STANDARD; 8" NEMA

V TYPE

								(V) TYPE
10"	**125**	92	1.464	330	190	232 mm	STAR TRIENGLE	**5.246**
	150	110	1.464	330	230			**5.246**
	180	132	1.584	370	278			**5.775**
	200	147	1.674	400	305			**6.117**
	225	165	1.874	464	345			**6.904**
	250	185	1.874	464	380			**6.904**

8" MOTOR CONNECTION STANDARD; 8" NEMA, OPTIONAL 10" NEMA, 8" NEMA spline, 10" NEMA spline

V TYPE

PRICE DIFFERENCE MULTIPLIER FOR HOT WATER MOTORS		
5"-7" MULTIPLIER FOR MOTOR	MAXIMUM WATER TEMPERATURE:0°C	**1.25**
6"-8"-10" MULTIPLIER FOR MOTOR		**1.50**

ADDITIONAL FEATURES FOR MOTOR, NET PRICE DIFFERENCES	(DOLAR)
6" MOTOR CHROME PLATED, NET PRICE DIFFERENCE	**18**
8" MOTOR CHROME PLATED, NET PRICE DIFFERENCE	**32**
6" AISI304 COMPLETE STAINLESS MOTOR, NET PRICE DIFFERENCE	**165**
6" AISI316 COMPLETE STAINLESS MOTOR NET PRICE DIFFERENCE	**197**
8" AISI304 COMPLETE STAINLESS MOTOR NET PRICE DIFFERENCE	**472**
8" AISI316 COMPLETE STAINLESS MOTOR, NET PRICE DIFFERENCE	**488**
PT100 SENSOR NET PRICE DIFFERENCE	**25**
5" - 6" - 7" MOTOR, MECHANICAL SEAL, SIC-SIC (EAGLE BURGMANN) PRICE DIFFERENCE	**19**
8" MOTOR, MECHANICAL SEAL, SIC-SIC (EAGLE BURGMANN) PRICE DIFFERENCE	**49**
10" MOTOR, MECHANICAL SEAL, SIC-SIC (EAGLE BURGMANN) PRICE DIFFERENCE	**65**

304 STAINLESS MOTOR FEATURES: 304 SHAFT END, SILICUM SEAL, RUBBER OUTPUT CABLE
316 STAINLESS MOTOR FEATURES: 316 SHAFT END, SILICUM SEAL, RUBBER OUTPUT CABLE

has pompa®

SUBMERSIBLE MOTOR PUMPS AND ASSEMBLY MATERIALS

NORYL PUMPS

5" - 6"

5" - 6", NORYL IMPELLER (RADIAL TYPE), SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 125 mm)

TYPE	HP		CAPACITY																OUT	HEIGHT	HEIGHT	DÖKÜM BAŞLIK
			m³/h	0,00	7,00	9,00	10,10	10,80	12,00	13,00	14,00	15,60	16,00	17,00	18,00	19,00	20,00	22,00	inç	mm	kg	
			l/s	0,00	1,94	2,50	2,81	3,00	3,33	3,61	3,89	4,33	4,44	4,72	5,00	5,28	5,56	6,11				FİYATI (EURO)
HN 516 /10	4"-5"	5,5	MSS	79	71	68	67	65	64	63	62	62	60	56	51	45	38	26	2 1/2"	755	10	**510**
HN 516 /14	4"-5"	7,5		109	98	94	91	90	88	87	87	82	79	73	66	58	49	31		935	12	**603**
HN 516 /19	4"-5"	10		146	129	125	122	120	117	115	116	108	103	96	89	80	66	42		1.161	14	**719**
HN 516 /24	5"	12,5		184	163	155	152	150	145	145	143	131	126	115	103	92	80	50		1.435	18	**872**
HN 516 /29	5"	15		226	200	191	185	182	179	179	172	157	151	139	124	110	95	65		1.660	20	**988**
HN 516 /34	5"	17,5		269	239	229	222	218	212	210	203	187	179	165	147	127	107	71		1.880	22	**1.122**
HN 516 /38	5"	20		290	255	239	234	231	230	226	213	190	187	163	153	137	113	73		2.115	25	**1.234**

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 145 mm)

TYPE	HP		CAPACITY																OUT	HEIGHT	HEIGHT	DÖKÜM BAŞLIK
			m³/h	0,00	2,99	4,21	4,79	5,40	6,01	6,98	7,99	9,00	10,12	10,80	11,99	13,00	14,00	15,59	inç	mm	kg	
			l/s	0,00	0,83	1,17	1,33	1,50	1,67	1,94	2,22	2,50	2,81	3,00	3,33	3,61	3,89	4,33				FİYATI (EURO)
HN 610 /14	4"-5"-6"	5,5	MSS	146	137	132	129	126	122	120	113	105	94	86	76	67	50	24	2 1/2"	815	14	**635**
HN 610 /18	4"-5"-6"	7,5		188	175	168	167	164	161	155	143	130	115	107	96	86	62	27		955	15	**734**
HN 610 /25	4"-5"-6"	10		260	242	231	225	219	212	207	188	168	146	135	121	107	75	32		1.200	20	**906**
HN 610 /32	5"-6"	12,5		332	309	294	287	279	271	262	236	208	180	162	146	128	88	39		1.445	25	**1.120**
HN 610 /39	5"-6"	15		404	371	351	342	331	319	306	276	244	206	184	163	142	102	48		1.690	29	**1.292**

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 145 mm)

TYPE	HP		CAPACITY																OUT	HEIGHT	HEIGHT	DÖKÜM BAŞLIK
			m³/h	0,00	6,98	7,99	9,00	10,12	11,99	13,00	14,00	14,40	15,98	16,99	18,00	19,01	20,02	22,00	inç	mm	kg	
			l/s	0,00	1,94	2,22	2,50	2,81	3,33	3,61	3,89	4,00	4,44	4,72	5,00	5,28	5,56	6,11				FİYATI (EURO)
HN 615 /08	4"-5"-6"	5,5	MSS	83	77	75	74	74	71	70	69	67	62	58	53	48	42	31	2 1/2"	560	11	**485**
HN 615 /11	4"-5"-6"	7,5		115	105	104	102	101	97	96	93	92	85	79	72	65	58	42		765	13	**558**
HN 615 /14	4"-5"-6"	10		144	132	131	130	128	123	120	116	115	103	96	89	80	70	52		885	15	**631**
HN 615 /18	5"-6"	12,5		186	169	168	165	163	157	152	146	145	131	123	112	103	94	68		1.110	18	**728**
HN 615 /22	5"-6"	15		230	209	207	202	199	190	182	173	171	154	141	129	118	108	79		1.270	21	**867**
HN 615 /26	5"-6"	17,5		266	242	239	233	229	218	212	201	198	176	162	150	135	122	90		1.430	23	**964**
HN 615 /30	5"-6"	20		303	275	271	265	261	251	241	230	225	199	182	167	151	132	103		1.590	25	**1.070**

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 145 mm)

TYPE	HP		CAPACITY																OUT	HEIGHT	HEIGHT	DÖKÜM BAŞLIK
			m³/h	0,00	12,00	14,00	16,00	18,00	20,00	22,00	23,00	24,00	25,00	26,00	28,00	-	-	-	inç	mm	kg	
			l/s	0,00	3,33	3,89	4,44	5,00	5,56	6,11	6,39	6,67	6,94	7,22	7,78	-	-	-				FİYATI (EURO)
HN 625 /06	4"-5"-6"	5,5	MSS	58	50	48	47	45	44	43	41	38	35	34	29	-	-	-	2 1/2"	625	11	**455**
HN 625 /08	4"-5"-6"	7,5		77	67	64	62	60	59	57	54	51	47	45	38	-	-	-		725	13	**509**
HN 625 /11	4"-5"-6"	10		108	91	89	85	83	82	78	75	70	65	61	50	-	-	-		875	15	**591**
HN 625 /14	5"-6"	12,5		135	116	112	108	106	104	97	92	86	80	74	60	-	-	-		1.025	17	**673**
HN 625 /17	5"-6"	15		164	142	138	133	130	127	117	111	105	97	91	75	-	-	-		1.175	19	**755**
HN 625 /20	5"-6"	17,5		197	171	167	163	160	150	137	130	123	115	108	89	-	-	-		1.390	23	**879**
HN 625 /22	5"-6"	20		212	182	176	171	167	160	145	137	129	120	114	95	-	-	-		1.490	24	**936**
HN 625 /28	5"-6"	25		272	234	226	219	215	201	180	170	158	146	135	115	-	-	-		1.740	29	**1.107**
HN 625 /34	5"-6"-7"	30		340	290	285	276	249	226	199	191	173	161	147	121	-	-	-		2.200	33	**1.325**
HN 625 /40	6"-7"	40		408	346	344	333	283	251	218	212	188	176	159	128	-	-	-		2.450	37	**1.489**

5" NORYL SUCTION STANDARD: 5.5HP - 7.5HP, 4" NEMA BY 4" MOTOR; 6" NEMA BY 5" MOTOR OVER 10HP
6" NORYL SUCTION STANDARD: 5" - 6" - 6" NEMA BY 7" MOTOR

has pompa®

6", NORYL IMPELLER (SEMIAXIAL TYPE), SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 145 mm)

TYPE	HP		CAPACITY																OUT	HEIGHT	WEIGHT	DÖKÜM BAŞLIK
			m³/h	0,00	12,00	16,00	20,00	24,00	28,00	32,00	36,00	40,00	44,00	48,00	-	-	-	-	inç	mm	kg	PRICE (EURO)
			l/s	0,00	3,33	4,44	5,56	6,67	7,78	8,89	10,00	11,11	12,22	13,33	-	-	-	-				
HN 635 / 04	5"-6"	5,5	MSS	48	43	41	39	36	33	30	26	22	17	12	-	-	-	-	3"	732	15	**490**
HN 635 / 06	5"-6"	7,5		69	62	59	55	51	46	41	35	29	22	14	-	-	-	-		988	18	**611**
HN 635 / 08	5"-6"	10		92	82	78	73	68	61	55	47	39	29	19	-	-	-	-		1.244	21	**731**
HN 635 / 10	5"-6"	12,5		113	101	96	90	84	76	68	58	48	37	24	-	-	-	-		1.500	25	**852**
HN 635 / 12	5"-6"	15		135	121	115	108	100	91	81	69	56	42	27	-	-	-	-		1.756	28	**973**
HN 635 / 14	5"-6"	17,5		153	139	132	123	114	103	91	77	62	45	27	-	-	-	-		2.012	32	**1.094**
HN 635 / 16	5"-6"	20		185	165	153	141	129	116	102	88	72	54	35	-	-	-	-		2.268	35	**1.223**
HN 635 / 20	5"-6"	25		215	194	184	172	158	142	124	105	84	62	37	-	-	-	-		2.780	42	**1.458**
HN 635 / 23	5"-6"-7"	30		249	224	213	201	186	169	150	129	104	77	47	-	-	-	-		3.164	47	**1.639**

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 145 mm)

TYPE	HP		CAPACITY																OUT	HEIGHT	WEIGHT	DÖKÜM BAŞLIK
			m³ / h	0,00	20,00	24,00	28,00	32,00	36,00	40,00	44,00	48,00	52,00	56,00	60,00	64,00	-	-	inç	mm	kg	PRICE (EURO)
			lt/sn	0,00	5,56	6,67	7,78	8,89	10,00	11,11	12,22	13,33	14,44	15,56	16,67	17,78	-	-				
HN 645 / 02	5"-6"	5,5	MSS	29	25	24	23	22	21	20	19	17	15	13	11	8	-	-	3"	476	11	**383**
HN 645 / 03	5"-6"	7,5		44	37	36	35	33	32	30	28	25	23	20	16	12	-	-		604	13	**431**
HN 645 / 04	5"-6"	10		62	50	48	46	44	42	39	37	34	30	26	22	17	-	-		732	15	**491**
HN 645 / 05	5"-6"	12,5		71	62	60	58	55	52	49	46	42	37	32	26	20	-	-		860	16	**552**
HN 645 / 07	5"-6"	15		97	86	83	79	75	71	66	61	55	49	42	35	27	-	-		1.116	19	**673**
HN 645 / 08	5"-6"	17,5		111	97	94	90	86	82	77	71	64	57	49	39	29	-	-		1.244	21	**734**
HN 645 / 09	5"-6"	20		126	111	106	101	96	91	85	79	72	64	55	44	32	-	-		1.372	23	**801**
HN 645 / 11	5"-6"	25		151	135	129	123	116	110	103	95	86	75	64	51	36	-	-		1.628	26	**918**
HN 645 / 14	5"-6"-7"	30		190	172	163	155	146	137	127	116	105	91	76	59	40	-	-		2.012	31	**1.106**
HN 645 / 16	6"	35		218	196	188	179	170	160	149	137	124	109	91	71	49	-	-		2.268	34	**1.221**
HN 645 / 18	6"-7"	40		239	215	206	196	185	173	160	146	130	114	95	75	53	-	-		2.524	37	**1.350**
HN 645 / 23	6"-7"	50		289	278	269	258	244	229	212	193	172	149	125	98	70	-	-		3.164	45	**1.655**

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 145 mm)

TYPE	HP		CAPACITY																OUT	HEIGHT	WEIGHT	DÖKÜM BAŞLIK
			m³/h	0,00	28,00	32,00	36,00	40,00	44,00	48,00	52,00	56,00	60,00	64,00	68,00	72,00	76,00	80,00	inç	mm	kg	PRICE (EURO)
			l/s	0,00	7,78	8,89	10,00	11,11	12,22	13,33	14,44	15,56	16,67	17,78	18,89	20,00	21,11	22,22				
HN 660 / 02	5"-6"	5,5	MSS	26	21	20	19	18	17	16	15	14	13	12	11	10	9	7	3"	476	11	**376**
HN 660 / 03	5"-6"	7,5		38	31	29	28	27	26	24	23	22	20	19	17	15	13	11		604	13	**425**
HN 660 / 04	5"-6"	10		51	41	39	37	36	34	32	30	28	27	24	22	20	17	14		732	15	**482**
HN 660 / 05	5"-6"	12,5		63	51	48	46	44	42	40	38	35	33	30	28	24	21	17		860	16	**542**
HN 660 / 07	5"-6"	15		86	69	66	63	60	57	54	51	48	44	41	37	32	27	22		1.116	20	**661**
HN 660 / 08	5"-6"	17,5		101	82	79	75	72	68	65	61	57	53	48	44	39	33	27		1.244	21	**721**
HN 660 / 09	5"-6"	20		110	92	88	84	80	76	72	67	63	59	54	49	43	37	31		1.372	23	**787**
HN 660 / 11	5"-6"	25		135	110	105	100	95	90	85	80	75	69	64	58	52	45	38		1.628	26	**906**
HN 660 / 14	5"-6"-7"	30		167	137	131	126	120	113	107	100	93	86	78	70	62	53	44		2.012	31	**1.080**
HN 660 / 16	6"	35		190	156	150	143	136	128	120	112	104	95	86	77	68	58	48		2.268	34	**1.206**
HN 660 / 18	6"-7"	40		200	178	170	163	155	147	138	129	120	111	101	91	80	69	57		2.524	38	**1.326**
HN 660 / 23	6"-7"	50		246	227	218	208	197	187	176	165	153	141	128	114	100	84	68		3.164	46	**1.626**

SUCTION STANDARD: 6" NEMA BY 5"- 6"- 7" MOTOR

has pompa®



has pompa®

STAINLESS STEEL PUMPS

5"-6"-8"-10"

SUBMERSIBLE MOTOR PUMPS AND ASSEMBLY MATERIALS

5", COMPLETE STAINLESS, MANUFACTURED OF CHROME SHEET, SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 110 mm)

TYPE	HP		CAPACITY										OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	12,00	14,00	16,00	18,00	20,00	22,00	24,00	26,00	inç	mm	kg	
			l/s	0,00	3,33	3,89	4,44	5,00	5,56	6,11	6,67	7,22				
HS 5019 / 08	4"-5"-6"	5,5	MSS	84	70	67	63	60	55	50	43	35	2½"	1.010	18	**999**
HS 5019 / 11	4"-5"-6"	7,5		116	97	92	87	82	76	68	59	48		1.295	24	**1.283**
HS 5019 / 14	4"-5"-6"	10		147	123	117	111	104	97	87	75	62		1.580	30	**1.557**
HS 5019 / 17	5"-6"	12,5		179	150	142	134	127	117	105	91	75		1.865	35	**1.820**
HS 5019 / 20	5"-6"	15		210	176	167	158	149	138	124	107	88		2.150	41	**2.099**
HS 5019 / 23	5"-6"	17,5		242	202	192	182	171	159	143	123	101		2.435	47	**2.372**
HS 5019 / 27	5"-6"	20		284	238	225	213	201	186	167	144	119		2.815	55	**2.769**
HS 5019 / 33	5"-6"	25		347	290	276	261	246	228	205	177	145		3.385	66	**3.381**
HS 5019 / 40	5"-6"-7"	30		420	352	334	316	298	276	248	214	176		4.050	80	**4.090**

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 110 mm)

TYPE	HP		CAPACITY										OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	16,00	18,00	20,00	22,00	24,00	26,00	28,00	30,00	inç	mm	kg	
			l/s	0,00	4,44	5,00	5,56	6,11	6,67	7,22	7,78	8,33				
HS 5023 / 05	4"-5"-6"	5,5	MSS	55	44	43	41	38	36	33	28	24	2½"	725	12	**757**
HS 5023 / 07	4"-5"-6"	7,5		77	62	60	57	54	50	46	39	33		915	16	**929**
HS 5023 / 09	4"-5"-6"	10		100	80	77	73	69	65	59	51	43		1.105	20	**1.117**
HS 5023 / 12	5"-6"	12,5		133	107	102	98	92	86	78	68	57		1.390	26	**1.401**
HS 5023 / 14	5"-6"	15		155	124	119	114	108	101	91	79	67		1.580	30	**1.589**
HS 5023 / 16	5"-6"	17,5		177	142	136	130	123	115	104	90	76		1.770	33	**1.761**
HS 5023 / 18	5"-6"	20		199	160	153	146	138	129	117	101	86		1.960	37	**1.948**
HS 5023 / 23	5"-6"	25		254	204	196	187	177	165	150	129	109		2.435	47	**2.421**
HS 5023 / 28	5"-6"-7"	30		310	249	238	228	215	201	182	158	133		2.910	57	**2.925**

SUCTION STANDARD; 6" NEMA BY 5" MOTOR

has pompa®

6", COMPLETE STAINLESS, MANUFACTURED OF CHROME SHEET, SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 136 mm)

TYPE	HP		CAPACITY							OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	3,00	**4,00**	**5,00**	**6,00**	7,00	inç	mm	kg	
			l/s	0,00	0,83	**1,11**	**1,39**	**1,67**	1,94				
HS 6005 / 01	4"	0,75	MSS	11	11	**10**	**10**	**9**	9	2"	417	7	**494**
HS 6005 / 02	4"	1		23	21	**20**	**20**	**19**	18		472	8	**544**
HS 6005 / 03	4"	1,5		34	32	**30**	**29**	**28**	27		527	10	**642**
HS 6005 / 04	4"	2		46	42	**41**	**39**	**37**	36		582	11	**716**
HS 6005 / 05	4"	3		57	53	**51**	**49**	**47**	44		637	13	**790**
HS 6005 / 06	4"	3		68	63	**61**	**59**	**56**	53		692	14	**840**
HS 6005 / 07	4"	4		80	74	**71**	**69**	**66**	62		747	16	**939**
HS 6005 / 08	4"	4		91	84	**81**	**79**	**75**	71		802	17	**988**
HS 6005 / 09	4"-5"-6"	5,5		103	95	**91**	**88**	**84**	80		857	19	**1.062**
HS 6005 / 10	4"-5"-6"	5,5		114	105	**102**	**98**	**94**	89		912	20	**1.136**
HS 6005 / 11	4"-5"-6"	5,5		126	116	**112**	**108**	**103**	98		967	22	**1.185**
HS 6005 / 12	4"-5"-6"	7,5		137	126	**122**	**118**	**112**	107		1.022	23	**1.235**
HS 6005 / 13	4"-5"-6"	7,5		148	137	**132**	**128**	**122**	116		1.077	25	**1.358**
HS 6005 / 14	4"-5"-6"	7,5		160	147	**142**	**138**	**131**	124		1.132	26	**1.457**
HS 6005 / 15	4"-5"-6"	7,5		171	158	**152**	**147**	**140**	133		1.187	28	**1.556**
HS 6005 / 16	4"-5"-6"	10		182	168	**163**	**157**	**150**	142		1.287	29	**1.654**
HS 6005 / 17	4"-5"-6"	10		194	179	**173**	**167**	**159**	151		1.342	31	**1.728**
HS 6005 / 18	4"-5"-6"	10		205	189	**183**	**177**	**168**	160		1.397	32	**1.802**
HS 6005 / 19	4"-5"-6"	10		217	200	**193**	**187**	**178**	169		1.452	34	**1.877**
HS 6005 / 20	4"-5"-6"	10		228	210	**203**	**197**	**187**	178		1.507	35	**1.951**
HS 6005 / 21	4"-5"-6"	10		240	221	**213**	**206**	**197**	187		1.562	37	**2.025**
HS 6005 / 22	4"-5"-6"	10		251	231	**224**	**216**	**206**	196		1.617	38	**2.049**
HS 6005 / 23	5"-6"	12,5		263	242	**234**	**226**	**215**	204		1.672	40	**2.197**
HS 6005 / 24	5"-6"	12,5		274	252	**244**	**236**	**225**	213		1.727	41	**2.296**
HS 6005 / 25	5"-6"	12,5		285	263	**254**	**246**	**234**	222		1.782	43	**2.370**
HS 6005 / 26	5"-6"	12,5		297	273	**264**	**256**	**243**	231		1.837	44	**2.395**
HS 6005 / 27	5"-6"	12,5		308	284	**274**	**265**	**253**	240		1.892	46	**2.420**
HS 6005 / 28	5"-6"	15		320	294	**285**	**275**	**262**	249		1.947	47	**2.617**
HS 6005 / 29	5"-6"	15		331	305	**295**	**285**	**271**	258		2.002	49	**2.691**
HS 6005 / 30	5"-6"	15		342	316	**305**	**295**	**281**	267		2.057	50	**2.765**
HS 6005 / 31	5"-6"	15		354	326	**315**	**305**	**290**	276		2.157	52	**2.839**
HS 6005 / 32	5"-6"	15		365	337	**325**	**315**	**300**	284		2.212	53	**2.938**
HS 6005 / 33	5"-6"	17,5		377	347	**335**	**324**	**309**	293		2.267	55	**3.012**
HS 6005 / 34	5"-6"	17,5		388	358	**346**	**334**	**318**	302		2.322	56	**3.086**
HS 6005 / 35	5"-6"	17,5		399	368	**356**	**344**	**328**	311		2.377	58	**3.160**
HS 6005 / 36	5"-6"	17,5		411	379	**366**	**354**	**337**	320		2.432	59	**3.210**
HS 6005 / 37	5"-6"	17,5		422	389	**376**	**364**	**346**	329		2.487	61	**3.259**
HS 6005 / 38	5"-6"	20		434	400	**386**	**374**	**356**	338		2.542	62	**3.333**

SUCTION STANDARD; 0.75HP - 4HP BY 4" MOTOR 4" NEMA; OVER 5.5HP, 6" NEMA BY 5" - 6" MOTOR

6", COMPLETE STAINLESS, MANUFACTURED OF CHROME SHEET, SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 133 mm)

TYPE	HP		CAPACITY										OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	6,00	7,00	8,00	9,00	10,00	11,00	12,00	13,00	14,00	inç	mm	kg	
			l/s	0,00	1,67	1,94	2,22	2,50	2,78	3,06	3,33	3,61	3,89				
HS 6009 / 01	4"	0,75	MSS	9	9	9	8	8	8	7	7	6	5	2½"	330	6	**335**
HS 6009 / 02	4"	1		19	18	17	17	16	15	14	13	12	11		391	8	**408**
HS 6009 / 03	4"	1,5		28	27	26	25	24	23	21	20	18	16		451	9	**481**
HS 6009 / 04	4"	2		38	35	35	34	32	31	28	26	24	22		512	10	**554**
HS 6009 / 05	4"	2		47	44	43	42	41	38	35	33	30	27		572	11	**627**
HS 6009 / 06	4"	3		57	53	52	51	49	46	43	40	36	33		633	12	**700**
HS 6009 / 07	4"	3		66	62	61	59	57	53	50	46	42	38		693	14	**774**
HS 6009 / 08	4"	4		75	71	69	68	65	61	57	53	48	43		754	15	**847**
HS 6009 / 09	4"	4		85	80	78	76	73	69	64	59	54	49		814	16	**920**
HS 6009 / 10	4"-5"-6"	5,5		94	89	87	85	81	76	71	66	60	54		875	19	**993**
HS 6009 / 11	4"-5"-6"	5,5		104	97	95	93	89	84	78	73	66	60		935	20	**1.066**
HS 6009 / 12	4"-5"-6"	5,5		113	106	104	102	97	92	85	79	72	65		996	21	**1.140**
HS 6009 / 13	4"-5"-6"	5,5		122	115	113	110	105	99	92	86	78	71		1.056	22	**1.216**
HS 6009 / 14	4"-5"-6"	7,5		132	124	121	118	114	107	99	92	84	76		1.117	23	**1.289**
HS 6009 / 15	4"-5"-6"	7,5		141	133	130	127	122	115	106	99	90	81		1.177	25	**1.362**
HS 6009 / 16	4"-5"-6"	7,5		151	142	139	135	130	122	113	106	96	87		1.238	26	**1.435**
HS 6009 / 17	4"-5"-6"	7,5		160	151	147	144	138	130	120	112	102	92		1.298	27	**1.508**
HS 6009 / 18	4"-5"-6"	7,5		170	160	156	152	146	137	128	119	108	98		1.359	28	**1.582**
HS 6009 / 19	4"-5"-6"	10		179	168	165	161	154	145	135	125	115	103		1.419	29	**1.655**
HS 6009 / 20	4"-5"-6"	10		188	177	173	169	162	153	142	132	121	109		1.480	30	**1.728**
HS 6009 / 21	4"-5"-6"	10		198	186	182	178	170	160	149	139	127	114		1.540	32	**1.801**
HS 6009 / 22	4"-5"-6"	10		207	195	191	186	178	168	156	145	133	119		1.617	34	**1.915**
HS 6009 / 23	4"-5"-6"	10		217	204	199	195	186	176	163	152	139	125		1.677	35	**1.988**
HS 6009 / 24	4"-5"-6"	10		226	213	208	203	195	183	170	158	145	130		1.738	36	**2.061**
HS 6009 / 25	5"-6"	12,5		235	222	217	212	203	191	177	165	151	136		1.798	37	**2.165**
HS 6009 / 26	5"-6"	12,5		245	230	225	220	211	199	184	172	157	141		1.859	39	**2.238**
HS 6009 / 27	5"-6"	12,5		254	239	234	228	219	206	191	178	163	147		1.919	40	**2.311**
HS 6009 / 28	5"-6"	12,5		264	248	243	237	227	214	198	185	169	152		1.980	41	**2.384**
HS 6009 / 29	5"-6"	15		273	257	251	245	235	221	206	191	175	157		2.040	42	**2.460**
HS 6009 / 30	5"-6"	15		283	266	260	254	243	229	213	198	181	163		2.101	43	**2.534**
HS 6009 / 31	5"-6"	15		292	275	269	262	251	237	220	205	187	168		2.161	45	**2.607**
HS 6009 / 32	5"-6"	15		301	284	277	271	259	244	227	211	193	174		2.222	46	**2.680**
HS 6009 / 33	5"-6"	15		311	292	286	279	268	252	234	218	199	179		2.282	47	**2.753**
HS 6009 / 34	5"-6"	15		320	301	295	288	276	260	241	224	205	185		2.343	48	**2.826**
HS 6009 / 35	5"-6"	15		330	310	303	296	284	267	248	231	211	190		2.403	49	**2.899**
HS 6009 / 36	5"-6"	17,5		339	319	312	305	292	275	255	237	217	195		2.464	51	**2.972**
HS 6009 / 37	5"-6"	17,5		349	328	321	313	300	283	262	244	223	201		2.524	52	**3.046**
HS 6009 / 38	5"-6"	17,5		358	337	329	322	308	290	269	251	229	206		2.585	53	**3.117**
HS 6009 / 39	5"-6"	20		367	346	338	330	316	298	276	257	235	212		2.645	54	**3.222**
HS 6009 / 40	5"-6"	20		377	354	347	338	324	306	284	264	241	217		2.706	55	**3.293**
HS 6009 / 41	5"-6"	20		386	363	355	347	332	313	291	270	247	223		2.766	57	**3.367**
HS 6009 / 42	5"-6"	20		396	372	364	355	341	321	298	277	253	228		2.827	58	**3.440**

SUCTION STANDARD: BETWEEN 0.75HP - 4HP, 4" NEMA BY 4" MOTOR; OVER 5.5HP, 6" NEMA BY 5" - 6" MOTOR

ACS
ATTESTATION DE CONFORMITÉ SANNITAIRE

OUR STAINLESS PUMPS ARE MADE WITH AISI 304 MATERIAL, EXCLUDING THE SHAFT, INCLUDING THE CONICAL WEDGE AND COUPLING.

has pompa®

6", COMPLETE STAINLESS, MANUFACTURED OF CHROME SHEET, SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 133 mm)

TYPE	HP		CAPACITY												OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	7,00	8,00	9,00	10,00	11,00	12,00	13,00	14,00	16,00	18,00	inç	mm	kg	
			l/s	0,00	1,94	2,22	2,50	2,78	3,06	3,33	3,61	3,89	4,44	5,00				
HS 6012/ 05	4"	4		55	49	48	**47**	**45**	**42**	**39**	**36**	**32**	24	15		498	12	**791**
HS 6012 / 06	4"	4		65	59	58	**56**	**53**	**50**	**46**	**43**	**38**	28	18		528	12	**840**
HS 6012 / 07	4"-5"-6"	5,5		76	69	67	**65**	**62**	**59**	**54**	**50**	**45**	33	21		558	13	**890**
HS 6012 / 08	4"-5"-6"	5,5		87	78	77	**74**	**71**	**67**	**62**	**57**	**51**	38	24		589	14	**941**
HS 6012 / 09	4"-5"-6"	5,5		98	88	86	**84**	**80**	**76**	**69**	**64**	**58**	42	27		619	15	**989**
HS 6012 / 10	4"-5"-6"	7,5		109	98	96	**93**	**89**	**84**	**77**	**71**	**64**	47	30		649	16	**1.038**
HS 6012 / 11	4"-5"-6"	7,5		120	108	106	**102**	**98**	**92**	**85**	**78**	**70**	52	33		679	17	**1.088**
HS 6012 / 12	4"-5"-6"	7,5		131	118	115	**112**	**107**	**101**	**92**	**85**	**77**	56	36		709	17	**1.137**
HS 6012 / 13	4"-5"-6"	7,5		142	127	125	**121**	**116**	**109**	**100**	**92**	**83**	61	39		740	18	**1.187**
HS 6012 / 14	4"-5"-6"	10		153	137	134	**130**	**125**	**118**	**108**	**99**	**90**	66	42		770	19	**1.236**
HS 6012 / 15	4"-5"-6"	10		164	147	144	**140**	**134**	**126**	**116**	**107**	**96**	71	45		800	20	**1.286**
HS 6012 / 16	4"-5"-6"	10		174	157	154	**149**	**142**	**134**	**123**	**114**	**102**	75	48		830	21	**1.335**
HS 6012 / 17	4"-5"-6"	10		185	167	163	**158**	**151**	**143**	**131**	**121**	**109**	80	51		860	22	**1.384**
HS 6012 / 18	5"-6"	12,5		196	176	173	**167**	**160**	**151**	**139**	**128**	**115**	85	54		891	23	**1.478**
HS 6012 / 19	5"-6"	12,5		207	186	182	**177**	**169**	**160**	**146**	**135**	**122**	89	57		921	23	**1.528**
HS 6012 / 20	5"-6"	12,5		218	196	192	**186**	**178**	**168**	**154**	**142**	**128**	94	60		951	24	**1.577**
HS 6012 / 21	5"-6"	12,5		229	206	202	**195**	**187**	**176**	**162**	**149**	**134**	99	63		981	25	**1.627**
HS 6012 / 22	5"-6"	12,5	MSS	240	216	211	**205**	**196**	**185**	**169**	**156**	**141**	103	66	2½"	1.011	26	**1.680**
HS 6012 / 23	5"-6"	15		251	225	221	**214**	**205**	**193**	**177**	**163**	**147**	108	69		1.042	27	**1.729**
HS 6012 / 24	5"-6"	15		262	235	230	**223**	**214**	**202**	**185**	**170**	**154**	113	72		1.072	28	**1.779**
HS 6012 / 25	5"-6"	15		273	245	240	**233**	**223**	**210**	**193**	**178**	**160**	118	75		1.102	29	**1.828**
HS 6012 / 26	5"-6"	15		283	255	250	**242**	**231**	**218**	**200**	**185**	**166**	122	78		1.132	29	**1.878**
HS 6012 / 27	5"-6"	17,5		294	265	259	**251**	**240**	**227**	**208**	**192**	**173**	127	81		1.162	30	**1.927**
HS 6012 / 28	5"-6"	17,5		305	274	269	**260**	**249**	**235**	**216**	**199**	**179**	132	84		1.193	31	**1.977**
HS 6012 / 29	5"-6"	17,5		316	284	278	**270**	**258**	**244**	**223**	**206**	**186**	136	87		1.223	32	**2.026**
HS 6012 / 30	5"-6"	17,5		327	294	288	**279**	**267**	**252**	**231**	**213**	**192**	141	90		1.253	33	**2.076**
HS 6012 / 31	5"-6"	20		338	304	298	**288**	**276**	**260**	**239**	**220**	**198**	146	93		1.283	34	**2.148**
HS 6012 / 32	5"-6"	20		349	314	307	**298**	**285**	**269**	**246**	**227**	**205**	150	96		1.313	35	**2.197**
HS 6012 / 33	5"-6"	20		360	323	317	**307**	**294**	**277**	**254**	**234**	**211**	155	99		1.344	35	**2.247**
HS 6012 / 34	5"-6"	20		371	333	326	**316**	**303**	**286**	**262**	**241**	**218**	160	102		1.374	36	**2.297**
HS 6012 / 35	5"-6"	20		382	343	336	**326**	**312**	**294**	**270**	**249**	**224**	165	105		1.404	37	**2.346**
HS 6012 / 36	5"-6"	20		392	353	346	**335**	**320**	**302**	**277**	**256**	**230**	169	108		1.434	38	**2.396**
HS 6012 / 37	5"-6"	25		403	363	355	**344**	**329**	**311**	**285**	**263**	**237**	174	111		1.464	39	**2.446**
HS 6012 / 38	5"-6"	25		414	372	365	**353**	**338**	**319**	**293**	**270**	**243**	179	114		1.495	40	**2.495**
HS 6012 / 39	5"-6"	25		425	382	374	**363**	**347**	**328**	**300**	**277**	**250**	183	117		1.525	41	**2.545**
HS 6012 / 40	5"-6"	25		436	392	384	**372**	**356**	**336**	**308**	**284**	**256**	188	120		1.555	41	**2.595**

SUCTION STANDARD: 4HP, 4" NEMA BY 4" MOTOR; OVER 5.5HP, 6" NEMA BY 5" - 6" MOTOR

ACS
ATTESTATION DE CONFORMITÉ SANNITAIRE

OUR STAINLESS PUMPS ARE MANUFACTURED WITH AISI 304 MATERIAL, EXCLUDING THE SHAFT, INCLUDING THE CONICAL WEDGE AND COUPLING.

6", COMPLETE STAINLESS, MANUFACTURED OF CHROME SHEET, SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 133 mm)

TYPE	HP		CAPACITY											OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	10,00	11,00	12,00	13,00	14,00	15,00	16,00	17,00	18,00	19,00	inç	mm	kg	
			l/s	0,00	2,78	3,06	3,33	3,61	3,89	4,17	4,44	4,72	5,00	5,28				
HS 6015 / 01	4"	0,75		12	9	9	9	8	8	8	7	7	6	6		330	6	**334**
HS 6015 / 02	4"	1,5		24	19	18	18	17	17	16	15	14	13	12		391	8	**407**
HS 6015 / 03	4"	2		36	29	27	27	26	25	24	23	21	20	18		451	9	**480**
HS 6015 / 04	4"	3		48	39	37	36	34	34	32	30	29	27	25		512	10	**553**
HS 6015 / 05	4"	3		60	49	46	45	43	42	40	38	36	34	31		572	11	**626**
HS 6015 / 06	4"	4		72	58	55	54	52	51	48	46	43	40	37		633	12	**698**
HS 6015 / 07	4"-5"-6"	5,5		84	68	65	63	60	59	56	53	51	47	44		693	15	**771**
HS 6015 / 08	4"-5"-6"	5,5		96	78	74	72	69	68	64	61	58	54	50		754	16	**844**
HS 6015 / 09	4"-5"-6"	5,5		108	88	83	81	78	76	72	69	65	61	56		814	17	**917**
HS 6015 / 10	4"-5"-6"	7,5		120	98	93	90	87	85	80	77	73	68	63		875	19	**990**
HS 6015 / 11	4"-5"-6"	7,5		132	107	102	99	95	93	88	84	80	74	69		935	20	**1.063**
HS 6015 / 12	4"-5"-6"	7,5		144	117	111	108	104	102	96	92	87	81	75		996	21	**1.135**
HS 6015 / 13	4"-5"-6"	10		156	127	120	117	113	110	104	100	94	88	81		1.056	22	**1.211**
HS 6015 / 14	4"-5"-6"	10		168	137	130	125	121	119	112	107	102	95	88		1.117	23	**1.284**
HS 6015 / 15	4"-5"-6"	10		180	147	139	134	130	127	120	115	109	102	94		1.177	25	**1.357**
HS 6015 / 16	4"-5"-6"	10		192	156	148	143	139	136	128	123	116	108	100		1.238	26	**1.430**
HS 6015 / 17	5"-6"	12,5		204	166	158	152	147	144	136	130	124	115	107		1.298	27	**1.533**
HS 6015 / 18	5"-6"	12,5		216	176	167	161	156	153	144	138	131	122	113		1.359	28	**1.605**
HS 6015 / 19	5"-6"	12,5		228	186	176	170	165	161	152	146	138	129	119		1.419	29	**1.678**
HS 6015 / 20	5"-6"	12,5		240	196	186	179	174	170	160	154	146	136	126		1.480	30	**1.751**
HS 6015 / 21	5"-6"	15	MSS	252	205	195	188	182	178	168	161	153	142	132	2½"	1.540	32	**1.824**
HS 6015 / 22	5"-6"	15		264	215	204	197	191	187	176	169	160	149	138		1.617	34	**1.937**
HS 6015 / 23	5"-6"	15		276	225	213	206	200	195	184	177	167	156	144		1.677	35	**2.010**
HS 6015 / 24	5"-6"	15		288	235	223	215	208	204	192	184	175	163	151		1.738	36	**2.083**
HS 6015 / 25	5"-6"	15		300	245	232	224	217	212	200	192	182	170	157		1.798	37	**2.156**
HS 6015 / 26	5"-6"	17,5		312	254	241	233	226	221	208	200	189	176	163		1.859	39	**2.229**
HS 6015 / 27	5"-6"	17,5		324	264	251	242	234	229	216	207	197	183	170		1.919	40	**2.301**
HS 6015 / 28	5"-6"	17,5		336	274	260	251	243	238	224	215	204	190	176		1.980	41	**2.374**
HS 6015 / 29	5"-6"	17,5		348	284	269	260	252	246	232	223	211	197	182		2.040	42	**2.450**
HS 6015 / 30	5"-6"	20		360	294	279	269	261	255	240	231	219	204	189		2.101	43	**2.548**
HS 6015 / 31	5"-6"	20		372	303	288	278	269	263	248	238	226	210	195		2.161	45	**2.621**
HS 6015 / 32	5"-6"	20		384	313	297	287	278	272	256	246	233	217	201		2.222	46	**2.695**
HS 6015 / 33	5"-6"	20		396	323	306	296	287	280	264	254	240	224	207		2.282	47	**2.768**
HS 6015 / 34	5"-6"	25		408	333	316	305	295	289	272	261	248	231	214		2.343	48	**2.841**
HS 6015 / 35	5"-6"	25		420	343	325	314	304	297	280	269	255	238	220		2.403	49	**2.914**
HS 6015 / 36	5"-6"	25		432	353	334	323	313	306	288	277	262	244	226		2.464	51	**2.987**
HS 6015 / 37	5"-6"	25		444	362	344	332	321	314	296	284	270	251	233		2.524	52	**3.060**
HS 6015 / 38	5"-6"	25		456	372	353	341	330	323	304	292	277	258	239		2.585	53	**3.131**
HS 6015 / 39	5"-6"	25		468	382	362	350	339	331	312	300	284	265	245		2.645	54	**3.208**
HS 6015 / 40	5"-6"	25		480	392	372	359	348	340	320	308	292	272	252		2.706	55	**3.279**

SUCTION STANDARD: BETWEEN 0.75HP - 4HP, 4" NEMA BY 4" MOTOR; OVER 5.5HP, 6" NEMA BY 5" - 6" MOTOR

ACS
ATTESTATION DE CONFORMITÉ SANNITAIRE

OUR STAINLESS PUMPS ARE MANUFACTURED WITH AISI 304 MATERIAL, EXCLUDING THE SHAFT, INCLUDING THE CONICAL WEDGE AND COUPLING.

has pompa®

6", COMPLETE STAINLESS, MANUFACTURED OF CHROME SHEET, SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 133 mm)

TYPE	HP		CAPACITY										OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	15,00	18,00	21,00	24,00	27,00	30,00	33,00	36,00	inç	mm	kg	
			l/s	0,00	4,17	5,00	5,83	6,67	7,50	8,33	9,17	10,00				
HS 6024 / 01	4"	0,75	MSS	8	7	7	6	6	5	4	3	2	3"	364	7	**367**
HS 6024 / 02	4"	1,5		16	14	14	13	12	10	8	6	4		460	8	**456**
HS 6024 / 03	4"	2		23	21	20	19	17	15	12	9	6		556	10	**544**
HS 6024 / 04	4"	3		31	28	27	25	23	20	17	12	8		652	12	**636**
HS 6024 / 05	4"	4		39	36	34	32	29	25	21	16	11		748	14	**724**
HS 6024 / 06	4"	4		47	43	41	38	35	30	25	19	13		844	16	**810**
HS 6024 / 07	4"-5"-6"	5,5		55	50	47	45	41	35	29	22	15		940	19	**899**
HS 6024 / 08	4"-5"-6"	5,5		62	57	54	51	46	40	33	25	17		1.036	21	**990**
HS 6024 / 09	4"-5"-6"	7,5		70	64	61	57	52	46	37	28	19		1.132	22	**1.078**
HS 6024 / 10	4"-5"-6"	7,5		78	71	68	64	58	51	41	31	21		1.228	24	**1.166**
HS 6024 / 11	4"-5"-6"	7,5		86	78	74	70	64	56	46	34	23		1.324	25	**1.254**
HS 6024 / 12	4"-5"-6"	10		94	85	81	76	70	61	50	37	25		1.420	27	**1.342**
HS 6024 / 13	4"-5"-6"	10		101	92	88	83	75	66	54	41	27		1.516	28	**1.428**
HS 6024 / 14	4"-5"-6"	10		109	99	95	89	81	71	58	44	30		1.612	30	**1.519**
HS 6024 / 15	4"-5"-6"	10		117	107	101	95	87	76	62	47	32		1.708	31	**1.607**
HS 6024 / 16	5"-6"	12,5		125	114	108	102	93	81	66	50	34		1.804	33	**1.727**
HS 6024 / 17	5"-6"	12,5		133	121	115	108	99	86	70	53	36		1.900	34	**1.814**
HS 6024 / 18	5"-6"	12,5		140	128	122	114	104	91	75	56	38		1.996	36	**1.902**
HS 6024 / 19	5"-6"	15		148	135	128	121	110	96	79	59	40		2.092	37	**1.993**
HS 6024 / 20	5"-6"	15		156	142	135	127	116	101	83	62	42		2.188	39	**2.081**
HS 6024 / 21	5"-6"	15		164	149	142	134	122	106	87	66	44		2.300	41	**2.210**
HS 6024 / 22	5"-6"	15		172	156	149	140	127	111	91	69	47		2.396	42	**2.296**
HS 6024 / 23	5"-6"	17,5		179	163	156	146	133	116	95	72	49		2.492	44	**2.386**
HS 6024 / 24	5"-6"	17,5		187	170	162	153	139	121	100	75	51		2.588	45	**2.474**
HS 6024 / 25	5"-6"	17,5		195	178	169	159	145	127	104	78	53		2.684	47	**2.564**
HS 6024 / 26	5"-6"	20		203	185	176	165	151	132	108	81	55		2.780	48	**2.680**
HS 6024 / 27	5"-6"	20		211	192	183	172	156	137	112	84	57		2.876	50	**2.768**
HS 6024 / 28	5"-6"	20		218	199	189	178	162	142	116	87	59		2.972	51	**2.857**
HS 6024 / 29	5"-6"	20		226	206	196	184	168	147	120	91	61		3.068	53	**2.946**
HS 6024 / 30	5"-6"	25		234	213	203	191	174	152	124	94	63		3.164	54	**3.034**
HS 6024 / 31	5"-6"	25		242	220	210	197	180	157	129	97	66		3.260	56	**3.123**
HS 6024 / 32	5"-6"	25		249	227	216	203	185	162	133	100	68		3.356	57	**3.211**
HS 6024 / 33	5"-6"	25		257	234	223	210	191	167	137	103	70		3.452	59	**3.300**
HS 6024 / 34	5"-6"	25		265	241	230	216	197	172	141	106	72		3.548	60	**3.390**
HS 6024 / 35	5"-6"	25		273	249	237	223	203	177	145	109	74		3.644	62	**3.477**
HS 6024 / 36	5"-6"	25		281	256	243	229	209	182	149	112	76		3.740	63	**3.566**
HS 6024 / 37	5"-6"-7"-8"	30		288	263	250	235	214	187	153	116	78		3.836	65	**3.651**
HS 6024 / 38	5"-6"-7"-8"	30		296	270	257	242	220	192	158	119	80		3.932	66	**3.736**

SUCTION STANDARD: BETWEEN 0.75HP - 4HP, 4" NEMA BY 4" MOTOR; OVER 5.5HP, 5" - 6" - 7" MOTOR 6" NEMA 8"
SUCTION DIFFERENCE IS 180 DOLLARS

ACS
ATTESTATION DE CONFORMITÉ SANNITAIRE

OUR STAINLESS PUMPS ARE MANUFACTURED WITH AISI 304 MATERIAL, EXCLUDING THE SHAFT, INCLUDING THE CONICAL WEDGE AND COUPLING.

6", COMPLETE STAINLESS, MANUFACTURED OF CHROME SHEET, SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 133 mm)

TYPE	HP		CAPACITY											OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	16,00	18,00	22,00	24,00	26,00	28,00	30,00	32,00	38,00	inç	mm	kg	
			l/s	0,00	4,44	5,00	6,11	6,67	7,22	7,78	8,33	8,89	10,56				
HS 6030 / 01	4"	1		10	9	9	9	8	8	8	7	7	5		364	7	**367**
HS 6030 / 02	4"	2		19	19	18	17	16	16	15	14	13	11	9	460	8	**456**
HS 6030 / 03	4"	3		29	28	28	26	25	24	23	21	20	16	14	556	10	**544**
HS 6030 / 04	4"	4		39	38	37	34	33	32	30	28	26	21	18	652	12	**636**
HS 6030 / 05	4"-5"-6"	5,5		49	47	46	43	41	40	38	35	32	27	23	748	16	**724**
HS 6030 / 06	4"-5"-6"	7,5		59	56	55	52	49	48	45	42	39	32	27	844	18	**811**
HS 6030 / 07	4"-5"-6"	7,5		68	66	64	60	57	56	53	49	46	37	32	940	19	**900**
HS 6030 / 08	4"-5"-6"	10		78	75	74	69	66	64	60	56	52	42	36	1.036	21	**990**
HS 6030 / 09	4"-5"-6"	10		88	85	83	77	74	72	68	63	59	48	41	1.132	22	**1.078**
HS 6030 / 10	4"-5"-6"	10		98	94	92	86	82	80	75	70	65	53	45	1.228	24	**1.167**
HS 6030 / 11	5"-6"	12,5		108	103	101	95	90	88	83	77	72	58	50	1.324	25	**1.285**
HS 6030 / 12	5"-6"	12,5		117	113	110	103	98	96	90	84	78	64	54	1.420	27	**1.374**
HS 6030 / 13	5"-6"	15		127	122	120	112	107	104	98	91	85	69	59	1.516	28	**1.460**
HS 6030 / 14	5"-6"	15		137	132	129	120	115	112	105	98	91	74	63	1.612	30	**1.550**
HS 6030 / 15	5"-6"	15		147	141	138	129	123	120	113	105	98	80	68	1.708	31	**1.639**
HS 6030 / 16	5"-6"	17,5		157	150	147	138	131	128	120	112	104	85	72	1.804	33	**1.728**
HS 6030 / 17	5"-6"	17,5		166	160	156	146	139	136	128	119	111	90	77	1.900	34	**1.815**
HS 6030 / 18	5"-6"	20		173	169	166	155	148	144	135	126	117	95	81	1.996	36	**1.925**
HS 6030 / 19	5"-6"	20	MSS	182	179	175	163	156	152	143	133	124	101	86	2.092	37	**2.020**
HS 6030 / 20	5"-6"	20		191	188	184	172	164	160	150	140	130	106	90	2.188	39	**2.109**
HS 6030 / 21	5"-6"	25		200	197	193	181	172	168	158	147	137	111	95	2.300	41	**2.238**
HS 6030 / 22	5"-6"	25		210	207	202	189	180	176	165	154	143	117	99	2.396	42	**2.325**
HS 6030 / 23	5"-6"	25		218	216	212	198	189	184	173	161	150	122	104	2.492	44	**2.415**
HS 6030 / 24	5"-6"	25		228	226	221	206	197	192	180	168	156	127	108	2.588	45	**2.504**
HS 6030 / 25	5"-6"	25		236	235	230	215	205	200	188	175	163	133	113	2.684	47	**2.594**
HS 6030 / 26	5"-6"-7"-8"	30		246	244	239	224	213	208	195	182	169	138	117	2.780	48	**2.681**
HS 6030 / 27	5"-6"-7"-8"	30		254	254	248	232	221	216	203	189	176	143	122	2.876	50	**2.770**
HS 6030 / 28	5"-6"-7"-8"	30		264	263	258	241	230	224	210	196	182	148	126	2.972	51	**2.859**
HS 6030 / 29	5"-6"-7"-8"	30		273	273	267	249	238	232	218	203	189	154	131	3.068	53	**2.948**
HS 6030 / 30	5"-6"-7"-8"	30		284	282	276	258	246	240	225	210	195	159	135	3.164	54	**3.036**
HS 6030 / 31	6"	35		294	291	285	267	254	248	233	217	202	164	140	3.260	56	**3.125**
HS 6030 / 32	6"	35		303	301	294	275	262	256	240	224	208	170	144	3.356	57	**3.214**
HS 6030 / 33	6"	35		313	310	304	284	271	264	248	231	215	175	149	3.452	59	**3.303**
HS 6030 / 34	6"	35		323	320	313	292	279	272	255	238	221	180	153	3.548	60	**3.393**
HS 6030 / 35	6"	35		333	329	322	301	287	280	263	245	228	186	158	3.644	62	**3.480**
HS 6030 / 36	6"-7"-8"	40		343	338	331	310	295	288	271	252	235	191	163	3.740	63	**3.568**
HS 6030 / 37	6"-7"-8"	40		352	348	340	318	303	296	278	259	241	197	167	3.836	65	**3.661**

SUCTION STANDARD: 1HP - 4HP, 4" NEMA BY 4" MOTOR; OVER 5.5HP, 5" - 6" - 7" MOTOR 6" NEMA 8" SUCTION DIFFERENCE IS 180 DOLLARS

ACS
ATTESTATION DE CONFORMITÉ SANNITAIRE

OUR STAINLESS PUMPS ARE MANUFACTURED WITH AISI 304 MATERIAL, EXCLUDING THE SHAFT, INCLUDING THE CONICAL WEDGE AND COUPLING.

has pompa®

6", COMPLETE STAINLESS, MANUFACTURED OF CHROME SHEET, SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 145 mm)

TYPE	HP		CAPACITY												OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	24,00	27,00	30,00	33,00	36,00	39,00	42,00	45,00	48,00	51,00	inç	mm	kg	
			l/s	0,00	6,67	7,50	8,33	9,17	10,00	10,83	11,67	12,50	13,33	14,17				
HS 6036 / 01	4"	1,5		11	10	9	9	8	8	8	7	6	6	5		385	7	**376**
HS 6036 / 02	4"	3		23	19	19	18	17	16	15	14	13	12	11		498	9	**476**
HS 6036 / 03	4"-5"-6"	5,5		34	29	28	26	25	24	23	21	19	18	16		611	11	**574**
HS 6036 / 04	4"-5"-6"	5,5		46	39	37	35	34	32	30	28	26	24	21		724	14	**669**
HS 6036 / 05	4"-5"-6"	7,5		57	49	46	44	42	40	38	35	32	30	26		837	16	**766**
HS 6036 / 06	4"-5"-6"	10		68	58	56	53	51	48	45	42	39	36	32		950	18	**862**
HS 6036 / 07	4"-5"-6"	10		80	68	65	61	59	56	53	49	45	41	37		1.063	20	**991**
HS 6036 / 08	5"-6"	12,5		91	78	74	70	68	64	60	56	52	47	42		1.176	22	**1.087**
HS 6036 / 09	5"-6"	15		103	87	84	79	76	71	68	63	58	53	48		1.289	24	**1.185**
HS 6036 / 10	5"-6"	15		114	97	93	88	84	79	75	70	65	59	53		1.402	26	**1.283**
HS 6036 / 11	5"-6"	17,5		126	107	102	97	93	87	83	77	71	65	58		1.515	29	**1.378**
HS 6036 / 12	5"-6"	17,5		137	116	112	105	101	95	90	84	78	71	63		1.628	31	**1.475**
HS 6036 / 13	5"-6"	20		148	126	121	114	110	103	98	91	84	77	69		1.741	33	**1.592**
HS 6036 / 14	5"-6"	20		160	136	130	123	118	111	105	99	91	83	74		1.854	35	**1.690**
HS 6036 / 15	5"-6"	25	MSS	171	146	139	132	127	119	113	106	97	89	79	3"	1.967	37	**1.789**
HS 6036 / 16	5"-6"	25		183	155	149	140	135	127	120	113	104	95	85		2.080	39	**1.890**
HS 6036 / 17	5"-6"	25		194	165	158	149	144	135	128	120	110	101	90		2.193	41	**1.988**
HS 6036 / 18	5"-6"	25		205	175	167	158	152	143	135	127	117	107	95		2.306	43	**2.084**
HS 6036 / 19	5"-6"-7"-8"	30		217	184	177	167	161	151	143	134	123	113	100		2.419	45	**2.180**
HS 6036 / 20	5"-6"-7"-8"	30		228	194	186	176	169	159	150	141	130	119	106		2.548	48	**2.307**
HS 6036 / 21	5"-6"-7"-8"	30		240	204	195	184	177	167	158	148	136	124	111		2.661	50	**2.405**
HS 6036 / 22	6"	35		251	214	205	193	186	175	165	155	143	130	116		2.774	53	**2.502**
HS 6036 / 23	6"	35		262	223	214	202	194	183	173	162	149	136	122		2.887	55	**2.600**
HS 6036 / 24	6"	35		274	233	223	211	203	191	180	169	156	142	127		3.000	57	**2.696**
HS 6036 / 25	6"	35		285	243	232	219	211	199	188	176	162	148	132		3.113	59	**2.793**
HS 6036 / 26	6"-7"-8"	40		297	252	242	228	220	206	195	183	169	154	137		3.226	61	**2.890**
HS 6036 / 27	6"-7"-8"	40		308	262	251	237	228	214	203	190	175	160	143		3.339	63	**2.985**
HS 6036 / 28	6"-7"-8"	40		320	272	260	246	237	222	210	197	182	166	148		3.452	65	**3.084**
HS 6036 / 29	6"-7"-8"	40		331	282	270	255	245	230	218	204	188	172	153		3.565	67	**3.183**

SUCTION STANDARD: 1.5HP - 3HP, 4" NEMA BY 4" MOTOR; OVER 5.5HP, 5" - 6" - 7" MOTOR 6" NEMA 8"
SUCTION DIFFERENCE IS 180 DOLLARS

ACS
ATTESTATION DE CONFORMITÉ SANNITAIRE

OUR STAINLESS PUMPS ARE MANUFACTURED WITH AISI 304 MATERIAL, EXCLUDING THE SHAFT, INCLUDING THE CONICAL WEDGE AND COUPLING.

6", COMPLETE STAINLESS, MANUFACTURED OF CHROME SHEET, SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 145 mm)

TYPE	HP		CAPACITY											OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	36,00	38,00	40,00	42,00	44,00	46,00	48,00	50,00	54,00	58,00	inç	mm	kg	
			l/s	0,00	10,00	10,56	11,11	11,67	12,22	12,78	13,33	13,89	15,00	16,11				
HS 6042 / 01	4"	2		13	10	10	9	9	9	9	8	8	7	6		385	7	**372**
HS 6042 / 02	4"	4		26	20	19	19	18	18	17	17	16	15	12		498	9	**470**
HS 6042 / 03	4"-5"-6"	7,5		39	29	29	28	27	26	26	25	24	22	19		611	12	**567**
HS 6042 / 04	4"-5"-6"	10		52	39	38	37	36	35	34	33	32	29	25		724	14	**661**
HS 6042 / 05	4"-5"-6"	10		65	49	48	47	46	44	43	42	40	37	31		837	16	**756**
HS 6042 / 06	5"-6"	12,5		78	59	57	56	55	53	51	50	48	44	37		950	18	**881**
HS 6042 / 07	5"-6"	15		91	69	67	65	64	62	60	58	56	51	43		1.063	20	**980**
HS 6042 / 08	5"-6"	17,5		104	78	76	74	73	70	68	66	64	58	50		1.176	22	**1.073**
HS 6042 / 09	5"-6"	20		117	88	86	84	82	79	77	75	72	66	56		1.289	24	**1.189**
HS 6042 / 10	5"-6"	20		130	98	95	93	91	88	85	83	80	73	62		1.402	26	**1.286**
HS 6042 / 11	5"-6"	25		143	108	105	102	100	97	94	91	88	80	68		1.515	29	**1.380**
HS 6042 / 12	5"-6"	25		156	118	114	112	109	106	102	100	96	88	74		1.628	31	**1.476**
HS 6042 / 13	5"-6"-7"-8"	30	MSS	169	127	124	121	118	114	111	108	104	95	81	3"	1.741	33	**1.571**
HS 6042 / 14	5"-6"-7"-8"	30		182	137	133	130	127	123	119	116	112	102	87		1.854	35	**1.667**
HS 6042 / 15	5"-6"-7"-8"	30		195	147	143	140	137	132	128	125	120	110	93		1.967	37	**1.765**
HS 6042 / 16	6"	35		208	157	152	149	146	141	136	133	128	117	99		2.080	39	**1.864**
HS 6042 / 17	6"	35		221	167	162	158	155	150	145	141	136	124	105		2.193	41	**1.961**
HS 6042 / 18	6"-7"-8"	40		234	176	171	167	164	158	153	149	144	131	112		2.306	43	**2.056**
HS 6042 / 19	6"-7"-8"	40		247	186	181	177	173	167	162	158	152	139	118		2.419	45	**2.151**
HS 6042 / 20	6"-7"-8"	40		260	196	190	186	182	176	170	166	160	146	124		2.548	48	**2.277**
HS 6042 / 21	6"-7"-8"	50		273	206	200	195	191	185	179	174	168	153	130		2.661	50	**2.372**
HS 6042 / 22	6"-7"-8"	50		286	216	209	205	200	194	187	183	176	161	136		2.774	53	**2.468**
HS 6042 / 23	6"-7"-8"	50		299	225	219	214	209	202	196	191	184	168	143		2.887	55	**2.565**
HS 6042 / 24	6"-7"-8"	50		312	235	228	223	218	211	204	199	192	175	149		3.000	57	**2.659**
HS 6042 / 25	6"-7"-8"	50		325	245	238	233	228	220	213	208	200	183	155		3.113	59	**2.755**

SUCTION STANDARD: 2HP - 4HP, 4" NEMA BY 4" MOTOR; OVER 7.5HP, 5" - 6" - 7" MOTOR 6" NEMA 8"
SUCTION DIFFERENCE IS 180 DOLLARS

ACS
ATTESTATION DE CONFORMITÉ SANNITAIRE

OUR STAINLESS PUMPS ARE MANUFACTURED WITH AISI 304 MATERIAL, EXCLUDING THE SHAFT, INCLUDING THE CONICAL WEDGE AND COUPLING.

has pompa®

6", COMPLETE STAINLESS, MANUFACTURED OF CHROME SHEET, SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 149 mm)

TYPE	HP		CAPACITY											OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	30,00	36,00	42,00	48,00	54,00	60,00	66,00	72,00	78,00	inç	mm	kg	
			l/s	0,00	8,33	10,00	11,67	13,33	15,00	16,67	18,33	20,00	21,67				
HS 6060 / 01	4"	2		11	10	9	9	8	8	7	6	5	4		385	7	**382**
HS 6060 / 02	4"	4		22	20	19	18	17	15	13	11	9	7		498	9	**481**
HS 6060 / 03	4"-5"-6"	7,5		33	30	28	27	25	23	20	17	14	11		611	12	**579**
HS 6060 / 04	4"-5"-6"	10		44	40	37	36	33	30	27	23	19	14		724	14	**674**
HS 6060 / 05	4"-5"-6"	10		55	51	47	43	40	36	32	28	23	17		837	16	**769**
HS 6060 / 06	5"-6"	12,5		65	61	56	50	47	43	38	32	27	20		950	18	**897**
HS 6060 / 07	5"-6"	15		76	71	65	58	54	49	43	37	31	23		1.063	20	**996**
HS 6060 / 08	5"-6"	15		87	81	74	65	61	55	49	42	35	26		1.176	22	**1.091**
HS 6060 / 09	5"-6"	17,5		98	91	84	73	68	61	54	47	39	29		1.289	24	**1.189**
HS 6060 / 10	5"-6"	20		109	101	93	83	77	69	61	53	44	33		1.402	26	**1.306**
HS 6060 / 11	5"-6"	25		120	111	102	93	86	77	68	59	49	37		1.515	28	**1.401**
HS 6060 / 12	5"-6"	25		131	121	112	103	95	85	75	65	54	41		1.628	30	**1.498**
HS 6060 / 13	5"-6"	25	MSS	142	131	121	113	104	93	82	71	59	45	4"	1.741	32	**1.594**
HS 6060 / 14	5"-6"-7"-8"	30		153	141	130	123	113	101	89	77	64	50		1.854	34	**1.692**
HS 6060 / 15	5"-6"-7"-8"	30		164	152	140	133	122	109	100	83	69	54		1.967	36	**1.791**
HS 6060 / 16	6"	35		174	162	149	141	130	117	103	89	74	57		2.080	38	**1.891**
HS 6060 / 17	6"	35		185	172	158	150	138	125	110	95	79	61		2.193	40	**1.989**
HS 6060 / 18	6"	35		196	182	167	159	146	132	117	100	84	65		2.306	42	**2.085**
HS 6060 / 19	6"-7"-8"	40		207	192	177	167	155	140	124	106	89	69		2.419	44	**2.181**
HS 6060 / 20	6"-7"-8"	40		218	202	186	176	163	147	131	112	94	73		2.548	47	**2.308**
HS 6060 / 21	6"-7"-8"	40		229	212	195	185	171	155	137	118	99	77		2.661	49	**2.405**
HS 6060 / 22	6"-7"-8"	50		240	222	205	193	179	163	144	124	104	81		2.774	51	**2.502**
HS 6060 / 23	6"-7"-8"	50		251	232	214	202	187	170	151	130	109	84		2.887	53	**2.600**
HS 6060 / 24	6"-7"-8"	50		262	242	223	211	196	178	158	136	114	88		3.000	55	**2.695**
HS 6060 / 25	6"-7"-8"	50		273	253	233	219	204	185	165	142	119	92		3.113	57	**2.792**

SUCTION STANDARD: 2HP - 4HP, 4" NEMA BY 4" MOTOR; OVER 7.5HP, 5" - 6" - 7" MOTOR 6" NEMA 8"
SUCTION DIFFERENCE IS 180 DOLLARS

ACS
ATTESTATION DE CONFORMITÉ SANNITAIRE

OUR STAINLESS PUMPS ARE MANUFACTURED WITH AISI 304 MATERIAL, EXCLUDING THE SHAFT, INCLUDING THE CONICAL WEDGE AND COUPLING.

6", COMPLETE STAINLESS, MANUFACTURED OF CHROME SHEET, SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 149 mm)

TYPE	HP		CAPACITY										OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	42,00	54,00	64,00	70,00	75,00	80,00	84,00	90,00	96,00	inç	mm	kg	
			l/s	0,00	11,67	15,00	17,78	19,44	20,83	22,22	23,33	25,00	26,67				
HS 6075 / 01	4"	4	MSS	16	11	11	10	9	8	7	7	6	4	4"	439	11	**696**
HS 6075 / 02	4"-5"-6"	7,5		32	23	21	20	19	17	15	13	11	9		580	14	**882**
HS 6075 / 03	4"-5"-6"	10		49	34	32	30	28	25	22	20	17	13		721	17	**1.065**
HS 6075 / 04	5"-6"	15		65	45	43	40	37	33	30	27	22	17		862	20	**1.248**
HS 6075 / 05	5"-6"	17,5		81	56	53	49	47	41	37	34	28	21		1.003	23	**1.436**
HS 6075 / 06	5"-6"	20		97	68	64	59	56	50	45	40	33	26		1.144	26	**1.642**
HS 6075 / 07	5"-6"	25		113	79	74	69	65	58	52	47	39	30		1.285	29	**1.827**
HS 6075 / 08	5"-6"	25		130	90	85	79	74	66	60	54	45	34		1.426	32	**2.011**
HS 6075 / 09	5"-6"-7"-8"	30		146	102	96	89	84	75	67	60	50	39		1.567	35	**2.195**
HS 6075 / 10	6"	35		162	113	106	99	93	83	74	67	56	43		1.708	38	**2.379**
HS 6075 / 11	6"-7"-8"	40		178	124	117	109	102	91	82	74	61	47		1.849	41	**2.564**
HS 6075 / 12	6"-7"-8"	40		194	135	128	119	112	99	89	81	67	51		1.990	44	**2.756**
HS 6075 / 13	6"-7"-8"	50		210	147	138	128	121	108	97	87	72	56		2.131	47	**2.940**
HS 6075 / 14	6"-7"-8"	50		227	158	149	138	130	116	104	94	78	60		2.272	50	**3.125**
HS 6075 / 15	6"-7"-8"	50		243	169	160	148	140	124	112	101	84	64		2.413	54	**3.314**
HS 6075 / 16	6"-7"-8"	60		259	180	170	158	149	133	119	107	89	69		2.554	57	**3.493**
HS 6075 / 17	6"-7"-8"	60		275	192	181	168	158	141	127	114	95	73		2.695	60	**3.677**
HS 6075 / 18	6"-7"-8"	60		291	203	191	178	167	149	134	121	100	77		2.836	63	**3.862**

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 149 mm)

TYPE	HP		CAPACITY										OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	75,00	84,00	90,00	96,00	100,00	105,00	110,00	115,00	120,00	inç	mm	kg	
			l/s	0,00	20,83	23,33	25,00	26,67	27,78	29,17	30,56	31,94	33,33				
HS 6090 / 01	4"-5"-6"	5,5	MSS	15	11	11	10	9	9	8	8	7	6	4"	439	11	**698**
HS 6090 / 02	4"-5"-6"	10		31	22	21	20	19	18	17	16	14	13		580	14	**881**
HS 6090 / 03	5"-6"	15		46	33	32	30	28	27	25	23	21	19		721	17	**1.065**
HS 6090 / 04	5"-6"	20		62	44	42	40	38	36	33	31	28	25		862	20	**1.265**
HS 6090 / 05	5"-6"	25		77	55	53	50	47	45	42	39	35	31		1.003	23	**1.457**
HS 6090 / 06	5"-6"-7"-8"	30		93	66	63	60	57	54	50	47	42	38		1.144	26	**1.641**
HS 6090 / 07	6"	35		108	77	74	70	66	63	59	55	50	44		1.285	29	**1.825**
HS 6090 / 08	6"-7"-8"	40		124	88	84	80	76	72	67	62	57	50		1.426	32	**2.009**
HS 6090 / 09	6"-7"-8"	50		139	98	95	90	85	81	75	70	64	56		1.567	35	**2.194**
HS 6090 / 10	6"-7"-8"	50		155	109	105	100	95	90	84	78	71	63		1.708	38	**2.378**
HS 6090 / 11	6"-7"-8"	60		170	120	116	110	104	99	92	86	78	69		1.849	41	**2.562**
HS 6090 / 12	6"-7"-8"	60		186	131	126	120	113	108	100	94	85	75		1.990	44	**2.754**

SUCTION STANDARD: 4HP, 4" NEMA BY 4" MOTOR; OVER 5.5 HP, 5" - 6" - 7" MOTOR 6" NEMA 8"
SUCTION DIFFERENCE IS 180 DOLLARS

ACS
ATTESTATION DE CONFORMITÉ SANNITAIRE

OUR STAINLESS PUMPS ARE MANUFACTURED WITH AISI 304 MATERIAL, EXCLUDING THE SHAFT, INCLUDING THE CONICAL WEDGE AND COUPLING.

"ÖNCE KALİTE"
has pompa®
"Suya Ulaştıran Yol"

7" - 8", COMPLETE STAINLESS, CHROME SHEET, SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 174 mm with 6" SUCTION, 182 mm with 8" SUCTION)

TYPE	HP		CAPACITY											OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	60,00	64,00	**68,00**	**72,00**	**76,00**	**80,00**	**84,00**	**88,00**	96,00	104,00	inç	mm	kg	
			l/s	0,00	16,67	17,78	**18,89**	**20,00**	**21,11**	**22,22**	**23,33**	**24,44**	26,67	28,89				
HS 8072 / 01	5"-6"	5,5	MSS	19	14	13	**13**	**13**	**12**	**12**	**11**	**11**	9	8	5"	570	22	**1.109**
HS 8072 / 02	5"-6"	10		36	27	26	**26**	**25**	**24**	**23**	**22**	**21**	19	16		698	25	**1.269**
HS 8072 / 03	5"-6"	15		55	41	40	**39**	**38**	**37**	**35**	**34**	**32**	28	24		826	29	**1.425**
HS 8072 / 04	5"-6"	17,5		72	55	54	**52**	**51**	**49**	**46**	**45**	**42**	38	32		954	32	**1.581**
HS 8072 / 05	5"-6"	25		92	69	67	**65**	**64**	**61**	**58**	**56**	**53**	47	40		1.082	35	**1.759**
HS 8072 / 06	5"-6"-7"-8"	30		110	82	80	**78**	**76**	**73**	**70**	**67**	**64**	56	48		1.210	39	**1.983**
HS 8072 / 07	6"	35		129	96	94	**91**	**89**	**85**	**81**	**78**	**74**	66	56		1.338	42	**2.141**
HS 8072 / 08	6"	35		148	110	107	**104**	**102**	**98**	**93**	**90**	**85**	75	64		1.466	45	**2.299**
HS 8072 / 09	6"-7"-8"	40		165	123	121	**117**	**114**	**110**	**104**	**101**	**95**	85	72		1.605	52	**2.457**
HS 8072 / 10	6"-7"-8"	50		184	137	134	**130**	**127**	**122**	**116**	**112**	**106**	94	80		1.733	55	**2.615**
HS 8072 / 11	6"-7"-8"	50		203	151	147	**143**	**140**	**134**	**128**	**123**	**117**	103	88		1.861	59	**2.773**
HS 8072 / 12	6"-7"-8"	60		220	164	161	**156**	**152**	**146**	**139**	**134**	**127**	113	96		1.989	63	**2.931**
HS 8072 / 13	6"-7"-8"	60		233	178	174	**169**	**165**	**159**	**151**	**146**	**138**	122	104		2.117	67	**3.088**
HS 8072 / 14	7"-8"	70		247	192	188	**182**	**178**	**171**	**162**	**157**	**148**	132	112		2.245	71	**3.248**
HS 8072 / 15	7"-8"	70		265	206	201	**195**	**191**	**183**	**174**	**168**	**159**	141	120		2.373	75	**3.404**
HS 8072 / 16	7"-8"	75		294	219	214	**208**	**203**	**195**	**186**	**179**	**170**	150	128		2.501	79	**3.562**
HS 8072 / 17	7"-8"	75		313	233	228	**221**	**216**	**207**	**197**	**190**	**180**	160	136		2.629	83	**3.720**
HS 8072 / 18	7"-8"	80		332	247	241	**234**	**229**	**220**	**209**	**202**	**191**	169	144		2.757	87	**3.877**
HS 8072 / 19	7"-8"	90		349	260	255	**247**	**241**	**232**	**220**	**213**	**201**	179	152		2.885	91	**4.034**
HS 8072 / 20	7"-8"	90		368	274	268	**260**	**254**	**244**	**232**	**224**	**212**	188	160		3.013	95	**4.191**
HS 8072 / 21	8"	100		387	288	281	**273**	**267**	**256**	**244**	**235**	**223**	197	168		3.141	98	**4.354**
HS 8072 / 22	8"	100		406	301	295	**286**	**279**	**268**	**255**	**246**	**233**	207	176		3.269	102	**4.511**

SUCTION STANDARD: 5.5HP - 35HP, 6" NEMA BY 5" - 6" - 7" MOTOR; BETWEEN 40HP - 100HP, 8" NEMA BY 8" MOTOR

ACS
ATTESTATION DE CONFORMITÉ SANNITAIRE

OUR STAINLESS PUMPS ARE MANUFACTURED WITH AISI 304 MATERIAL, EXCLUDING THE SHAFT, INCLUDING THE CONICAL WEDGE AND COUPLING.

has pompa®

7" - 8", COMPLETE STAINLESS, CHROME SHEET, SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 174 mm with 6" SUCTION, 182 mm with 8" SUCTION)

TYPE	HP		CAPACITY												OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	64,00	72,00	80,00	84,00	88,00	92,00	96,00	104,00	112,00	120,00	inç	mm	kg	
			l/s	0,00	17,78	20,00	22,22	23,33	24,44	25,56	26,67	28,89	31,11	33,33				
HS 8094 / 01	5"-6"	7,5		25	19	18	17	17	17	16	15	14	12	10		570	23	**1.151**
HS 8094 / 02	5"-6"	15		49	37	36	35	34	33	32	30	27	24	20		698	27	**1.352**
HS 8094 / 03	5"-6"	20		74	56	54	52	51	50	48	46	41	36	30		826	31	**1.570**
HS 8094 / 04	5"-6"-7"-8"	30		98	75	72	69	68	66	64	61	55	48	40		954	35	**1.833**
HS 8094 / 05	6"	35		123	93	90	87	85	83	80	76	68	59	50		1.082	39	**2.031**
HS 8094 / 06	6"-7"-8"	50		147	112	107	104	102	100	96	91	82	71	60		1.221	44	**2.232**
HS 8094 / 07	6"-7"-8"	50		172	130	125	121	119	116	112	106	96	83	70		1.349	48	**2.432**
HS 8094 / 08	6"-7"-8"	60		196	149	143	139	136	133	128	122	110	95	80		1.477	52	**2.631**
HS 8094 / 09	7"-8"	70		221	168	161	156	153	149	144	137	123	107	90		1.605	56	**2.830**
HS 8094 / 10	7"-8"	70		245	186	179	173	170	166	160	152	137	119	100		1.733	60	**3.029**
HS 8094 / 11	7"-8"	80	MSS	270	205	197	191	188	183	175	167	151	131	110	5"	1.861	64	**3.229**
HS 8094 / 12	7"-8"	90		294	224	215	208	205	199	191	182	164	143	120		1.989	69	**3.428**
HS 8094 / 13	8"	100		319	242	233	225	222	216	207	198	178	154	130		2.117	73	**3.627**
HS 8094 / 14	8"	100		343	261	251	243	239	232	223	213	192	166	140		2.245	77	**3.828**
HS 8094 / 15	8"	110		368	279	269	260	256	249	239	228	205	178	150		2.373	81	**4.025**
HS 8094 / 16	8"-10"	125		392	298	287	277	273	266	255	243	219	190	160		2.501	85	**4.225**
HS 8094 / 17	8"-10"	125		417	317	305	295	290	282	271	258	233	202	170		2.629	89	**4.424**
HS 8094 / 18	8"-10"	150		441	335	322	312	307	299	287	273	247	214	180		2.757	93	**4.622**
HS 8094 / 19	8"-10"	150		466	354	340	329	324	316	303	289	260	226	190		2.885	97	**4.821**
HS 8094 / 20	8"-10"	150		490	373	358	346	341	332	319	304	274	238	200		3.013	101	**5.019**
HS 8094 / 21	8"-10"	150		515	391	376	364	358	349	335	319	288	250	210		3.141	105	**5.223**

SUCTION STANDARD: 7.5HP - 35HP, 6" NEMA BY 5" - 6" - 7" MOTOR; BETWEEN 50HP - 150HP, 8" NEMA BY 8"-10" MOTOR

OUR STAINLESS PUMPS ARE MANUFACTURED WITH AISI 304 MATERIAL, EXCLUDING THE SHAFT, INCLUDING THE CONICAL WEDGE AND COUPLING.

ACS
ATTESTATION DE CONFORMITÉ SANNITAIRE

8" - 10", COMPLETE STAINLESS, CHROME SHEET, SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 208 mm)

TYPE	HP		CAPACITY												OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	78,00	84,00	90,00	100,00	108,00	115,00	125,00	135,00	145,00	-	-	inç	mm	kg	
			l/s	0,00	21,67	23,33	25,00	27,78	30,00	31,94	34,72	37,50	40,28	-	-				
HS 10108 / 01	5"-6"	10		25	22	21	20	20	19	18	16	15	13	-	-		608	30	**1.545**
HS 10108 / 02	5"-6"	20		50	43	42	41	39	37	36	32	29	27	-	-		764	36	**1.864**
HS 10108 / 03	5"-6"-7"-8"	30		74	65	62	61	59	56	53	49	44	40	-	-		920	43	**2.174**
HS 10108 / 04	6"-7"-8"	40		99	86	83	81	79	74	71	65	58	54	-	-		1.076	50	**2.473**
HS 10108 / 05	6"-7"-8"	50		124	108	104	102	99	93	89	81	73	67	-	-		1.232	55	**2.774**
HS 10108 / 06	6"-7"-8"	60		149	129	125	122	118	111	107	97	88	80	-	-		1.388	62	**3.073**
HS 10108 / 07	7"-8"	70		173	151	145	142	138	130	125	114	102	94	-	-		1.544	68	**3.375**
HS 10108 / 08	7"-8"	80	MSS	198	172	166	163	158	148	142	130	117	107	-	-	6"	1.700	74	**3.675**
HS 10108 / 09	7"-8"	90		223	194	187	183	178	167	160	146	131	121	-	-		1.856	80	**3.972**
HS 10108 / 10	8"	100		248	215	208	203	197	185	178	162	146	134	-	-		2.012	86	**4.275**
HS 10108 / 11	8"	110		273	237	228	224	217	204	196	179	161	148	-	-		2.168	92	**4.577**
HS 10108 / 12	8"-10"	125		297	258	249	244	237	222	213	195	175	161	-	-		2.324	98	**4.875**
HS 10108 / 13	8"-10"	150		322	280	270	265	257	241	231	211	190	174	-	-		2.480	104	**5.179**
HS 10108 / 14	8"-10"	150		347	301	291	285	276	259	249	227	204	188	-	-		2.636	110	**5.478**
HS 10108 / 15	8"-10"	150		372	323	311	305	296	278	267	244	219	201	-	-		2.792	116	**5.778**

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 208 mm)

TYPE	HP		CAPACITY												OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	80,00	90,00	100,00	110,00	120,00	125,00	130,00	135,00	140,00	145,00	150,00	inç	mm	kg	
			l/s	0,00	22,22	25,00	27,78	30,56	33,33	34,72	36,11	37,50	38,89	40,28	41,67				
HS 10120 / 01A	5"-6"	10		25	21	20	20	18	17	16	16	15	14	13	11		608	30	**1.546**
HS 10120 / 01	5"-6"	15		29	25	24	23	22	21	21	20	19	18	18	17		608	30	**1.546**
HS 10120 / 02A	5"-6"	25		53	46	45	43	41	38	37	36	34	32	31	28		764	36	**1.866**
HS 10120 / 02	5"-6"-7"-8"	30		57	50	49	47	45	43	41	40	38	37	36	34		764	36	**1.866**
HS 10120 / 03AA	6"	35		78	68	65	63	59	56	53	51	48	46	45	40		920	42	**2.177**
HS 10120 / 03	6"-7"-8"	40		86	76	73	70	67	64	62	60	58	55	53	50		920	42	**2.177**
HS 10120 / 04AAA	6"-7"-8"	50		103	89	85	83	78	73	69	67	63	60	58	51		1.076	50	**2.477**
HS 10120 / 04AA	6"-7"-8"	50		107	93	90	86	82	77	74	71	68	65	62	56		1.076	50	**2.477**
HS 10120 / 04A	6"-7"-8"	50		111	97	94	90	86	81	78	76	72	69	67	62		1.076	50	**2.477**
HS 10120 / 04	6"-7"-8"	60		115	101	98	94	90	85	83	80	77	74	71	67		1.076	50	**2.477**
HS 10120 / 05AAA	6"-7"-8"	60		132	114	110	106	100	94	90	87	82	79	76	68		1.232	55	**2.779**
HS 10120 / 05AA	6"-7"-8"	60		136	118	114	110	104	98	94	91	87	83	80	73		1.232	55	**2.779**
HS 10120 / 05	7"-8"	70		144	126	122	117	112	107	103	100	96	92	89	84		1.232	55	**2.779**
HS 10120 / 06AAA	7"-8"	70		160	139	134	129	123	115	111	107	101	97	94	85		1.388	62	**3.079**
HS 10120 / 06AA	7"-8"	75	MSS	164	143	138	133	127	120	115	111	106	102	98	90	6"	1.388	62	**3.079**
HS 10120 / 06	7"-8"	80		172	151	146	140	134	128	124	120	115	111	107	101		1.388	62	**3.079**
HS 10120 / 07AA	7"-8"	90		193	169	163	156	149	141	136	131	125	120	116	107		1.544	68	**3.382**
HS 10120 / 07A	7"-8"	90		197	173	167	160	153	145	140	136	130	125	120	113		1.544	68	**3.382**
HS 10120 / 07	8"	100		201	176	171	164	157	150	144	140	134	129	125	118		1.544	68	**3.382**
HS 10120 / 08AAA	8"	100		218	190	183	176	167	158	152	147	140	134	129	119		1.700	74	**3.683**
HS 10120 / 08AA	8"	100		222	194	187	180	171	162	156	151	144	139	134	124		1.700	74	**3.683**
HS 10120 / 08	8"	110		230	202	195	187	179	171	165	160	153	148	143	135		1.700	74	**3.683**
HS 10120 / 09AAA	8"	110		247	215	208	200	190	180	173	167	159	153	147	136		1.856	80	**3.981**
HS 10120 / 09	8"-10"	125		258	227	220	211	202	192	186	180	173	166	160	152		1.856	80	**3.981**
HS 10120 / 10AAA	8"-10"	125		275	240	232	223	212	201	193	187	178	171	165	153		2.012	86	**4.285**
HS 10120 / 10AA	8"-10"	125		279	244	236	227	216	205	198	191	183	176	169	158		2.012	86	**4.285**
HS 10120 / 10A	8"-10"	150		283	248	240	230	220	209	202	196	187	180	174	163		2.012	86	**4.285**
HS 10120 / 10	8"-10"	150		287	252	244	234	224	214	206	200	192	185	178	169		2.012	86	**4.285**
HS 10120 / 11	8"-10"	150		316	277	269	257	247	235	227	220	211	203	196	186		2.168	92	**4.588**
HS 10120 / 12AAA	8"-10"	150		333	291	281	270	257	244	234	227	216	208	201	187		2.324	99	**4.884**

SUCTION STANDARD: 10HP - 35HP, 6" NEMA BY 5" - 6" - 7" MOTOR; BETWEEN 40HP - 150HP, 8" NEMA BY 8"-10" MOTOR

ACS
ATTESTATION DE CONFORMITÉ SANNITAIRE

OUR STAINLESS PUMPS ARE MANUFACTURED WITH AISI 304 MATERIAL, EXCLUDING THE SHAFT, INCLUDING THE CONICAL WEDGE AND COUPLING.

has pompa®

8" - 10", COMPLETE STAINLESS, CHROME SHEET, SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 208 mm)

TYPE	HP		CAPACITY													OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	120,00	130,00	140,00	150,00	155,00	160,00	165,00	170,00	180,00	190,00	200,00	inç	mm	kg	
			l/s	0,00	33,33	36,11	38,89	41,67	43,06	44,44	45,83	47,22	50,00	52,78	55,56				
HS 10160 / 01A	5"-6"	12,5		28	19	18	18	16	15	15	15	14	12	10	9		608	30	**1.547**
HS 10160 / 01	5"-6"	15		32	23	22	22	21	20	20	19	19	17	16	13		608	30	**1.547**
HS 10160 / 02AA	5"-6"	25		56	38	37	35	33	31	30	29	27	24	21	18		764	36	**1.889**
HS 10160 / 02A	5"-6"-7"-8"	30		60	42	41	39	37	36	35	34	32	29	26	22		764	37	**1.889**
HS 10160 / 02	5"-6"-7"-8"	30		63	46	45	43	42	41	40	38	37	34	31	26		764	37	**1.889**
HS 10160 / 03AAA	6"-7"-8"	40		84	57	55	53	49	46	45	44	41	37	31	27		920	43	**2.195**
HS 10160 / 03AA	6"-7"-8"	40		87	61	59	57	54	51	50	48	46	42	36	31		920	43	**2.195**
HS 10160 / 03A	6"-7"-8"	50		91	65	63	61	58	56	55	53	51	46	42	35		920	43	**2.195**
HS 10160 / 03	6"-7"-8"	50		95	68	67	65	62	61	60	58	56	51	47	40		920	43	**2.195**
HS 10160 / 04AAA	6"-7"-8"	60		115	80	78	74	70	67	65	63	60	54	47	40		1.076	50	**2.501**
HS 10160 / 04AA	6"-7"-8"	60		119	84	81	78	74	72	70	68	65	59	52	44		1.076	50	**2.501**
HS 10160 / 04A	6"-7"-8"	60		123	87	85	82	79	77	75	72	69	64	57	48		1.076	50	**2.501**
HS 10160 / 04	6"-7"-8"	60		126	91	89	86	83	82	79	77	74	68	63	53		1.076	50	**2.501**
HS 10160 / 05AAA	7"-8"	70		147	103	100	96	91	87	85	82	78	71	62	53		1.232	56	**2.808**
HS 10160 / 05AA	7"-8"	70		151	107	104	100	95	92	90	87	83	76	68	57		1.232	56	**2.808**
HS 10160 / 05A	7"-8"	75		154	110	107	104	100	97	94	91	88	81	73	62		1.232	56	**2.808**
HS 10160 / 05	7"-8"	75		158	114	111	108	104	102	99	96	93	86	78	66		1.232	56	**2.808**
HS 10160 / 06AAA	7"-8"	80		179	126	122	118	112	108	105	101	97	88	78	66		1.388	63	**3.113**
HS 10160 / 06AA	7"-8"	90	MSS	182	129	126	122	116	113	109	106	102	93	83	71	6"	1.388	63	**3.113**
HS 10160 / 06A	7"-8"	90		186	133	130	126	120	118	114	111	107	98	89	75		1.388	63	**3.113**
HS 10160 / 06	7"-8"	90		190	137	134	129	125	123	119	115	111	103	94	79		1.388	63	**3.113**
HS 10160 / 07AAA	8"	100		210	148	144	139	132	128	124	121	115	105	94	79		1.544	69	**3.421**
HS 10160 / 07AA	8"	100		214	152	148	143	137	133	129	125	120	110	99	84		1.544	69	**3.421**
HS 10160 / 07A	8"	110		218	156	152	147	141	138	134	130	125	115	104	88		1.544	69	**3.421**
HS 10160 / 07	8"	110		221	160	156	151	145	143	139	135	130	120	109	92		1.544	69	**3.421**
HS 10160 / 08AAA	8"-10"	125		242	171	167	161	153	149	144	140	134	122	109	93		1.700	76	**3.728**
HS 10160 / 08AA	8"-10"	125		245	175	170	165	157	154	149	144	139	127	115	97		1.700	76	**3.728**
HS 10160 / 08A	8"-10"	125		249	179	174	169	162	159	154	149	144	132	120	101		1.700	76	**3.728**
HS 10160 / 08	8"-10"	125		253	182	178	173	166	164	159	154	149	137	125	106		1.700	76	**3.728**
HS 10160 / 09AAA	8"-10"	125		273	194	189	182	174	169	164	159	153	139	125	106		1.856	82	**4.032**
HS 10160 / 09AA	8"-10"	150		277	198	193	186	178	174	169	164	157	144	130	110		1.856	82	**4.032**
HS 10160 / 09A	8"-10"	150		281	201	196	190	183	179	174	168	162	149	135	114		1.856	82	**4.032**
HS 10160 / 09	8"-10"	150		284	205	200	194	187	184	179	173	167	154	141	119		1.856	82	**4.032**
HS 10160 / 10AAA	8"-10"	150		305	217	211	204	195	190	184	178	171	157	140	119		2.012	89	**4.341**
HS 10160 / 10AA	8"-10"	150		309	221	215	208	199	194	189	183	176	161	146	123		2.012	89	**4.341**
HS 10160 / 10A	8"-10"	150		312	224	219	212	203	199	194	188	181	166	151	128		2.012	89	**4.341**
HS 10160 / 10	8"-10"	150		316	228	223	216	208	204	199	192	186	171	156	132		2.012	89	**4.341**

SUCTION STANDARD: 12.5HP - 30HP, 6" NEMA BY 5" - 6" - 7" MOTOR; BETWEEN 40HP - 150HP, 8" NEMA BY 8"-10" MOTOR

ACS
ATTESTATION DE CONFORMITÉ SANNITAIRE

OUR STAINLESS PUMPS ARE MANUFACTURED WITH AISI 304 MATERIAL, EXCLUDING THE SHAFT, INCLUDING THE CONICAL WEDGE AND COUPLING.

10", COMPLETE STAINLESS, MANUFACTURED OF CHROME SHEET, SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 232 mm)

TYPE	HP		CAPACITY														OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	150,00	170,00	190,00	200,00	205,00	210,00	215,00	220,00	225,00	230,00	250,00	270,00	inç	mm	kg	
			l/s	0,00	41,67	47,22	52,78	55,56	56,94	58,33	59,72	61,11	62,50	63,89	69,44	75,00				
HS 10220 / 01A	5"-6"	25	MSS	36	26	24	22	21	20	20	19	19	18	17	14	10	6"	776	52	**3.062**
HS 10220 / 01	5"-6"	30		42	31	29	27	27	26	26	25	24	24	23	20	16		776	52	**3.062**
HS 10220 / 02AA	6"-7"-8"	40		71	51	48	45	42	41	40	39	38	36	35	27	20		952	61	**3.660**
HS 10220 / 02	6"-7"-8"	50		84	61	57	55	53	52	51	50	49	48	46	40	33		952	61	**3.660**
HS 10220 / 03AAA	6"-7"-8"	60		107	77	72	67	63	61	60	58	56	55	52	41	30		1.128	70	**4.252**
HS 10220 / 03A	7"-8"	70		119	87	81	77	74	73	71	69	68	66	63	54	43		1.128	70	**4.252**
HS 10220 / 03	7"-8"	75		126	92	86	82	80	78	77	75	73	72	69	60	49		1.128	70	**4.252**
HS 10220 / 04AAAA	7"-8"	80		142	103	96	89	85	82	79	78	75	73	69	55	40		1.304	79	**4.844**
HS 10220 / 04AA	7"-8"	90		155	113	105	99	95	93	91	89	87	84	81	68	53		1.304	79	**4.844**
HS 10220 / 04	8"	100		168	122	115	109	106	105	103	100	98	96	92	80	66		1.304	79	**4.844**
HS 10220 / 05AAA	8"	110		190	138	129	122	116	114	111	108	105	103	98	81	63		1.480	88	**5.436**
HS 10220 / 05	8"-10"	125		209	153	143	137	133	131	128	125	122	120	116	100	82		1.480	88	**5.436**
HS 10220 / 06	8"-10"	150		251	184	172	164	159	157	154	150	147	144	139	121	99		1.656	97	**6.028**
HS 10220 / 07	10"	180		293	214	200	191	186	183	179	175	171	168	162	141	115		1.832	106	**6.621**
HS 10220 / 08	10"	200		335	245	229	219	212	209	205	200	196	192	185	161	131		2.008	115	**7.213**
HS 10220 / 09	10"	225		377	276	258	246	239	235	231	225	221	216	208	181	147		2.096	120	**7.808**
HS 10220 / 10	10"	250		419	306	286	273	265	261	256	250	245	240	231	201	164		2.184	124	**8.385**

SUCTION STANDARD: 25 HP - 30 HP, 5" - 6" NEMA BY 6" MOTOR, 40 HP - 250 HP, 8" - 10" MOTOR 8" NEMA

ACS
ATTESTATION DE CONFORMITÉ SANNITAIRE

OUR STAINLESS PUMPS ARE MANUFACTURED WITH AISI 304 MATERIAL, EXCLUDING THE SHAFT, INCLUDING THE CONICAL WEDGE AND COUPLING.

has pompa®

SUBMERSIBLE MOTOR PUMPS AND ASSEMBLY MATERIALS

CAST IRON PUMPS 5"-6"-7"-8"-10"

5" - 6", CAST IRON IMPELLER, CAST IRON SINGLE SUBMERSIBLE PUMPS

KADEME SAYISI	PRICE (DOLAR)									
	5" (ÇAP 120-123mm)				6" (ÇAP 153mm)					
	518-521-524	525	535	540	630	635	645	655	675	690
1	**177**	**264**	**268**	**267**	**359**	**365**	**361**	**364**	**472**	**472**
2	**256**	**331**	**335**	**334**	**475**	**483**	**474**	**473**	**513**	**513**
3	**335**	**398**	**399**	**401**	**591**	**597**	**583**	**577**	**618**	**618**
4	**413**	**462**	**464**	**466**	**703**	**711**	**692**	**682**	**723**	**723**
5	**493**	**526**	**528**	**532**	**814**	**824**	**802**	**787**	**827**	**828**
6	**570**	**590**	**593**	**597**	**926**	**938**	**911**	**892**	**932**	**932**
7	**650**	**654**	**657**	**662**	**1.038**	**1.052**	**1.020**	**997**	**1.037**	**1.037**
8	**729**	**719**	**722**	**728**	**1.149**	**1.166**	**1.129**	**1.102**	**1.142**	**1.142**
9	**808**	**783**	**787**	**831**	**1.261**	**1.279**	**1.238**	**1.207**	**1.247**	**1.247**
10	**887**	**847**	**851**	**897**	**1.373**	**1.393**	**1.348**	**1.312**	**1.351**	**1.352**
11	**966**	**911**	**955**	**962**	**1.485**	**1.507**	**1.457**	**1.417**	**1.456**	**1.457**
12	**1.045**	**975**	**1.020**	**1.028**	**1.596**	**1.621**	**1.566**	**1.522**	**1.561**	**1.561**
13	**1.124**	**1.039**	**1.085**	**1.095**	**1.708**	**1.735**	**1.675**	**1.627**	**1.666**	**-**
14	**1.203**	**1.103**	**1.150**	**1.160**	**1.820**	**1.848**	**1.784**	**1.732**	**1.771**	**-**
15	**1.282**	**1.168**	**1.215**	**1.226**	**1.931**	**1.962**	**1.894**	**1.837**	**1.875**	**-**
16	**1.362**	**1.232**	**1.281**	**1.292**	**2.043**	**2.076**	**2.003**	**1.942**	**1.980**	**-**
17	**1.441**	**1.296**	**1.346**	**1.358**	**2.155**	**2.190**	**2.112**	**2.047**	**2.085**	**-**
18	**1.520**	**1.363**	**1.411**	**1.425**	**2.267**	**2.303**	**2.221**	**2.152**	**2.190**	**-**
19	**-**	**1.430**	**1.476**	**1.492**	**2.378**	**2.417**	**2.330**	**2.257**	**-**	**-**
20	**-**	**1.533**	**1.541**	**1.555**	**2.490**	**2.531**	**2.439**	**2.362**	**-**	**-**
21	**-**	**-**	**-**	**-**	**2.602**	**2.645**	**2.549**	**2.471**	**-**	**-**
22	**-**	**-**	**-**	**-**	**2.713**	**2.758**	**2.658**	**2.580**	**-**	**-**

BRONZ IMPELLER FİYAT FARKI	
PRICE (DOLAR)	
S 525	22
S 535	23
S 540	27
S 630	51
S 635	50
S 640	40
S 655	39
S 675	50
S 690	57

has pompa®

7" - 8" - 10", CAST IRON IMPELLER, CAST IRON SINGLE SUBMERSIBLE PUMPS

KADEME SAYISI	PRICE (DOLAR)										
	7" (ÇAP 180mm)				8" (ÇAP 205mm)				10" (ÇAP 265mm)		
	775	790	7120	7150	8090	8120	8180	8240	10180	10240	10300
1	**503**	**530**	**538**	**539**	**592**	**593**	**653**	**639**	**1.462**	**1.458**	**1.607**
2	**634**	**687**	**709**	**712**	**774**	**776**	**883**	**941**	**1.588**	**1.580**	**1.740**
3	**765**	**845**	**880**	**884**	**957**	**1.009**	**1.181**	**1.194**	**1.944**	**1.932**	**2.171**
4	**897**	**1.065**	**1.051**	**1.091**	**1.189**	**1.193**	**1.430**	**1.448**	**2.300**	**2.284**	**2.725**
5	**1.028**	**1.224**	**1.258**	**1.265**	**1.374**	**1.377**	**1.679**	**1.702**	**2.656**	**2.636**	**3.156**
6	**1.224**	**1.382**	**1.430**	**1.439**	**1.557**	**1.561**	**1.928**	**1.955**	**3.011**	**-**	**-**
7	**1.357**	**1.541**	**1.603**	**1.613**	**1.740**	**1.745**	**2.178**	**2.209**	**3.367**	**-**	**-**
8	**1.490**	**1.700**	**1.775**	**1.787**	**1.924**	**1.929**	**2.427**	**2.463**	**3.723**	**-**	**-**
9	**1.622**	**1.858**	**1.948**	**1.961**	**2.107**	**2.113**	**2.676**	**2.511**	**4.092**	**-**	**-**
10	**1.754**	**2.017**	**2.121**	**2.136**	**2.290**	**2.066**	**2.695**	**2.970**	**4.461**	**-**	**-**
11	**1.886**	**2.175**	**2.293**	**2.310**	**2.474**	**2.225**	**2.919**	**-**	**-**	**-**	**-**
12	**2.019**	**2.334**	**2.466**	**2.484**	**2.657**	**2.664**	**-**	**-**	**-**	**-**	**-**
13	**2.151**	**2.492**	**-**	**-**	**2.840**	**-**	**-**	**-**	**-**	**-**	**-**
14	**2.282**	**2.651**	**-**	**-**	**3.023**	**-**	**-**	**-**	**-**	**-**	**-**
15	**2.414**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
16	**2.547**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
17	**2.679**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
18	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
19	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
20	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
21	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**
22	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**

BRONZ IMPELLER FİYAT FARKI	
PRICE (DOLAR)	
S 775	66
S 790	79
S 7120	69
S 7150	74
S 8090	98
S 8120	78
S 8180	116
S 8240	137
S 10180	181
S 10240	163
S 10300	176

5", CAST IRON IMPELLER, CAST IRON SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: 120 mm)

TYPE	HP		CAPACITY										OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	8,00	10,00	**12,00**	**15,00**	**18,00**	21,00	24,00	-	inç	mm	kg	
			l/s	0,00	2,22	2,78	**3,33**	**4,17**	**5,00**	5,83	6,67	-				
HC 5018 / 05	4"	3	MSS	36	30	28	**26**	**23**	**20**	16	11	-	2 1/2"	750	24	**493**
HC 5018 / 06	4"	4		49	43	40	**38**	**34**	**31**	28	23	-		833	27	**570**
HC 5018 / 07	4"	4		57	50	47	**45**	**40**	**36**	32	27	-		915	30	**650**
HC 5018 / 09	4"-5"-6"	5,5		74	64	61	**57**	**52**	**47**	42	35	-		1.082	36	**808**
HC 5018 / 11	4"-5"-6"	7,5		90	78	74	**70**	**63**	**57**	51	43	-		1.248	42	**966**
HC 5018 / 14	4"-5"-6"	10		115	99	94	**89**	**80**	**73**	65	55	-		1.497	52	**1.203**
HC 5018 / 16	5"-6"	12,5		142	128	122	**115**	**105**	**96**	87	77	-		1.663	58	**1.362**
HC 5018 / 18	5"-6"	15		152	137	130	**123**	**112**	**103**	93	81	-		1.829	64	**1.520**

TYPE	HP		CAPACITY										OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	10,00	12,00	**15,00**	**18,00**	**21,00**	24,00	-	-	inç	mm	kg	
			l/s	0,00	2,78	3,33	**4,17**	**5,00**	**5,83**	6,67	-	-				
HC 5021 / 03	4"	2	MSS	26	22	21	**19**	**17**	**16**	14	-	-	2 1/2"	584	18	**335**
HC 5021 / 04	4"	3		35	29	28	**25**	**23**	**21**	19	-	-		667	21	**413**
HC 5021 / 05	4"	4		43	37	35	**31**	**29**	**26**	24	-	-		750	24	**493**
HC 5021 / 07	4"-5"-6"	5,5		61	51	48	**44**	**40**	**37**	33	-	-		916	30	**650**
HC 5021 / 09	4"-5"-6"	7,5		78	66	62	**56**	**52**	**47**	43	-	-		1.082	36	**808**
HC 5021 / 12	4"-5"-6"	10		104	88	83	**75**	**69**	**63**	57	-	-		1.331	45	**1.045**
HC 5021 / 14	5"-6"	12,5		124	103	99	**91**	**83**	**75**	67	-	-		1.497	51	**1.203**
HC 5021 / 16	5"-6"	12,5		134	113	108	**98**	**90**	**82**	72	-	-		1.663	57	**1.362**

TYPE	HP		CAPACITY										OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	12,00	15,00	**18,00**	**21,00**	**24,00**	30,00	-	-	inç	mm	kg	
			l/s	0,00	3,33	4,17	**5,00**	**5,83**	**6,67**	8,33	-	-				
HC 5024 / 04	4"	4	MSS	35	29	26	**24**	**22**	**20**	18	-	-	2 1/2"	667	21	**413**
HC 5024 / 05	4"-5"-6"	5,5		44	36	32	**30**	**28**	**25**	22	-	-		750	24	**493**
HC 5024 / 07	4"-5"-6"	7,5		61	50	45	**42**	**39**	**35**	31	-	-		916	30	**650**
HC 5024 / 09	4"-5"-6"	10		78	64	58	**54**	**50**	**45**	40	-	-		1.082	36	**808**
HC 5024 / 12	5"-6"	12,5		105	90	83	**77**	**71**	**67**	54	-	-		1.331	45	**1.045**
HC 5024 / 14	5"-6"	15		125	105	96	**88**	**82**	**77**	63	-	-		1.497	51	**1.203**

SUCTION STANDARD: 2HP - 10HP, 4" NEMA BY 4" MOTOR; OVER 12.5HP, 6" NEMA 5"-6" SUCTION
DIFFERENCE COMPARED TO 5" MOTOR $67

has pompa®

5", CAST IRON IMPELLER, CAST IRON SINGLE SUBMERSIBLE PUMPS

(MAXIMUM SINGLE SUBMERSIBLE PUMP OUTER DIAMETER: SUCTION TO 4" MOTOR - 120 mm; SUCTION TO 5" MOTOR - 123 mm; SUCTION TO 6" MOTOR - 135 mm)

TYPE	HP		CAPACITY																OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	12,00	14,00	16,00	18,00	20,00	22,00	24,00	26,00	28,00	30,00	32,00	34,00	36,00	-	inç	mm	kg	
			l/s	0,00	3,33	3,89	4,44	5,00	5,56	6,11	6,67	7,22	7,78	8,33	8,89	9,44	10,00	-				
HC 5025 / 03	4"	2	MSS	21	16	16	15	14	14	13	12	11	10	9	8	7	6	-	3"	640	16	**398**
HC 5025 / 04	4"	3		30	22	21	20	19	18	17	16	15	14	13	11	10	8	-		750	19	**462**
HC 5025 / 05	4"	3		37	28	26	24	23	22	21	20	19	17	16	14	12	10	-		860	22	**526**
HC 5025 / 06	4"	4		42	33	32	30	29	26	25	24	22	20	18	16	14	12	-		970	26	**590**
HC 5025 / 07	4"-5"-6"	5,5		48	38	36	34	32	31	29	27	25	23	22	19	17	13	-		1.080	29	**654**
HC 5025 / 08	4"-5"-6"	5,5		55	43	42	39	37	35	33	31	29	27	25	22	19	15	-		1.190	32	**719**
HC 5025 / 09	4"-5"-6"	5,5		62	49	47	44	42	40	37	35	33	30	29	24	21	17	-		1.300	36	**783**
HC 5025 / 10	5"-6"	7,5		72	57	55	52	49	47	44	41	39	36	32	30	26	22	-		1.410	39	**847**
HC 5025 / 11	5"-6"	7,5		79	63	60	57	54	52	48	45	43	39	35	33	29	24	-		1.520	42	**911**
HC 5025 / 12	5"-6"	7,5		86	69	66	62	59	57	52	49	47	43	38	36	31	27	-		1.630	46	**975**
HC 5025 / 13	5"-6"	10		94	74	71	67	63	61	58	54	51	46	42	40	34	29	-		1.740	49	**1.039**
HC 5025 / 14	5"-6"	10		101	80	76	72	68	65	62	59	55	50	45	43	37	32	-		1.850	52	**1.103**
HC 5025 / 15	5"-6"	10		108	85	82	78	73	70	67	63	59	54	48	46	39	33	-		1.960	56	**1.168**
HC 5025 / 16	5"-6"	10		115	91	87	83	78	75	71	67	63	57	51	48	41	34	-		2.070	59	**1.232**
HC 5025 / 17	5"-6"	10		123	97	93	88	83	79	76	71	65	59	54	49	42	35	-		2.180	62	**1.296**
HC 5025 / 18	5"-6"	12,5		125	100	96	91	86	82	76	73	67	61	56	51	44	36	-		2.290	66	**1.363**
HC 5025 / 19	5"-6"	12,5		130	103	99	93	88	84	79	75	70	63	58	51	44	36	-		2.400	69	**1.430**
HC 5025 / 20	5"-6"	12,5		135	106	102	96	91	86	81	78	73	66	61	52	45	37	-		2.510	72	**1.533**

TYPE	HP		CAPACITY																OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	10,00	12,00	14,00	18,00	22,00	26,00	30,00	34,00	36,00	38,00	42,00	44,00	46,00	-	inç	mm	kg	
			l/s	0,00	2,78	3,33	3,89	5,00	6,11	7,22	8,33	9,44	10,00	10,56	11,67	12,22	12,78	-				
HC 5035 / 02	4"	2	MSS	21	15	14	14	12	11	10	9	8	7	6	4	3	1	-	3"	530	12	**335**
HC 5035 / 03	4"	3		31	23	21	20	19	17	16	14	12	11	9	6	4	2	-		640	16	**399**
HC 5035 / 04	4"	4		42	31	30	28	26	24	22	20	18	16	14	10	8	5	-		750	19	**464**
HC 5035 / 05	4"-5"-6"	5,5		53	41	39	37	34	32	30	27	24	22	20	15	12	9	-		860	22	**528**
HC 5035 / 06	5"-6"	7,5		63	48	46	44	41	38	36	33	29	27	24	19	16	12	-		970	26	**593**
HC 5035 / 07	5"-6"	7,5		74	56	54	52	48	45	42	38	34	32	29	23	19	14	-		1.080	29	**657**
HC 5035 / 08	5"-6"	10		83	63	61	58	54	50	47	43	38	36	33	26	21	17	-		1.190	32	**722**
HC 5035 / 09	5"-6"	10		93	71	68	66	61	57	53	48	43	40	37	29	24	19	-		1.300	36	**787**
HC 5035 / 10	5"-6"	10		101	78	75	72	67	62	58	53	47	44	40	32	26	21	-		1.410	39	**851**
HC 5035 / 11	5"-6"	12,5		111	86	82	79	73	68	63	58	52	48	44	35	29	23	-		1.520	42	**955**
HC 5035 / 12	5"-6"	12,5		122	94	90	86	80	75	69	63	57	53	48	38	32	25	-		1.630	46	**1.020**
HC 5035 / 13	5"-6"	15		132	102	97	94	87	81	75	69	61	57	52	41	34	27	-		1.740	49	**1.085**
HC 5035 / 14	5"-6"	15		142	109	105	101	93	87	81	74	66	61	56	44	37	29	-		1.850	52	**1.150**
HC 5035 / 15	5"-6"	15		152	117	112	108	100	93	86	79	71	66	60	47	40	31	-		1.960	56	**1.215**
HC 5035 / 16	5"-6"	17,5		162	125	120	115	107	99	92	84	75	70	64	50	42	33	-		2.070	59	**1.281**
HC 5035 / 17	5"-6"	17,5		172	133	127	122	113	106	98	90	80	75	68	54	45	35	-		2.180	62	**1.346**
HC 5035 / 18	5"-6"	20		182	141	135	130	120	112	104	95	85	79	72	57	48	37	-		2.290	66	**1.411**
HC 5035 / 19	5"-6"	20		192	149	142	137	127	118	110	100	90	83	76	60	50	39	-		2.400	69	**1.476**
HC 5035 / 20	5"-6"	20		203	156	150	144	134	124	115	106	94	88	80	63	53	41	-		2.510	72	**1.541**

TYPE	HP		CAPACITY																OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	26,00	28,00	30,00	32,00	34,00	36,00	38,00	40,00	42,00	44,00	46,00	48,00	50,00	52,00	inç	mm	kg	
			l/s	0,00	7,22	7,78	8,33	8,89	9,44	10,00	10,56	11,11	11,67	12,22	12,78	13,33	13,89	14,44				
HC 5040 / 03	4"	4	MSS	25	17	17	16	16	15	15	14	14	13	12	11	10	9	7	3"	640	16	**401**
HC 5040 / 04	4"-5"-6"	5,5		35	23	23	22	22	21	20	19	18	17	16	15	14	13	11		750	19	**466**
HC 5040 / 05	5"-6"	7,5		46	31	31	30	29	29	28	27	26	25	24	23	22	20	18		860	22	**532**
HC 5040 / 06	5"-6"	7,5		55	38	38	37	36	35	34	33	32	31	30	28	26	23	20		970	26	**597**
HC 5040 / 07	5"-6"	10		62	42	42	41	40	39	38	37	36	35	33	31	28	25	22		1.080	29	**662**
HC 5040 / 08	5"-6"	10		71	48	48	47	46	45	44	42	41	40	38	36	32	28	25		1.190	32	**728**
HC 5040 / 09	5"-6"	12,5		78	52	51	50	49	48	46	44	43	41	39	38	34	30	27		1.300	36	**831**
HC 5040 / 10	5"-6"	12,5		87	58	57	56	55	53	51	49	48	46	44	42	38	34	29		1.410	39	**897**
HC 5040 / 11	5"-6"	15		96	66	64	63	62	61	59	57	54	53	50	48	44	39	34		1.520	42	**962**
HC 5040 / 12	5"-6"	15		105	72	70	69	67	66	64	62	59	58	55	52	48	43	36		1.630	46	**1.028**
HC 5040 / 13	5"-6"	17,5		111	76	75	73	72	70	68	65	63	61	58	54	49	44	37		1.740	49	**1.095**
HC 5040 / 14	5"-6"	17,5		120	82	81	79	77	75	73	70	68	65	62	58	53	48	41		1.850	52	**1.160**
HC 5040 / 15	5"-6"	20		128	88	87	85	83	81	78	76	73	71	67	63	58	52	45		1.960	56	**1.226**
S 540 / 16	5"-6"	20		136	94	93	91	89	87	84	81	77	75	71	67	62	55	46		2.070	59	**1.292**
HC 5040 / 17	5"-6"	20		145	100	99	96	94	92	89	86	82	80	76	71	66	58	49		2.180	62	**1.358**
HC 5040 / 18	5"-6"	25		147	105	103	101	98	96	94	91	88	84	80	75	69	60	51		2.290	66	**1.425**
HC 5040 / 19	5"-6"	25		155	110	108	107	104	102	99	96	93	89	84	79	73	63	54		2.400	69	**1.492**
HC 5040 / 20	5"-6"	25		163	116	114	112	109	107	104	101	98	94	89	84	76	66	57		2.510	72	**1.555**

SUCTION STANDARD: 2HP - 4HP, 4" NEMA BY 4" MOTOR; OVER 5.5HP, 6" NEMA BY 5" MOTOR

6" CAST IRON IMPELLER, SUBMERSIBLE ELECTROPOMP GROUPS

(MAXIMUM GROUP OUTER DIAMETER: 153 mm)

ELEKTROPOMP GRUP			CAPACITY															OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	12,00	14,00	16,00	18,00	20,00	22,00	24,00	26,00	28,00	30,00	32,00	34,00	36,00	38,00	inç	mm	kg	
			l/s	0,00	3,33	3,89	4,44	5,00	5,56	6,11	6,67	7,22	7,78	8,33	8,89	9,44	10,00	10,56				
HC 6030 / 03	6"	5,5	MSS	38	35	35	34	32	31	30	28	26	24	22	19	16	13	10	3"	1.320	78	**1.454**
HC 6030 / 04	6"	5,5		51	47	46	45	43	41	39	37	35	32	29	26	22	18	13		1.440	84	**1.566**
HC 6030 / 05	6"	7,5		64	59	58	56	54	52	49	46	43	40	36	32	27	22	17		1.601	96	**1.699**
HC 6030 / 06	6"	10		77	71	69	67	65	62	59	56	52	48	43	38	33	27	20		1.761	107	**1.835**
HC 6030 / 07	6"	10		89	83	81	78	76	73	69	65	61	56	51	45	38	31	24		1.881	114	**1.947**
HC 6030 / 08	6"	12,5		102	95	92	90	86	83	79	74	69	64	58	51	44	36	27		2.041	125	**2.105**
HC 6030 / 09	6"	15		115	106	104	101	97	93	89	84	78	72	65	58	49	40	30		2.211	137	**2.285**
HC 6030 / 10	6"	15		128	118	115	112	108	104	99	93	87	80	72	64	55	45	34		2.331	143	**2.397**
HC 6030 / 11	6"	17,5		140	130	127	123	119	114	108	102	95	88	80	70	60	49	37		2.501	152	**2.575**
HC 6030 / 12	6"	17,5		153	142	138	134	130	124	118	112	104	96	87	77	66	54	40		2.621	158	**2.686**
HC 6030 / 13	6"	20		166	154	150	146	140	135	128	121	113	104	94	83	71	58	44		2.791	175	**2.932**
HC 6030 / 14	6"	20		179	166	162	157	151	145	138	130	121	112	101	89	77	63	47		2.911	181	**3.044**
HC 6030 / 15	6"	25		191	177	173	168	162	155	148	139	130	120	108	96	82	67	51		3.131	199	**3.221**
HC 6030 / 16	6"	25		204	189	185	179	173	166	158	149	139	128	116	102	88	72	54		3.251	205	**3.333**
HC 6030 / 17	6"	25		217	201	196	190	184	176	168	158	147	136	123	109	93	76	57		3.371	212	**3.445**
HC 6030 / 18	6"	30		230	213	208	202	194	186	177	167	156	144	130	115	99	80	61		3.541	223	**3.651**
HC 6030 / 19	6"	30		242	225	219	213	205	197	187	177	165	152	137	121	104	85	64		3.661	229	**3.762**
HC 6030 / 20	6"	30		255	237	231	224	216	207	197	186	174	160	145	128	110	89	67		3.781	236	**3.874**
HC 6030 / 21	6"	35		268	248	242	235	227	218	207	195	182	168	152	134	115	94	71		3.981	254	**4.152**
HC 6030 / 22	6"	35		281	260	254	246	238	228	217	205	191	176	159	141	120	98	74		4.101	261	**4.263**

ELEKTROPOMP GRUP			CAPACITY															OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	16,00	20,00	24,00	28,00	30,00	32,00	34,00	36,00	38,00	40,00	44,00	48,00	54,00	60,00	inç	mm	kg	
			l/s	0,00	4,44	5,56	6,67	7,78	8,33	8,89	9,44	10,00	10,56	11,11	12,22	13,33	15,00	16,67				
HC 6035 / 02	6"	5,5	MSS	30	26	25	25	24	23	23	22	22	21	20	18	16	13	9	3"	1.246	70	**1.346**
HC 6035 / 03	6"	7,5		44	40	38	37	35	35	34	34	33	32	31	28	23	18	13		1.381	81	**1.482**
HC 6035 / 04	6"	10		57	52	50	48	47	46	45	44	43	41	39	36	31	23	16		1.536	92	**1.620**
HC 6035 / 05	6"	10		71	65	62	60	58	56	55	54	52	51	49	44	38	30	20		1.651	98	**1.733**
HC 6035 / 06	6"	12,5		87	80	75	73	70	68	67	66	64	62	60	54	47	36	25		1.806	109	**1.894**
HC 6035 / 07	6"	15		101	93	89	85	82	81	80	77	75	72	69	64	55	42	31		1.971	120	**2.076**
HC 6035 / 08	6"	17,5		115	106	102	98	94	93	92	89	87	85	81	73	64	50	34		2.136	128	**2.256**
HC 6035 / 09	6"	20		129	118	113	110	105	103	101	99	96	93	89	81	70	54	37		2.301	144	**2.503**
HC 6035 / 10	6"	20		144	131	124	121	115	113	110	108	104	101	97	89	75	58	41		2.416	150	**2.617**
HC 6035 / 11	6"	25		158	144	138	133	127	124	123	120	116	112	108	99	84	65	44		2.631	167	**2.797**
HC 6035 / 12	6"	25		172	158	151	145	139	136	135	133	128	123	119	109	93	71	48		2.746	173	**2.911**
HC 6035 / 13	6"	30		187	168	161	156	150	147	145	142	137	132	127	115	100	75	50		2.911	184	**3.119**
HC 6035 / 14	6"	30		201	182	174	168	162	159	156	153	148	143	139	125	108	82	54		3.026	190	**3.232**
HC 6035 / 15	6"	30		216	197	188	182	174	171	168	165	160	155	150	136	115	90	59		3.141	196	**3.346**
HC 6035 / 16	6"	35		230	210	200	195	187	184	179	175	170	165	158	143	123	94	61		3.336	214	**3.626**
HC 6035 / 17	6"	35		245	223	213	208	200	197	191	186	181	174	166	151	131	98	63		3.451	220	**3.740**
HC 6035 / 18	6"	40		259	235	224	218	209	206	198	195	188	181	173	157	135	103	68		3.646	233	**3.952**
HC 6035 / 19	6"	40		273	248	236	230	221	216	210	205	198	191	184	165	140	106	71		3.761	239	**4.066**
HC 6035 / 20	6"	40		288	260	248	243	233	226	221	215	209	201	194	173	146	111	77		3.876	245	**4.180**
HC 6035 / 21	6"	50		302	278	269	264	255	249	244	239	230	223	214	196	170	124	84		4.071	253	**4.679**
HC 6035 / 22	6"	50		316	289	279	275	264	260	253	246	239	229	220	199	173	132	92		4.186	259	**4.792**

has pompa®

6" CAST IRON IMPELLER, SUBMERSIBLE ELECTROPOMP GROUPS

(MAXIMUM GROUP OUTER DIAMETER: 153 mm)

ELEKTROPOMP GRUP			CAPACITY																OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	18,00	24,00	30,00	36,00	38,00	40,00	42,00	44,00	46,00	48,00	50,00	56,00	60,00	68,00	inç	mm	kg	
			l/s	0,00	5,00	6,67	8,33	10,00	10,56	11,11	11,67	12,22	12,78	13,33	13,89	15,56	16,67	18,89				
HC 6045 / 02	6"	5,5		30	27	26	24	23	23	22	22	21	20	19	18	16	14	8		1.246	70	**1.337**
HC 6045 / 03	6"	7,5		44	39	38	36	35	34	33	32	31	30	29	26	22	19	11		1.381	81	**1.468**
HC 6045 / 04	6"	10		59	52	49	47	45	44	43	42	41	39	37	35	29	24	11		1.536	92	**1.601**
HC 6045 / 05	6"	12,5		73	65	63	59	57	56	55	53	52	49	47	44	37	32	13		1.691	103	**1.758**
HC 6045 / 06	6"	15		89	79	75	72	69	67	66	64	62	59	57	53	45	39	22		1.856	114	**1.935**
HC 6045 / 07	6"	17,5		103	92	87	83	80	77	75	73	71	68	64	61	50	43	25		2.021	122	**2.110**
HC 6045 / 08	6"	20		117	105	100	96	93	89	90	85	83	79	74	70	58	50	24		2.186	138	**2.353**
HC 6045 / 09	6"	25		134	119	114	109	106	103	101	98	95	92	87	82	69	59	29		2.401	155	**2.528**
HC 6045 / 10	6"	25		148	133	125	120	115	113	111	107	104	100	95	90	74	65	31		2.516	161	**2.638**
HC 6045 / 11	6"	30		162	145	138	132	126	124	122	118	114	109	104	98	81	70	33		2.681	172	**2.841**
HC 6045 / 12	6"	30	MSS	177	158	150	143	138	135	133	128	125	119	113	107	89	77	36	3"	2.796	178	**2.950**
HC 6045 / 13	6"	35		191	170	163	154	149	146	143	139	135	128	122	115	96	82	38		2.991	196	**3.225**
HC 6045 / 14	6"	35		205	184	176	167	161	158	154	150	145	139	133	125	104	89	41		3.106	202	**3.334**
HC 6045 / 15	6"	35		218	198	189	180	173	170	166	161	156	150	143	135	112	97	45		3.221	208	**3.444**
HC 6045 / 16	6"	40		231	211	201	192	184	180	176	170	165	158	151	141	118	102	46		3.416	221	**3.652**
HC 6045 / 17	6"	40		245	222	212	205	194	190	185	179	173	166	158	148	123	106	47		3.531	227	**3.761**
HC 6045 / 18	6"	50		261	237	232	220	211	207	202	196	190	183	174	162	136	113	56		3.726	235	**4.255**
HC 6045 / 19	6"	50		276	251	244	233	221	217	212	206	199	192	181	170	143	123	60		3.841	241	**4.364**
HC 6045 / 20	6"	50		291	264	257	245	233	229	223	217	209	202	190	179	150	130	63		3.956	247	**4.473**
HC 6045 / 21	6"	50		306	277	266	254	244	238	233	226	217	209	199	188	157	135	66		4.071	253	**4.583**
HC 6045 / 22	6"	60		318	290	279	268	255	249	243	237	228	217	207	195	163	140	77		4.186	259	**4.830**

ELEKTROPOMP GRUP			CAPACITY																OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	24,00	32,00	40,00	44,00	48,00	50,00	52,00	54,00	56,00	58,00	62,00	66,00	70,00	78,00	inç	mm	kg	
			l/s	0,00	6,67	8,89	11,11	12,22	13,33	13,89	14,44	15,00	15,56	16,11	17,22	18,33	19,44	21,67				
HC 6060 / 02	6"	7,5		29	25	23	21	20	19	19	18	18	17	16	15	13	11	7		1.266	80	**1.358**
HC 6060 / 03	6"	10,0		47	39	37	35	34	32	31	30	29	28	26	24	22	19	12		1.421	90	**1.486**
HC 6060 / 04	6"	12,5		62	52	49	46	45	42	41	40	39	38	37	34	30	25	17		1.576	100	**1.638**
HC 6060 / 05	6"	15		77	65	61	57	55	53	51	50	48	47	45	42	37	31	21		1.741	110	**1.811**
HC 6060 / 06	6"	17,5		93	79	74	69	67	64	62	60	59	57	55	51	45	38	25		1.906	117	**1.982**
HC 6060 / 07	6"	20		108	91	86	81	77	73	71	69	67	65	63	58	51	43	29		2.071	132	**2.221**
HC 6060 / 08	6"	25		123	106	99	93	90	86	83	81	79	76	73	69	61	51	35		2.286	148	**2.392**
HC 6060 / 09	6"	30		141	120	112	105	101	97	94	92	89	87	84	77	68	59	40		2.451	158	**2.591**
HC 6060 / 10	6"	30		156	133	125	117	113	107	105	102	99	97	94	87	77	67	44		2.566	163	**2.696**
HC 6060 / 11	6"	35	MSS	167	139	130	121	116	110	108	105	102	98	95	88	78	68	45	4"	2.761	180	**2.967**
HC 6060 / 12	6"	35		183	151	140	133	127	121	118	114	111	108	104	96	82	69	46		2.876	185	**3.072**
HC 6060 / 13	6"	40		199	166	153	144	139	133	128	124	121	118	114	104	89	75	47		3.071	197	**3.276**
HC 6060 / 14	6"	40		216	184	170	160	154	147	143	138	135	131	127	117	100	85	52		3.186	202	**3.381**
HC 6060 / 15	6"	50		232	202	188	176	170	162	158	153	149	145	140	131	112	95	57		3.381	209	**3.871**
HC 6060 / 16	6"	50		247	215	200	188	181	172	168	163	159	154	149	139	119	101	65		3.496	214	**3.976**
HC 6060 / 17	6"	50		262	227	212	199	192	182	177	173	168	163	158	148	126	107	72		3.611	219	**4.081**
HC 6060 / 18	6"	60		277	244	226	213	206	197	191	186	181	175	170	157	140	119	77		3.726	224	**4.324**
HC 6060 / 19	6"	60		292	256	238	224	216	206	199	194	189	184	178	164	145	124	81		3.841	229	**4.429**
HC 6060 / 20	6"	60		307	268	249	235	225	214	208	203	198	193	185	171	150	127	84		3.956	234	**4.534**

Cast IMPELLER, Submersible Electropump Groups 6"- 7"- 8"- 10"

6" CAST IRON IMPELLER, SUBMERSIBLE ELECTROPOMP GROUPS

(MAXIMUM GROUP OUTER DIAMETER: 153 mm)

ELEKTROPOMP GRUP				CAPACITY															OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	40,00	45,00	54,00	60,00	66,00	72,00	75,00	80,00	84,00	90,00	96,00	100,00	105,00	110,00	inç	mm	kg	
			l/s	0,00	11,11	12,50	15,00	16,67	18,33	20,00	20,83	22,22	23,33	25,00	26,67	27,78	29,17	30,56				
HC 6075 / 01	6"	5,5	MSS	15	11	11	10	10	9	9	8	8	8	7	6	6	5	4	4"	1.166	65	**1.335**
HC 6075 / 02	6"	7,5		30	22	21	20	19	18	17	17	16	15	14	13	11	9	7		1.326	76	**1.398**
HC 6075 / 03	6"	10		45	34	32	30	29	27	26	25	24	23	21	19	17	14	11		1.506	88	**1.527**
HC 6075 / 04	6"	15		61	45	43	40	38	37	35	34	32	31	28	25	23	19	15		1.736	104	**1.747**
HC 6075 / 05	6"	17,5		76	56	54	50	48	46	44	42	40	38	35	31	28	24	18		1.926	112	**1.917**
HC 6075 / 06	6"	20		91	67	64	60	57	55	52	51	48	46	42	38	34	28	22		2.116	129	**2.156**
HC 6075 / 07	6"	25		106	79	75	70	67	64	61	59	56	54	49	44	39	33	26		2.356	146	**2.327**
HC 6075 / 08	6"	30		121	90	86	80	76	73	70	68	65	62	56	50	45	38	30		2.546	157	**2.526**
HC 6075 / 09	6"	30		136	101	96	90	86	82	78	76	73	69	63	56	51	43	33		2.686	164	**2.631**
HC 6075 / 10	6"	35		152	112	107	100	95	91	87	85	81	77	70	63	56	47	37		2.906	182	**2.901**
HC 6075 / 11	6"	40		167	123	118	110	105	100	96	93	89	85	77	69	62	52	41		3.126	195	**3.105**
HC 6075 / 12	6"	40		182	135	129	120	115	110	105	102	97	92	85	75	68	57	44		3.266	202	**3.210**
HC 6075 / 13	6"	50		197	146	139	130	124	119	113	110	105	100	92	81	73	62	48		3.486	210	**3.700**
HC 6075 / 14	6"	50		203	157	150	140	134	128	122	119	113	108	99	88	79	66	52		3.626	216	**3.805**
HC 6075 / 15	6"	50		216	168	161	150	143	137	131	127	121	115	106	94	85	71	55		3.766	223	**3.909**
HC 6075 / 16	6"	60		226	180	172	160	153	146	139	136	129	123	113	100	90	76	59		3.906	229	**4.152**
HC 6075 / 17	6"	60		252	191	182	170	162	155	148	144	137	131	120	106	96	81	63		4.046	235	**4.257**
HC 6075 / 18	6"	60		261	202	193	180	172	164	157	153	145	139	127	113	101	85	67		4.186	241	**4.362**

ELEKTROPOMP GRUP				CAPACITY															OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	54,00	66,00	72,00	75,00	80,00	84,00	90,00	96,00	100,00	105,00	110,00	115,00	125,00	130,00	inç	mm	kg	
			l/s	0,00	15,00	18,33	20,00	20,83	22,22	23,33	25,00	26,67	27,78	29,17	30,56	31,94	34,72	36,11				
HC 6090 / 01	6"	5,5	MSS	16	11	10	10	10	10	10	9	9	9	8	8	7	5	4	4"	811	69	**1.335**
HC 6090 / 02	6"	10		31	22	21	20	20	20	19	19	18	17	16	15	14	10	8		1.011	86	**1.422**
HC 6090 / 03	6"	15		47	33	31	30	30	29	29	28	27	26	25	23	21	15	12		1.241	102	**1.642**
HC 6090 / 04	6"	20		63	43	41	40	40	39	39	38	36	35	33	31	28	20	15		1.481	121	**1.947**
HC 6090 / 05	6"	25		78	54	51	50	50	49	48	47	45	44	41	38	35	25	19		1.721	138	**2.118**
HC 6090 / 06	6"	30		94	65	62	61	60	59	58	56	54	52	49	46	42	30	23		1.911	150	**2.316**
HC 6090 / 07	6"	35		110	76	72	71	70	69	68	66	63	61	58	54	49	35	27		2.131	168	**2.587**
HC 6090 / 08	6"	40		125	87	82	81	80	79	77	75	72	70	66	61	56	41	31		2.351	182	**2.791**
HC 6090 / 09	6"	50		141	98	93	91	90	88	87	84	81	78	74	69	63	46	35		2.571	190	**3.281**
HC 6090 / 10	6"	50		157	108	103	101	100	98	97	94	90	87	82	77	70	51	39		2.711	197	**3.386**
HC 6090 / 11	6"	60		172	119	113	111	110	108	106	103	99	96	91	84	77	56	42		2.851	203	**3.629**
HC 6090 / 12	6"	60		188	130	123	121	120	118	116	113	108	105	99	92	83	61	46		2.991	210	**3.733**

has pompa

7" CAST IRON IMPELLER, SUBMERSIBLE ELECTROPOMP GROUPS

(MAXIMUM GROUP OUTER DIAMETER: 180 mm BY 6" MOTOR, 195 mm BY 8" MOTOR)

ELEKTROPOMP GRUP				CAPACITY															OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	48,00	54,00	60,00	66,00	72,00	75,00	80,00	84,00	90,00	96,00	100,00	105,00	110,00	115,00	inç	mm	kg	
			l/s	0,00	13,33	15,00	16,67	18,33	20,00	20,83	22,22	23,33	25,00	26,67	27,78	29,17	30,56	31,94				
HC 7072 / 01	6"	7,5	MSS	23	20	19	18	17	17	16	16	15	14	13	13	12	10	9	4"	1.161	82	1.388
HC 7072 / 02	6"	15		46	39	38	36	35	34	33	32	30	29	27	25	23	21	18		1.421	106	1.658
HC 7072 / 03	6"	20		69	59	57	55	52	50	49	47	46	43	40	38	35	31	28		1.651	127	1.989
HC 7072 / 04	6"	30		91	78	75	73	70	67	66	63	61	57	53	50	46	42	37		1.931	152	2.281
HC 7072 / 05	6"	35		119	98	94	91	87	84	82	79	76	72	67	63	58	52	46		2.141	173	2.578
HC 7072 / 06	7"	40		142	118	113	109	105	101	99	95	91	86	80	76	70	63	55		2.275	222	3.121
HC 7072 / 07	7"	50		164	137	132	127	122	117	115	111	107	101	94	88	81	73	64		2.432	237	3.416
HC 7072 / 08	7"	60		186	157	151	145	140	134	131	126	122	115	107	101	93	84	74		2.620	257	3.633
HC 7072 / 09	7"	60		208	176	170	164	157	151	148	142	137	129	120	114	104	94	83		2.750	266	3.765
HC 7072 / 10	7"	70		235	196	189	182	175	168	164	158	152	144	134	126	116	105	92		2.872	294	4.042
HC 7072 / 11	7"	75		259	216	208	200	192	185	181	174	168	158	147	139	128	115	101		3.132	308	4.292
HC 7072 / 12	7"	80		282	235	226	218	210	201	197	189	183	172	160	151	139	126	110		3.295	322	4.561
HC 7072 / 13	7"	90		306	255	245	236	227	218	213	205	198	187	174	164	151	136	120		3.503	346	4.849
HC 7072 / 14	8"	100		329	274	264	254	245	235	230	221	213	201	187	177	162	147	129		3.704	369	5.326
HC 7072 / 15	8"	110		353	294	283	273	262	252	246	237	229	215	200	189	174	157	138		3.905	393	5.580
HC 7072 / 16	8"	110		376	314	302	291	280	269	263	253	244	230	214	202	186	167	147		4.035	402	5.713
HC 7072 / 17	8"	125		400	333	321	309	297	285	279	268	259	244	227	215	197	178	156		4.280	435	6.101

ELEKTROPOMP GRUP				CAPACITY															OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	60,00	66,00	72,00	75,00	80,00	84,00	90,00	96,00	100,00	108,00	115,00	125,00	135,00	140,00	inç	mm	kg	
			l/s	0,00	16,67	18,33	20,00	20,83	22,22	23,33	25,00	26,67	27,78	30,00	31,94	34,72	37,50	38,89				
HC 7090 / 01	6"	10	MSS	24	21	20	19	19	18	17	17	16	16	15	13	12	10	8	4"	1.201	87	1.439
HC 7090 / 02	6"	20		49	41	40	39	38	37	36	35	34	33	29	26	23	19	17		1.521	118	1.911
HC 7090 / 03	6"	30		73	62	60	58	57	56	55	53	51	49	44	40	35	29	25		1.801	143	2.229
HC 7090 / 04	7"	40		99	85	82	79	77	75	73	71	68	66	60	55	48	41	36		2.015	204	2.962
HC 7090 / 05	7"	50		124	108	105	102	100	98	96	93	90	88	81	73	67	58	53		2.172	219	3.283
HC 7090 / 06	7"	60		150	130	125	121	120	117	114	111	107	105	95	88	78	67	61		2.360	239	3.525
HC 7090 / 07	7"	70		173	150	145	140	139	136	133	127	123	120	109	99	88	74	66		2.612	272	3.829
HC 7090 / 08	7"	80		199	174	167	163	160	156	153	149	143	139	127	116	105	90	80		2.775	286	4.242
HC 7090 / 09	7"	90		223	194	187	181	177	173	170	165	159	154	139	130	111	93	83		2.983	310	4.556
HC 7090 / 10	8"	100		248	216	211	205	202	196	192	188	182	176	160	148	132	113	103		3.184	333	5.061
HC 7090 / 11	8"	110		277	240	232	226	223	216	212	207	201	195	176	163	146	125	114		3.385	357	5.341
HC 7090 / 12	8"	110		302	261	253	247	244	236	231	226	219	212	192	178	159	137	125		3.515	366	5.500
HC 7090 / 13	8"	125		327	283	274	268	264	256	251	245	237	230	208	193	173	148	135		3.760	399	5.914
HC 7090 / 14	8"	150		353	305	295	288	284	275	270	263	256	248	225	208	186	159	145		4.084	447	6.492

has pompa®

7" CAST IRON IMPELLER, SUBMERSIBLE ELECTROPOMP GROUPS

MAXIMUM GROUP OUTER DIAMETER: 205 mm

ELEKTROPOMP GRUP				CAPACITY															OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	80,00	90,00	96,00	100,00	105,00	110,00	115,00	120,00	125,00	130,00	140,00	145,00	155,00	165,00	inç	mm	kg	
			l/s	0,00	22,22	25,00	26,67	27,78	29,17	30,56	31,94	33,33	34,72	36,11	38,89	40,28	43,06	45,83				
HC 7120 / 01	6"	7,5	MSS	19	13	13	12	12	12	12	11	11	11	10	9	9	7	6	5"	1.351	87	**1.423**
HC 7120 / 02	6"	15		38	26	26	25	25	24	23	23	22	21	20	18	17	15	12		1.646	110	**1.733**
HC 7120 / 03	6"	25		57	40	38	37	37	36	35	34	33	32	30	28	26	22	18		2.011	142	**2.170**
HC 7120 / 04	6"	30		76	53	51	50	49	48	47	45	44	42	41	37	35	30	24		2.226	155	**2.435**
HC 7120 / 05	7"	40		96	66	64	62	61	60	58	57	55	53	51	46	43	37	30		2.435	213	**3.155**
HC 7120 / 06	7"	50		115	79	77	75	74	72	70	68	66	63	61	55	52	45	36		2.627	227	**3.489**
HC 7120 / 07	7"	50		134	93	89	87	86	84	82	79	77	74	71	64	60	52	42		2.792	236	**3.662**
HC 7120 / 08	7"	60		153	106	102	100	98	96	93	91	88	85	81	73	69	59	48		3.015	255	**3.918**
HC 7120 / 09	7"	70		172	119	115	112	110	108	105	102	99	95	91	83	78	67	54		3.172	283	**4.236**
HC 7120 / 10	7"	75		191	132	128	125	123	120	117	113	110	106	101	92	86	74	60		3.467	297	**4.527**
HC 7120 / 11	7"	80		210	146	140	137	135	132	128	125	121	116	112	101	95	82	66		3.665	310	**4.835**
HC 7120 / 12	7"	90		229	159	153	150	147	144	140	136	132	127	122	110	104	89	72		3.908	334	**5.164**

ELEKTROPOMP GRUP				CAPACITY															OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	108,00	115,00	120,00	130,00	140,00	145,00	150,00	155,00	160,00	165,00	170,00	180,00	185,00	195,00	inç	mm	kg	
			l/s	0,00	30,00	31,94	33,33	36,11	38,89	40,28	41,67	43,06	44,44	45,83	47,22	50,00	51,39	54,17				
HC 7150 / 01	6"	12,5	MSS	23	15	14	14	14	14	14	13	13	13	12	12	11	10	9	5"	1.431	97	**1.495**
HC 7150 / 02	6"	25		45	30	29	29	28	27	26	26	25	25	24	23	21	20	17		1.846	133	**2.002**
HC 7150 / 03	6"	35		67	44	43	42	42	41	41	40	40	39	37	36	33	32	26		2.141	159	**2.434**
HC 7150 / 04	7"	50		86	57	56	56	55	54	53	52	51	49	48	46	42	39	34		2.297	210	**3.150**
HC 7150 / 05	7"	60		110	72	71	71	70	69	68	68	66	64	62	60	56	53	46		2.520	230	**3.408**
HC 7150 / 06	7"	70		131	89	87	86	85	84	84	83	81	79	76	73	68	65	58		2.677	257	**3.727**
HC 7150 / 07	7"	80		155	102	101	101	100	99	98	97	94	92	89	86	80	75	66		3.005	276	**4.155**
HC 7150 / 08	7"	90		177	116	115	115	114	113	112	112	108	106	103	99	91	88	76		3.248	299	**4.485**
HC 7150 / 09	8"	100		203	131	130	129	128	127	127	124	121	118	114	110	102	98	86		3.484	322	**5.005**
HC 7150 / 10	8"	110		222	147	146	145	144	143	141	139	135	131	125	121	114	110	96		3.720	346	**5.302**
HC 7150 / 11	8"	125		229	160	159	158	157	156	156	153	149	145	140	135	124	120	104		4.000	378	**5.732**
HC 7150 / 12	8"	150		250	175	174	173	171	168	167	164	160	156	151	146	135	131	115		4.359	426	**6.325**

8", CAST IRON IMPELLER, SUBMERSIBLE ELECTROPOMP GROUPS

(MAXIMUM GROUP OUTER DIAMETER: 205 mm)

ELEKTROPOMP GRUP				CAPACITY												OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	73,00	**75,00**	**84,00**	**90,00**	**96,00**	**105,00**	**108,00**	**120,00**	**135,00**	150,00	165,00	inç	mm	kg	
			l/s	0,00	20,28	**20,83**	**23,33**	**25,00**	**26,67**	**29,17**	**30,00**	**33,33**	**37,50**	41,67	45,83				
HC 8090 / 01	6"	10	MSS	27	24	**23**	**22**	**21**	**20**	**19**	**18**	**16**	**14**	10	7	5"	1.251	90	**1.501**
HC 8090 / 02	6"	20		54	49	**46**	**43**	**41**	**40**	**38**	**37**	**33**	**28**	20	13		1.581	123	**1.998**
HC 8090 / 03	6"	30		80	71	**66**	**62**	**59**	**57**	**53**	**51**	**46**	**38**	30	17		1.871	150	**2.341**
HC 8090 / 04	8"	40		105	88	**87**	**82**	**79**	**75**	**70**	**68**	**61**	**51**	45	32		2.185	217	**3.246**
HC 8090 / 05	8"	50		130	107	**106**	**100**	**96**	**92**	**85**	**83**	**73**	**61**	50	36		2.352	234	**3.505**
HC 8090 / 06	8"	60		154	126	**124**	**117**	**112**	**107**	**99**	**96**	**85**	**69**	52	39		2.550	256	**3.858**
HC 8090 / 07	8"	70		180	157	**152**	**141**	**136**	**130**	**121**	**117**	**105**	**85**	66	48		2.682	286	**4.145**
HC 8090 / 08	8"	80		206	190	**181**	**166**	**161**	**154**	**144**	**141**	**126**	**103**	81	57		2.985	307	**4.573**
HC 8090 / 09	8"	90		230	212	**202**	**185**	**180**	**172**	**160**	**157**	**139**	**115**	90	64		3.203	333	**4.904**
HC 8090 / 10	8"	100		253	235	**222**	**204**	**198**	**189**	**176**	**172**	**150**	**126**	99	71		3.414	358	**5.334**
HC 8090 / 11	8"	110		277	251	**236**	**222**	**213**	**203**	**190**	**184**	**162**	**135**	106	74		3.625	384	**5.640**
HC 8090 / 12	8"	110		300	265	**248**	**239**	**226**	**217**	**203**	**194**	**173**	**144**	112	76		3.765	395	**5.823**
HC 8090 / 13	8"	125		325	287	**268**	**259**	**245**	**235**	**220**	**210**	**188**	**156**	122	83		4.020	430	**6.262**
HC 8090 / 14	8"	150		350	309	**289**	**278**	**264**	**253**	**237**	**226**	**202**	**168**	131	89		4.354	480	**6.864**

ELEKTROPOMP GRUP				CAPACITY												OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	72,00	75,00	**84,00**	**90,00**	**96,00**	**105,00**	120,00	135,00	150,00	165,00	180,00	inç	mm	kg	
			l/s	0,00	20,00	20,83	**23,33**	**25,00**	**26,67**	**29,17**	**33,33**	**37,50**	**41,67**	**45,83**	50,00				
HC 8120 / 01	6"	12,5	MSS	27	23	22	**22**	**21**	**20**	**19**	**18**	**16**	**14**	**10**	5	5"	1.276	96	**1.549**
HC 8120 / 02	6"	25		54	45	45	**43**	**42**	**41**	**40**	**36**	**33**	**28**	**21**	11		1.666	135	**2.066**
HC 8120 / 03	8"	40		83	70	69	**67**	**65**	**64**	**62**	**56**	**51**	**44**	**32**	18		1.945	203	**3.066**
HC 8120 / 04	8"	50		109	92	91	**87**	**85**	**83**	**80**	**73**	**66**	**56**	**41**	23		2.112	221	**3.324**
HC 8120 / 05	8"	70		133	114	112	**107**	**105**	**102**	**97**	**89**	**79**	**67**	**50**	28		2.302	263	**3.782**
HC 8120 / 06	8"	75		160	135	133	**128**	**126**	**122**	**118**	**108**	**96**	**81**	**62**	38		2.572	279	**4.087**
HC 8120 / 07	8"	90		188	157	154	**150**	**147**	**143**	**139**	**128**	**112**	**96**	**75**	51		2.823	311	**4.542**
HC 8120 / 08	8"	100		215	182	178	**173**	**169**	**164**	**157**	**142**	**123**	**108**	**85**	58		3.034	336	**4.973**
HC 8120 / 09	8"	110		233	201	197	**194**	**191**	**185**	**178**	**160**	**139**	**126**	**100**	74		3.245	363	**5.279**
HC 8120 / 10	8"	125		256	220	218	**213**	**208**	**203**	**194**	**174**	**151**	**131**	**104**	77		3.500	399	**5.488**
HC 8120 / 11	8"	150		277	239	238	**231**	**226**	**221**	**209**	**188**	**163**	**135**	**110**	82		3.834	449	**6.066**
HC 8120 / 12	8"	150		291	256	250	**243**	**237**	**232**	**218**	**195**	**169**	**147**	**115**	85		3.974	461	**6.505**

has pompa®

8", CAST IRON IMPELLER, SUBMERSIBLE ELECTROPOMP GROUPS

(MAXIMUM GROUP OUTER DIAMETER: 205 mm)

ELEKTROPOMP GRUP			CAPACITY													OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	120,00	136,00	140,00	150,00	170,00	180,00	190,00	210,00	240,00	257,00	266,00	inç	mm	kg	
			l/s	0,00	33,33	37,78	38,89	41,67	47,22	50,00	52,78	58,33	66,67	71,39	73,89				
HC 8180 /01Z	6"	12,5		26	16	15	15	15	13	12	12	10	6	3	1		1.451	104	**1.609**
HC 8180 /01X	6"	15		31	20	19	19	18	17	17	16	15	13	11	10		1.501	109	**1.677**
HC 8180 /02Z	6"	25		49	30	29	29	27	26	24	22	18	10	5	1		1.886	147	**2.173**
HC 8180 /02X	6"	30		56	39	37	36	35	34	33	33	29	22	18	15		1.936	152	**2.267**
HC 8180 /03Z	8"	40		71	44	42	41	40	37	35	32	25	14	6	2		2.165	217	**3.238**
HC 8180 /03X	8"	50		84	58	55	54	52	50	49	47	42	33	24	20		2.192	223	**3.312**
HC 8180 /04Z	8"	50		90	56	54	53	51	48	44	40	31	17	7	2		2.377	239	**3.561**
HC 8180 /04X	8"	60		110	73	70	69	67	65	63	61	53	41	32	26		2.435	250	**3.731**
HC 8180 /05Z	8"	70		114	73	69	67	64	59	55	50	39	20	8	2		2.612	284	**4.084**
HC 8180 /05X	8"	75		137	94	89	87	85	82	80	75	66	51	40	34		2.742	289	**4.205**
HC 8180 /06Z	8"	75	MSS	136	87	83	81	78	72	66	60	46	24	9	3	5"	2.927	305	**4.454**
HC 8180 /06X	8"	90		161	116	108	105	101	97	94	90	79	59	46	40		3.038	325	**4.725**
HC 8180 /07Z	8"	90		157	100	96	94	90	83	75	69	53	28	11	3		3.223	340	**4.975**
HC 8180 /08Z	8"	100		179	117	111	108	102	94	87	78	61	32	13	4		3.479	370	**5.471**
HC 8180 /07X	8"	110		187	136	125	121	116	112	109	104	91	66	51	43		3.365	369	**5.344**
HC 8180 /08X	8"	125		212	147	142	140	133	128	123	117	104	77	58	50		3.665	409	**5.849**
HC 8180 /09Z	8"	125		201	131	124	121	114	106	98	88	69	36	14	4		3.850	425	**6.098**
HC 8180 /10Z	8"	125		223	146	138	135	127	118	108	98	76	40	16	4		4.035	440	**6.117**
HC 8180 /09X	8"	150		239	165	159	157	149	145	139	132	117	87	65	56		4.044	464	**6.517**
HC 8180 /11Z	8"	150		246	160	152	148	140	129	119	108	84	44	18	5		4.414	495	**6.760**
HC 8180 /10X	8"	150		265	184	177	175	166	161	154	147	130	97	73	62		4.229	479	**6.536**

ELEKTROPOMP GRUP			CAPACITY													OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	160,00	170,00	180,00	190,00	210,00	220,00	240,00	257,00	274,00	282,00	289,00	inç	mm	kg	
			l/s	0,00	44,44	47,22	50,00	52,78	58,33	61,11	66,67	71,39	76,11	78,33	80,28				
HC 8240 /01Z	6"	17,5		23	15	15	14	14	13	12	10	7	4	3	1		1.551	113	**1.729**
HC 8240 /01X	6"	25		31	22	21	22	21	21	21	19	15	11	9	6		1.701	135	**1.929**
HC 8240 /02Z	6"	30		46	31	30	30	29	27	26	21	16	9	5	2		1.936	153	**2.325**
HC 8240 /02X	8"	40		58	38	38	38	38	37	37	34	28	19	15	10		1.980	203	**2.998**
HC 8240 /03Z	8"	50		67	45	44	44	43	39	37	31	23	14	8	3		2.192	222	**3.325**
HC 8240 /03X	8"	60		85	55	55	54	55	54	53	49	41	30	24	16		2.250	235	**3.495**
HC 8240 /04Z	8"	60		88	59	58	57	56	51	48	40	30	17	11	4		2.435	249	**3.749**
HC 8240 /04X	8"	80		109	72	71	71	71	69	68	62	53	39	31	23		2.590	278	**4.097**
HC 8240 /05Z	8"	75	MSS	111	73	73	71	69	65	61	51	39	24	16	8	5"	2.742	288	**4.228**
HC 8240 /06Z	8"	100		136	89	88	86	83	79	74	63	49	32	24	14		3.109	336	**4.999**
HC 8240 /05X	8"	110		136	90	89	89	89	87	84	77	67	51	44	33		2.995	337	**4.868**
HC 8240 /07Z	8"	110		156	104	102	100	98	92	87	75	59	39	27	16		3.365	362	**5.375**
HC 8240 /06X	8"	125		162	106	105	104	103	101	98	90	78	62	52	42		3.295	375	**5.377**
HC 8240 /08Z	8"	125		178	118	116	114	111	103	98	84	66	44	32	19		3.665	401	**5.885**
HC 8240 /07X	8"	150		186	122	121	118	117	115	111	101	87	70	59	47		3.674	425	**6.050**
HC 8240 /09Z	8"	150		198	133	132	131	129	118	114	99	79	51	36	21		4.044	454	**6.352**
HC 8240 /10Z	8"	150		219	149	149	149	147	133	131	117	93	59	41	23		4.229	469	**6.811**

Cast IMPELLER, Submersible Electropump Groups 6'' - 7'' - 8'' - 10''

10", CAST IRON IMPELLER, SUBMERSIBLE ELECTROPOMP GROUPS

(MAXIMUM GROUP OUTER DIAMETER: 265 mm)

ELEKTROPOMP GRUP			CAPACITY												OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	105,00	119,99	149,98	164,99	180,00	194,98	209,99	225,00	254,99	270,00	285,00	inç	mm	kg	
			l/s	0,00	29,17	33,33	41,66	45,83	50,00	54,16	58,33	62,50	70,83	75,00	79,17				
HC 10180 /01Z	8"	30	MSS	38	33	32	30	29	27	25	23	21	15	12	9	6"	1.611	192	3.291
HC 10180 /01X	8"	30		40	35	34	31	30	28	27	25	23	18	15	12		1.611	192	3.291
HC 10180 /02Z	8"	50		75	66	64	60	57	54	50	46	41	31	24	18		2.042	246	3.719
HC 10180 /02X	8"	60		79	70	68	63	60	57	53	49	45	35	30	24		2.100	257	3.889
HC 10180 /03Z	8"	80		113	99	97	90	86	81	75	69	62	46	37	26		2.445	313	4.593
HC 10180 /03X	8"	90		119	105	102	94	90	85	80	74	68	53	45	36		2.523	328	4.741
HC 10180 /04Z	8"	110		151	132	129	120	114	108	100	92	83	61	49	35		2.855	384	5.466
HC 10180 /04X	8"	125		158	140	136	126	120	113	106	99	90	71	60	48		2.970	408	5.722
HC 10180 /05Z	10"	150		188	165	161	150	143	135	125	115	104	77	61	44		3.125	558	7.902
HC 10180 /05X	10"	150		198	176	170	157	150	142	133	123	113	89	75	60		3.125	558	7.902
HC 10180 /06Z	10"	150		226	198	193	180	171	162	151	138	124	92	73	53		3.315	585	8.257
HC 10180 /06X	10"	180		237	211	204	188	180	170	159	148	135	106	90	72		3.515	646	8.786
HC 10180 /07Z	10"	180		264	231	225	210	200	188	176	161	145	107	86	62		3.705	673	9.142
HC 10180 /07X	10"	200		277	246	238	220	209	198	186	173	158	124	105	84		3.780	695	9.484
HC 10180 /08Z	10"	200		302	264	257	239	228	215	201	184	166	123	98	70		3.970	722	9.840
HC 10180 /08X	10"	225		316	281	272	251	239	227	213	197	180	142	120	96		3.995	738	10.627
HC 10180 /09Z	10"	225		339	297	290	269	257	242	226	207	186	138	110	79		4.185	765	10.996
HC 10180 /09X	10"	250		356	316	306	282	269	255	239	222	203	160	135	108		4.255	777	10.996
HC 10180 /10Z	10"	250		377	330	322	299	285	269	251	230	207	153	122	88		4.445	804	11365

ELEKTROPOMP GRUP			CAPACITY												OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	150,00	180,00	210,00	225,00	240,00	255,00	270,00	285,00	300,00	330,00	360,00	inç	mm	kg	
			l/s	0,00	41,67	50,00	58,33	62,50	66,67	70,83	75,00	79,17	83,33	91,67	100,00				
HC 10240 /01Z	8"	40	MSS	41	35	34	32	31	30	28	27	25	23	19	15	6"	1.825	213	3.515
HC 10240 /01X	8"	50		44	39	37	35	34	33	32	30	29	27	23	19		1.852	219	3.589
HC 10240 /02Z	8"	80		82	71	68	64	61	59	56	53	50	47	39	30		2.255	286	4.229
HC 10240 /02X	8"	90		88	77	74	71	68	66	63	61	57	54	47	38		2.333	301	4.377
HC 10240 /03Z	8"	110		123	106	101	96	92	89	84	80	75	70	58	44		2.665	357	5.098
HC 10240 /03X	8"	125		133	116	111	106	102	99	95	91	86	81	70	57		2.780	381	5.354
HC 10240 /04Z	10"	150		164	141	135	127	123	118	113	107	100	93	77	59		2.935	531	7.530
HC 10240 /04X	10"	180		177	155	149	141	137	132	127	121	115	108	93	76		3.135	592	8.059
HC 10240 /05Z	10"	180		205	176	169	159	154	148	141	133	125	117	97	74		3.325	619	8.411
HC 10240 /05X	10"	200		221	194	186	176	171	165	158	151	144	135	117	95		3.400	641	8.753

ELEKTROPOMP GRUP			CAPACITY												OUT	HEIGHT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	150,00	180,00	210,00	240,00	255,00	270,00	300,00	330,00	360,00	375,00	420,00	inç	mm	kg	
			l/s	0,00	41,67	50,00	58,33	66,67	70,83	75,00	83,33	91,67	100,00	104,17	116,67				
HC 10300 /01Z	8"	50	MSS	42	37	35	33	32	31	30	28	25	20	18	8	6"	1.837	212	3.738
HC 10300 /01X	8"	60		48	41	39	37	35	34	34	31	29	25	23	15		1.895	223	3.908
HC 10300 /02Z	8"	90		84	73	70	67	64	62	60	55	49	41	36	16		2.313	292	4.537
HC 10300 /02X	8"	110		95	83	78	74	71	69	67	63	58	50	46	29		2.455	321	4.906
HC 10300 /03Z	8"	125		126	110	105	100	96	93	90	83	74	61	54	24		2.755	369	5.593
HC 10300 /03X	10"	150		143	124	117	111	106	103	101	94	86	76	69	44		2.720	492	7.417
HC 10300 /04Z	10"	180		168	147	140	134	128	124	120	111	98	82	71	32		3.105	578	8.500
HC 10300 /04X	10"	200		190	166	156	148	141	138	134	126	115	101	92	58		3.180	600	8.842
HC 10300 /05Z	10"	200		210	184	175	167	160	155	150	139	123	102	89	40		3.365	624	9.273
HC 10300 /05X	10"	250		238	207	195	186	177	172	168	157	144	126	115	73		3.460	652	10.060

ASSEMBLY MATERIALS

has pompa
Suya Ulaştıran Yol

has pompa®

T14 ASHIRVAD, IMPORTED, PVC COLUMN PIPES

DIŞ ÇAP	TYPE	BASINÇ SINIFI	UZUNLUK	GÜVENLİ ÇALIŞMA BASINCI	PRICE (DOLAR) (3m/adet)
1¼"	V4	15 kg/cm²	3 m	15 BAR	**13,73**
	STANDART	25 kg/cm²	3 m	25 BAR	**20,19**
1½"	V4	15 kg/cm²	3 m	15 BAR	**17,75**
	STANDART	26 kg/cm²	3 m	26 BAR	**24,06**
2"	MEDIUM	13 kg/cm²	3 m	13 BAR	**21,90**
	CRYSTAL	17 kg/cm²	3 m	17 BAR	**27,47**
	STANDART	20 kg/cm²	3 m	20 BAR	**30,48**
	HEAVY	27 kg/cm²	3 m	27 BAR	**41,78**
2½"	MEDIUM	10 kg/cm²	3 m	10 BAR	**29,78**
	STANDART	16 kg/cm²	3 m	16 BAR	**39,67**
	HEAVY	26 kg/cm²	3 m	26 BAR	**58,73**
3"	MEDIUM	11 kg/cm²	3 m	11 BAR	**39,75**
	STANDART	17 kg/cm²	3 m	17 BAR	**54,55**
	HEAVY	26 kg/cm²	3 m	26 BAR	**79,79**
4"	MEDIUM	10 kg/cm²	3 m	10 BAR	**61,24**
	STANDART	15 kg/cm²	3 m	15 BAR	**81,96**
5"	STANDART	16 kg/cm²	3 m	16 BAR	**133,12**

IN CALCULATION OF SAFE WORKING PRESSURE, THE TOTAL MANOMETRIC ALTITUDE ON THE PUMP, NOT THE INSTALLATION DEPTH IN THE WELL, MUST BE CONSIDERED.

T15 PVC COLUMN PIPE ACCESSORIES

DIŞ ÇAP	STANDART (ÇİNKO KAPLI)	STANDART (PASLANMAZ AISI 420)	HEAVY (ÇİNKO KAPLI)
	ALT / ÜST ADAPTÖR	ALT / ÜST ADAPTÖR	ALT / ÜST ADAPTÖR
	PRICE (TL / ADET)		
1¼"	**68,83**	**93,43**	**-**
1½"	**74,80**	**119,27**	**-**
2"	**117,37**	**179,07**	**281,67**
2½"	**136,97**	**250,60**	**328,72**
3"	**183,07**	**388,87**	**439,35**
4"	**255,00**	**664,37**	**-**
5"	**456,87**	**1.688,70**	**-**

ALL UPPER ADAPTERS ARE 11 TEETH. 1¼" - 1½" - 2" BOTTOM ADAPTERS ARE 11 THREAD. 2½" - 3" - 4" BOTTOM ADAPTERS ARE 11 TOOTH OR 8 TOOTH AND MUST BE SPECIFIC AT THE TIME OF ORDER. GET SPECIAL PRICES FOR OUR 304 AND 316 STAINLESS ADAPTERS.

T15 PVC COLUMN PIPE MOUNTING CLAMP

1¼"	1½"	2"	2½"	3"	4"
PRICE (TL)					
507	**507**	**507**	**600**	**774**	**1.150**

IT IS REQUIRED TO USE 2 PIECES IN THE APPLICATION.

Get Daily Price

RUBING COLUMN PIPES (NORMAL SERIES)

ANMA ÇAPI		ET KALINLIĞI	WEIGHT (Kg)		PRICE (TL)	
(inch)	(mm)	(mm)	3 Metre	6 Metre	3 Metre	6 Metre
1"	33,7	3,2	8,3	15,5	**117**	**202**
1 ¼"	42,4	3,2	10,5	20,0	**139**	**251**
1 ½"	48,3	3,2	12,0	23,0	**156**	**282**
2"	60,3	3,6	17,0	31,0	**225**	**407**
2 ½"	76,1	3,6	21,0	40,0	**267**	**493**
3"	88,9	4,0	27,0	52,0	**353**	**649**
4"	114,3	4,5	39,0	75,0	**503**	**935**
5"	139,7	5,0	54,0	104,0	**712**	**1.294**
6"	165,1	5,0	65,0	125,0	**880**	**1.576**
6 5/8"	168,3	5,0	66,0	126,0	**871**	**1.559**

THICK FOOD RUNNING COLUMN PIPES

ANMA ÇAPI		ET KALINLIĞI	WEIGHT (Kg)		PRICE (TL)	
(inch)	(mm)	(mm)	3 Metre	6 Metre	3 Metre	6 Metre
1"	33,7	4,0	10,3	19,0	**139**	**247**
1 ¼"	42,4	4,0	12,8	24,0	**162**	**296**
1 ½"	48,3	4,0	14,5	27,5	**183**	**336**
2"	60,3	5,0	22,3	42,5	**281**	**521**
2 ½"	76,1	5,0	28,0	54,0	**356**	**670**
3"	88,9	5,0	33,7	65,0	**411**	**765**
4"	114,3	5,0	45,0	85,0	**532**	**992**

COLUMN PIPES WITH THICK FACE STEEL SLEEVE

ANMA ÇAPI		ET KALINLIĞI	WEIGHT (Kg)		PRICE (TL)	
(inch)	(mm)	(mm)	3 Metre	6 Metre	3 Metre	6 Metre
2"	60,3	5,0	22,3	42,5	**281**	**521**
2 ½"	76,1	5,0	28,0	54,0	**356**	**670**
3"	88,9	6,0	39,0	76,0	**496**	**931**
4"	114,3	6,0	51,5	99,5	**649**	**1.223**
5"	139,7	6,0	64,0	123,5	**825**	**1.514**
6 5/8"	168,3	6,0	78,0	-	**1.042**	**-**
8"	219,1	6,0	101,0	-	**1.374**	**-**
5"	139,7	7,0	73,5	-	**930**	**-**
6 5/8"	168,3	7,0	90,0	-	**1.168**	**-**
8"	219,1	7,0	117,0	-	**1.551**	**-**
8"	219,1	8,0	132,0	-	**1.737**	**-**

Get Daily Price

has pompa®

WELL NOZZLE OUTLET KIT

CİNSİ		1"	1 ¼"	1 ½"	2"	2 ½"	3"	4"	5"	6"	6 5/8"	8"
OVALAMA	11DİŞ SAVACAK BORULU DÜZ ÇIKIŞLI	325	331	337	475	495	548	664	823	956	991	1.458
	YUVARLAK FLANÇLI 11 DİŞ SAVACAK BORULU	-	-	-	546	585	650	798	977	1.117	1.151	1.830
	YUVARLAK FLANÇLI YAĞMURLAMA BAŞLIĞI ÇIKIŞLI	-	-	-	-	669	747	895	1.080	1.277	1.312	-
	YUVARLAK FLANÇLI KELEBEK VANALI	-	-	-	828	900	1.029	1.247	1.538	1.822	1.843	-
BİLEZİKLİ	11 DİŞ SAVACAK BORULU DÜZ ÇIKIŞLI	-	-	-	-	-	607	755	888	991	-	-
	YUVARLAK FLANÇLI 11 DİŞ SAVACAK BORULU	-	-	-	-	-	710	890	1.043	1.151	-	-
	YUVARLAK FLANÇLI YAĞMURLAMA BAŞLIĞI ÇIKIŞLI	-	-	-	-	-	853	1.039	1.201	1.379	-	-
	YUVARLAK FLANÇLI KELEBEK VANALI	-	-	-	-	-	1.090	1.360	1.653	1.899	-	-
ÖZEL MANŞONLU	11 DİŞ SAVACAK BORULU DÜZ ÇIKIŞLI	463	468	474	622	663	715	887	1.077	1.218	-	-
	YUVARLAK FLANÇLI 11 DİŞ SAVACAK BORULU	-	-	-	692	753	817	1.022	1.230	1.378	-	-
	YUVARLAK FLANÇLI YAĞMURLAMA BAŞLIĞI ÇIKIŞLI	-	-	-	776	837	913	1.118	1.334	1.538	-	-
	YUVARLAK FLANÇLI KELEBEK VANALI	-	-	-	975	1.067	1.196	1.471	1.791	2.084	-	-
ÖZEL FLAÇLI	11 DİŞ SAVACAK BORULU DÜZ ÇIKIŞLI	-	-	-	685	752	888	1.054	1.309	1.547	-	-
	YUVARLAK FLANÇLI 11 DİŞ SAVACAK BORULU	-	-	-	755	842	991	1.189	1.463	1.707	-	-
	YUVARLAK FLANÇLI YAĞMURLAMA BAŞLIĞI ÇIKIŞLI	-	-	-	839	925	1.087	1.286	1.566	1.868	-	-
	YUVARLAK FLANÇLI KELEBEK VANALI	-	-	-	1.038	1.156	1.369	1.638	2.024	2.413	-	-

SHORT PIPES - STEP OUTPUTS

CİNSİ	1"	1 ¼"	1 ½"	2"	2 ½"	3"	4"	5"	6"	6 5/8"	8"
KISA BORU (KALIN ETLİ) 8-11	47	50	54	65	74	92	110	126	128	148	185
KISA BORU (BİLEZİKLİ) 8-11	-	-	-	-	87	105	125	140	162	-	-
KISA BORU (ÖZEL MANŞONLU)	134	137	139	160	178	200	257	329	377	375	563
KISA BORU (ÖZEL FLANÇLI)	-	-	-	141	158	200	235	303	367	389	538
KADEME ÇIKIŞI (MANŞONLU) 8-11	86	89	92	116	126	162	200	293	364	385	506
KADEME ÇIKIŞI (BİLEZİKLİ) 8-11	-	-	-	-	189	221	292	358	400	-	-

CUTTINGS

CİNSİ	1"	1 ¼"	1 ½"	2"	2 ½"	3"	4"	5"	6"	6 5/8"	8"
OVALAMA ÇELİK MANŞON	39	39	39	52	52	71	91	167	237	237	321
BİLEZİKLİ SETLİ ÇELİK MANŞON	-	-	-	-	103	116	167	219	237	-	-
ÖZEL MANŞON (TAKIM)	181	181	181	205	231	257	333	437	501	501	770

Günlük Fiyat Alınız

DRAIN HEADS FOR WELL OUTLET

KUYU TECHİZ BORUSU ÇAPI	KOLON BORUSU ÇAPI	VANA TİPİ	VANASIZ OUT TAKIMI PRICE (TL)	KÜRESEL - KELEBEK VANALI OUT TAKIMI PRICE (TL)
Ø 200	**1¼"**	KÜRESEL	**350**	**577**
Ø 200	**1½"**	KÜRESEL	**387**	**727**
Ø 200	**2"**	KÜRESEL	**460**	**960**
Ø 250	**2½"**	KÜRESEL	**540**	**1.340**
Ø 300	**3"**	KELEBEK	**614**	**1.357**
Ø 300	**4"**	KELEBEK	**727**	**1.807**
Ø 300	**5"**	KELEBEK	**917**	**2.224**

WELL COVER (FLANGE)

KOLON BORUSU ÇAPI	FLANŞ TİPİ	FLANŞ ÖLÇÜSÜ	FLANŞ ET KALINLIĞI	PRICE (TL)
1¼"	KARE	20X20 cm	6 mm	**160**
1½"	KARE	20X20 cm	6 mm	**160**
2"	KARE	20X20 cm	8 mm	**214**
2½"	KARE	20X20 cm	8 mm	**214**
3"	KARE	33X33 cm	10 mm	**294**
4"	KARE	33X33 cm	10 mm	**324**
5"	KARE	33X33 cm	10 mm	**324**

SHORT PIECES OF BLACK PIPE FOR PUMP OUTLET

BORU ÇAPI	11 DİŞ - 11 DİŞ (30cm) PRICE (TL)	11 DİŞ - 8 DİŞ (30cm) PRICE (TL)	8 DİŞ - 8 DİŞ (30cm) PRICE (TL)	MANŞON PRICE (TL)
2"	**97**	**97**	**97**	**57**
2½"	**117**	**117**	**117**	**74**
3"	**154**	**154**	**154**	**80**
4"	**210**	**210**	**210**	**114**
5"	**267**	**267**	**267**	**187**

MANŞONLAR ST37 ÇELİK MALZEMEDEN ÜRETİLMEKTEDİR. (DİKİŞSİZ)

REDUCTIONS (MADE OF ST37 STEEL DRAWING MATERIAL.)

ERKEK - DİŞİ 1¼" - 1½"	ERKEK - DİŞİ 1¼" - 2"	ERKEK - DİŞİ 1½" - 1¼"	ERKEK - DİŞİ 1½" - 2"	ERKEK - DİŞİ 2" - 1¼"
154 TL	**194 TL**	**154 TL**	**194 TL**	**154 TL**
ERKEK - DİŞİ 2" - 1½"	ERKEK - DİŞİ 2" - 2½"	ERKEK - DİŞİ 2" - 3"	ERKEK - DİŞİ 2½" - 2"	ERKEK - DİŞİ 2½" - 3"
154 TL	**320 TL**	**344 TL**	**220 TL**	**354 TL**
ERKEK - DİŞİ 3" - 2"	ERKEK - DİŞİ 3" - 2½"	ERKEK - DİŞİ 3" - 4"	ERKEK - DİŞİ 4" - 3"	ERKEK - DİŞİ 4" - 5"
224 TL	**160 TL**	**507 TL**	**414 TL**	**847 TL**
ERKEK - DİŞİ 5" - 4"	ERKEK - DİŞİ 5" - 6"	ERKEK - DİŞİ 6" - 5"	-	-
507 TL	**1.234 TL**	**794 TL**	**-**	**-**

ELECTRODE

8,90 TL/Adet

FOR CABLE ATTACHMENT, KUSHINGAM

82 TL/Kg



Get Daily Price

has pompa®

SUBMERSIBLE MOTOR SUPPLY CABLES

TYPE	ÖZELLİK	PRICE (TL/METRE)
2x0.75	BEYAZ YUVARLAK TTR	2,87
2x1		3,66
2x1.5		4,92
2x2.5		7,66
2x4		11,53
2x6		17,07
2x10		28,86
3x0.75		3,99
3x1		5,08
3x1.5		6,90
3x2.5	MAVİ YASSI TTR	11,06
3x4		16,52
3x6		24,03
3x10		41,23
3x16		64,48
3x25		97,23
3x35		131,29
3x50		188,47
3x70		265,01
3x95		345,50
3x16+10	SİYAH YUVARLAK TTR	78,42
3x25+16		119,98
3x35+16		156,11
3x50+25		226,49
3x70+35		318,17
4x1.5	BEYAZ YUVARLAK TTR	9,83
4x2.5	MAVİ YASSI TTR	14,91
4x4		21,68
4x6		31,10
4x10		55,16
4x16		85,84
4x25		127,55
4x35		173,92
4x50		248,04
4x70		350,80

CABLE COLORS MAY VARY.

Get Daily Price

LOCAL, PVC INSULATED SUBMERSIBLE MOTOR WINDING WIRES

BAKIR ÇAPI mm	DIŞ ÇAP mm	MAKARA METRAJLARI	PRICE (TL/METRE)
0,80	1,50	1000	**0,71**
0,90	1,60	1000	**0,89**
1,00	1,70	1000	**1,09**
1,10	1,80	700	**1,32**
1,20	1,90	700	**1,55**
1,30	2,10	600	**1,82**
1,40	2,20	600	**2,11**
1,50	2,30	600	**2,41**
1,60	2,40	500	**2,73**
1,70	2,50	500	**3,08**
1,80	2,60	500	**3,44**
1,90	2,70	500	**3,83**
2,00	3,00	500	**4,22**
2,10	3,10	500	**4,65**
2,20	3,20	500	**5,10**
2,30	3,30	400	**5,57**
2,40	3,40	400	**6,06**
2,50	3,70	300	**6,55**
2,60	3,80	300	**7,08**
2,70	3,90	300	**7,63**
2,80	4,00	300	**8,20**
2,90	4,10	300	**8,79**
3,00	4,20	300	**9,38**
3,10	-	300	**10,02**
3,20	4,80	300	**10,67**
3,30	-	300	**11,34**
3,40	5,00	300	**12,03**
3,50	-	300	**12,75**
3,60	5,20	300	**13,48**
3,70	-	300	**14,24**

Get Daily Price

has pompa®

WICAP, HIGH TEMPETURE RESISTANT THREE INSULATED SUBMERSIBLE MOTOR WINDING WIRES

BAKIR ÇAPI mm	DIŞ ÇAP mm	PRICE (DOLAR/METRE)
0,80	1,30	0,15
0,90	1,40	0,19
1,00	1,50	0,23
1,10	1,60	0,27
1,20	1,70	0,31
1,30	1,80	0,37
1,70	2,25	0,61
1,80	2,35	0,69
1,90	2,45	0,76
2,00	2,60	0,84
2,20	2,80	1,02
2,40	3,10	1,22

Get Daily Price

has pompa®


has pompa®
SUBMERSIBLE MOTOR
TİP 8 K 90
66 kW 90 HP
380V ±10% 129 A 50 Hz
2914 rpm Cos φ 0,87
MAKSİMUM YOLVERME 7/Saat 3~
SU SOĞUTMALI / SARILABİLİR STATOR
CE ISO 9001 : 2000 TSE
TEL: +90 . 332 . 251 17 40 KONYA / TÜRKİYE



CONTROL PANELS

SUBMERSIBLE MOTOR PUMPS AND ASSEMBLY MATERIALS

has pompa®

SUBMERSIBLE PUMP - BOILER - DRAINAGE PUMP ELECTRONIC PANELS

IMPORTED, SUBMERSIBLE PUMP, BOOSTER AND DRAINAGE PUMP ELECTRONIC CONTROL PANELS

M SERIES, SINGLE PHASE SUBMERSIBLE PUMP, HYDRAULIC AND DRAINAGE PUMP ELECTRONIC CONTROL PANELS

TYPE	GÜÇ	AÇIKLAMA	KULLANIM	PRICE (DOLAR)
HP 521	0,50 - 3 HP	MONOFAZE	DALGIÇ POMPA - HİDROFOR - DRENAJ	**149**

M SERIES, THREE-PHASE SUBMERSIBLE PUMP, HYDRAULIC AND DRAINAGE PUMP ELECTRONIC CONTROL PANELS

TYPE	GÜÇ	AÇIKLAMA	KULLANIM	PRICE (DOLAR)
HP 531	1 - 5,5 HP	TRİFAZE	DALGIÇ POMPA - HİDROFOR - DRENAJ	**188**
HP 531	7,5 - 10 HP	TRİFAZE	DALGIÇ POMPA - HİDROFOR - DRENAJ	**207**

L SERIES, THREE-PHASE SUBMERSIBLE PUMP, HYDRAULIC AND DRAINAGE PUMP ELECTRONIC CONTROL PANELS

TYPE	GÜÇ	AÇIKLAMA	KULLANIM	PRICE (DOLAR)
HP 931	7,5 - 15 HP	TRİFAZE	DALGIÇ POMPA - HİDROFOR - DRENAJ	**365**

L SERIES, THREE-PHASE, (DOUBLE) SUBMERSIBLE PUMP, HYDROPOR AND DRAINAGE PUMP ELECTRONIC CONTROL PANELS

TYPE	GÜÇ	AÇIKLAMA	KULLANIM	PRICE (DOLAR)
HP 932	1 - 5,5 HP	TRİFAZE	DALGIÇ POMPA - HİDROFOR - DRENAJ	**519**
HP 932	7,5 - 15 HP	TRİFAZE	DALGIÇ POMPA - HİDROFOR - DRENAJ	**601**

KEY FEATURES

Built-in function switch,
Level control with floater and level probes,
Pressure control with pressure sensor,
Auto / Manual Mode,
Informing about the current status of the pump with a dynamic LCD screen,
Calibration with a single button,
Display showing the average operating time and the last five recorded faults,

has pompa®

SUBMERSIBLE MOTOR PUMPS AND ASSEMBLY MATERIALS

SUBMERSIBLE PUMP ELECTRONIC CONTROL PANELS

TYPE	HP	YOL VERME	PRICE (DOLAR)
HS-ARM-M	1 - 3	DIREK KALKIŞ	**147**
HS-ARM-T	1 - 5,5		**200**
HS-ARM-T	7,5 - 10		**214**
HS-ARM-T	15		**488**
HS-ARM-T	20		**689**
HS-ARM-T	15	YILDIZ ÜÇGEN	**568**
HS-ARM-T	20		**769**
HS-ARM-T	25		**843**
HS-ARM-T	30		**843**

SINGLE PUMP HYDRAULIC ELECTRONIC CONTROL PANELS

TYPE	HP	YOL VERME	PRICE (DOLAR)
HS-ARM-MX1	1 - 3	DIREK KALKIŞ	**119**
HS-ARM-TX1	1 - 5,5		**157**
HS-ARM-TX1	7,5 - 10		**169**
HS-ARM-TX1	15		**603**
HS-ARM-TX1	15	YILDIZ ÜÇGEN	**707**
HS-ARM-TX1	20		**713**
HS-ARM-TX1	25		**787**
HS-ARM-TX1	30		**790**

DOUBLE PUMP BODY ELECTRONIC CONTROL PANELS

TYPE	HP	YOL VERME	PRICE (DOLAR)
HS-ARM-MX2	1 - 3	DIREK KALKIŞ	**296**
HS-ARM-TX2	1 - 5,5		**343**
HS-ARM-TX2	7,5 - 10		**367**
HS-ARM-TX2	15		**580**
HS-ARM-TX2	15	YILDIZ ÜÇGEN	**707**
HS-ARM-TX2	20		**710**
HS-ARM-TX2	25		**1.062**
HS-ARM-TX2	30		**1.064**

THREE PUMP BOTTOM ELECTRONIC CONTROL PANELS

TYPE	HP	YOL VERME	PRICE (DOLAR)
HS-ARM-MX3	1 - 3	DIREK KALKIŞ	**751**
HS-ARM-TX3	1 - 5,5		**772**
HS-ARM-TX3	7,5 - 10		**778**
HS-ARM-TX3	15		**940**
HS-ARM-TX3	15	YILDIZ ÜÇGEN	**1.044**
HS-ARM-TX3	20		**1.050**
HS-ARM-TX3	25		**1.360**
HS-ARM-TX3	30		**1.360**

Get Daily Price

has pompa®

FREQUENCY CONTROLLED HYDRAULIC CONTROL PANELS

TYPE	HP	YOL VERME	TEKLİ	İKİLİ	ÜÇLÜ	DÖRTLÜ	BEŞLİ
			PRICE (EURO)				
HS-ARM-H	0,55	DİREK KALKIŞ	**999**	**1.251**	**1.620**	**1.827**	**1.803**
HS-ARM-H	0,75		**999**	**1.251**	**1.620**	**1.827**	**1.803**
HS-ARM-H	1		**999**	**1.251**	**1.620**	**1.827**	**1.803**
HS-ARM-H	1,5		**1.005**	**1.292**	**1.662**	**1.871**	**1.848**
HS-ARM-H	2		**1.005**	**1.292**	**1.662**	**1.871**	**1.848**
HS-ARM-H	3		**1.029**	**1.319**	**1.688**	**1.898**	**1.871**
HS-ARM-H	4		**1.073**	**1.410**	**1.741**	**1.954**	**1.922**
HS-ARM-H	5,5		**1.168**	**1.493**	**1.818**	**2.031**	**2.025**
HS-ARM-H	7,5		**1.248**	**1.537**	**1.919**	**2.164**	**2.137**
HS-ARM-H	10		**1.496**	**1.709**	**2.217**	**2.477**	**2.462**
HS-ARM-H	15	YILDIZ ÜÇGEN	**1.880**	**2.282**	**3.571**	**3.893**	**4.183**
HS-ARM-H	20		**2.244**	**2.655**	**4.082**	**4.389**	**4.715**
HS-ARM-H	25		**2.622**	**3.116**	**4.653**	**5.031**	**5.436**
HS-ARM-H	30		**2.903**	**3.411**	**4.889**	**5.273**	**5.705**
HS-ARM-H	40		**3.589**	**4.322**	**6.754**	**7.315**	**7.921**
HS-ARM-H	50		**4.768**	**5.811**	**7.836**	**8.542**	**9.452**
HS-ARM-H	60		**5.462**	**6.908**	**8.793**	**9.591**	**10.581**



SOFT STARTER SUBMERSIBLE PUMP ELECTRICAL PANELS

GÜÇ		AÇIKLAMALAR	SAC KASA GÖSTERGELİ
HP			PRICE (EURO)
TRİFAZE DİREKT	**10**	SOFT STARTER (ABB-SIEMENS) TERMİK (ENTES)	**845**
	12,5		**928**
	15		**928**
	20		**1.095**
	25		**1.360**
	30		**1.525**
	40		**1.783**
	50		**1.919**
	60		**2.069**
	75		**2.678**
	95		**3.251**
	110		**3.791**
	130		**4.148**
	150		**5.307**
	180		**6.305**

GET PRICES FOR PANELS WITH COUNTERS, CONDENSERS.

Günlük Fiyat Alınız

has pompa®

HPA-S1 SINGLE PHASE, SUBMERSIBLE PUMP AND HYDROPHOR ELECTRONIC CONTROL PANELS

TYPE	AÇIKLAMA	KULLANIM	PRICE (DOLAR)
HPA-2,2-S1-M	1 POMPALI 0,75 HP - 3 HP MONOFAZE	DALGIÇ POMPA	**99**
HPA-20/2,2-S1-M	2 POMPALI 0,75 HP - 3 HP MONOFAZE	HİDROFOR	**198**

HPA-S1 THREE-PHASE, SUBMERSIBLE PUMP AND BOOSTER ELECTRONIC CONTROL PANELS

TYPE	AÇIKLAMA	KULLANIM	PRICE (DOLAR)
HPA-5,5-S1	1 POMPALI 0,75 HP - 7,5 HP TRİFAZE	DALGIÇ POMPA	**116**
HPA-20/5,5-S1	2 POMPALI 0,75 HP - 7,5 HP TRİFAZE	HİDROFOR	**231**
HPA-30/5,5-S1	3 POMPALI 0,75 HP - 7,5 HP TRİFAZE	HİDROFOR	**363**
HPA-7,5-S1	1 POMPALI 0,75 HP - 10 HP TRİFAZE	DALGIÇ POMPA	**132**
HPA-20/7,5-S1	2 POMPALI 0,75 HP - 10 HP TRİFAZE	HİDROFOR	**264**
HPA-30/7,5-S1	3 POMPALI 0,75 HP - 10 HP TRİFAZE	HİDROFOR	**380**

HPA-10 types have been added to S1 series boards.

M series single-phase panels have 30A relay.

KM series single-phase panels have 18A Lovato Contactors.

Capacitor is not included in single-phase panels.

HPA-10/5.5-S1E series does not have N-automatic fuses.

Lovata brand 10kA N-automatic fuse is used in HPA-10/5.5-S1 series.

It is a simple and economical series to use. Phase protection feature is included in the standard scope of delivery.

Single-phase types work between 140V - 260V, three-phase types work with constant adjustment between 200V - 470V. Thanks to its electronic motor current measurement feature, it can provide sensitive motor protection.

Current settings and protection delay time can be adjusted with pots on the main board. It has been developed for submersible pumps and booster applications.

It can be used in submersible pumps as it has SSR (Liquid Level Relay) in 1 pump types. It makes a row change (rotation) between the pumps.

There are 5 warning LEDs for each pump and 5 for the system, a total of 10 warning LEDs on the panel cover. There are Auto-Manual and Test buttons on the panel cover.

Get Daily Price

has pompa®

HPA-S2 SINGLE PHASE, SUBMERSIBLE PUMP AND BOILER ELECTRONIC CONTROL PANELS

TYPE	AÇIKLAMA	KULLANIM	PRICE (DOLAR)
HPA-2,2-S2-M	1 POMPALI 0,75 HP - 3 HP MONOFAZE	DALGIÇ POMPA	**116**

MPA-S2 THREE-PHASE, SUBMERSIBLE PUMP AND HYDROPHOR ELECTRONIC CONTROL PANELS

TYPE	AÇIKLAMA	KULLANIM	PRICE (DOLAR)
HPA-5,5/S2	1 POMPALI 0,75 HP - 7,5 HP TRİFAZE	DALGIÇ POMPA	**132**
HPA-10/5,5-S2	1 POMPALI 0,75 HP - 7,5 HP TRİFAZE	DALGIÇ POMPA	**231**
HPA-20/5,5-S2	2 POMPALI 0,75 HP - 7,5 HP TRİFAZE	HİDROFOR	**281**
HPA-30/5,5-S2	3 POMPALI 0,75 HP - 7,5 HP TRİFAZE	HİDROFOR	**388**
HPA-7,5/S2	1 POMPALI 0,75 HP - 10 HP TRİFAZE	DALGIÇ POMPA	**141**
HPA-10/7,5-S2	1 POMPALI 0,75 HP - 10 HP TRİFAZE	DALGIÇ POMPA	**248**
HPA-20/7,5-S2	2 POMPALI 0,75 HP - 10 HP TRİFAZE	HİDROFOR	**297**
HPA-30/7,5-S2	3 POMPALI 0,75 HP - 10 HP TRİFAZE	HİDROFOR	**413**

Get Daily Price

M series single-phase panels have 30A relay.

KM series single-phase panels have 18A Lovato Contactors.

Capacitor is not included in single-phase panels.

It is a screened series with detail settings.

The phase protection feature is included in the standard scope of delivery. (Phase protection upper and lower values can be adjusted.) It has electronic motor current measurement feature.

It can provide sensitive motor protection against high current.

It can provide sensitive protection against low current.

All settings can be made from the screens and buttons.

It has both classical rotation and working time based rotation.

It is operated to activate the youngest pump in rotation based on operating time.

MPA-10, 20 and 30 Series have AUTO RECOGNITION feature.

It has been developed for submersible pumps and booster applications.

Voltmeter and Ammeter are available.

The currents and mains voltages of the pumps can be monitored instantly from the screens.

There are 12 warning LEDs, 6 for each pump and 6 for the system, on the panel cover. There are Auto-Manual and Test buttons on the panel cover.

The operating times of the pumps can be monitored.

SUBMERSIBLE PUMP CONTROL PANELS

GÜÇ HP		AÇIKLAMALAR	PRICE (DOLAR)
MONOFAZE	0,75	MİNİ TYPE KONDANSATÖR TERMİK	34
	1		37
	1,5		38
	2		39
	3		41

COVERCO, SUBMERSIBLE PUMP CONTROL PANELS

GÜÇ HP		AÇIKLAMALAR	PRICE (EURO)
MONOFAZE	0,75	0,5HP - 2HP ARASI, 12×16×7cm, PLASTİK	39
	1	3HP, 20×15×8cm, PLASTİK	41
	1,5	MİNİ TYPE	42
	2	KONDANSATÖR	43
	3	TERMİK	62

MINI ECO, SUBMERSIBLE PUMP CONTROL PANELS

GÜÇ HP		AÇIKLAMALAR	PRICE (DOLAR)
MONOFAZE	0,50	SIVI SEVİYE ROLESİ ENTES MOTOR KORUMA ROLESİ ENTES DİĞER MALZEMELER EKO SERİDİR PLASTİK KASA 25x33x13	140
	0,75		140
	1		140
	1,5		141
	2		149
	3		155
TRİFAZE	1		155
	1,5		155
	2		155
	3		155
	4		155
	5,5		156
	7,5		162
	10		163

Get Daily Price

SINGLE BOOSTER CONTROL PANELS

GÜÇ HP		AÇIKLAMALAR	PRICE (EURO)
MONOFAZE TEKLİ HİDROFOR	1	KONTAKTÖR TERMİK AÇ KAPA ANAHTAR TERMİK RESET BUTONU	80
	1,5		83
	2		93
TRİFAZE TEKLİ HİDROFOR	1		80
	1,5		80
	2		80
	3		80
	4		83
	5,5		83
	7,5		93
	10		93

DUAL HYDROPHORUS CONTROL PANELS

GÜÇ HP		AÇIKLAMALAR	PRICE (EURO)
MONOFAZE İKİLİ HİDROFOR	1	KONTAKTÖR (GENERAL) TERMİK (GENERAL) SİGORTA (GENERAL) FAZ KORUMA (ENTES) SIRALAMA (KAEL)	344
	1,5		345
	2		363
	3		363
TRİFAZE İKİLİ HİDROFOR	1		345
	1,5		345
	2		345
	3		345
	4		345
	5,5		346
	7,5		361
	10		395

Günlük Fiyat Alınız

GENERAL ELECTRICAL MATERIAL, SUBMERSIBLE PUMP CONTROL PANELS

GÜÇ HP		PLASTİK KASA KÜÇÜK HEIGHT	PLASTİK KASA BÜYÜK HEIGHT	SAC KASA	SAC KASA GÖSTERGELİ
		PRICE (EURO)	PRICE (EURO)	PRICE (EURO)	PRICE (EURO)
MONOFAZE DİREKT	1	153	179	243	272
	1,5	154	180	245	274
	2	159	184	249	278
	3	173	204	266	310
TRİFAZE DİREKT	1	173	204	266	310
	1,5	173	204	266	310
	2	173	204	266	310
	3	173	204	266	310
	4	173	204	266	310
	5,5	174	204	266	311
	7,5	177	207	274	318
	10	187	225	284	328
	12,5	212	263	309	353
	15	213	265	310	354
	17,5	218	274	322	363
	20	218	274	322	363
TRİFAZE YILDIZ ÜÇGEN	12,5	-	368	-	509
	15	-	386	-	553
	17,5	-	420	-	593
	20	-	420	-	593
	25	-	490	-	642
	30	-	501	-	643
	35	-	707	-	852
	40	-	707	-	852
	50	-	873	-	1.017
	60	-	958	-	1.112
	70	-	-	-	1.269
	75	-	-	-	1.269
	80	-	-	-	1.839
	90	-	-	-	1.839
	100	-	-	-	2.127
	110	-	-	-	2.127
	125	-	-	-	2.239
	150	-	-	-	3.045
	180	-	-	-	3.800

PANEL FEATURES: Contactor; GENERAL - Thermal Relay; GENERAL - Liquid Level Relay; ENTES - MOTOR protection relay; ENTES

GET PRICES FOR PANELS WITH COUNTERS, CONDENSERS.

Get Daily Price

has pompa®

SIEMENS MATERIAL, SUBMERSIBLE PUMP CONTROL PANELS

GÜÇ / HP		PLASTİK KASA	SAC KASA	SAC KASA GÖSTERGELİ
		PRICE (EURO)	PRICE (EURO)	PRICE (EURO)
MONOFAZE DİREKT	1	201	259	287
	1,5	208	267	294
	2	216	276	303
	3	227	287	330
TRİFAZE DİREKT	1	227	287	330
	1,5	227	287	330
	2	227	287	330
	3	227	287	330
	4	227	287	330
	5,5	233	294	336
	7,5	244	305	348
	10	271	336	378
	12,5	325	380	423
	15	345	402	445
	17,5	356	414	456
	20	356	414	456
TRİFAZE YILDIZ ÜÇGEN	12,5	422	-	587
	15	431	-	599
	17,5	448	-	615
	20	448	-	615
	25	634	-	805
	30	644	-	821
	35	872	-	1.035
	40	872	-	1.035
	50	1.071	-	1.255
	60	1.180	-	1.383
	70	-	-	1.705
	75	-	-	1.705
	80	-	-	2.156
	90	-	-	2.156
	100	-	-	3.015
	110	-	-	3.015
	125	-	-	3.136
	150	-	-	3.392
	180	-	-	3.991

PANEL FEATURES: Contactor; SIEMENS - Thermal Relay; SIEMENS - Liquid Level Relay; ENTES - MOTOR protection relay; ENTES

GET PRICES FOR PANELS WITH COUNTERS, CONDENSERS.

Günlük Fiyat Alınız

has pompa®

BOOSTER AND ACCESSORIES

has pompa®

HAS PUMP HNV SERIES, NORYL IMPELLER AND DIFFUSER BOOSTER PUMPS AND PACKAGE BOILER BOOSTERS

HAS PUMP HSV, STAINLESS IMPELLER AND DIFFUSER BOILER PUMPS AND PACKED BOILERS

E-TECH HOUSE, IMPORTED, COMPLETE STAINLESS (AISI 304), PACKAGE BOOSTERS

BOOSTER ACCESSORIES

has pompa®

HİDROFOR VE AKSESUARLARI

HNV SERIES, NORYL IMPELLER AND DIFFUSER BOOSTER PUMPS AND PACKAGE BOILER

HNV 10 - 15 SERIES, VERTICAL SHAFT MOTORPUMPS (STAINLESS BODY - NORYL IMPELLER)

TYPE	VOLT	HP	m³/h	0,00	4,00	6,00	8,00	10,00	12,00	14,00	-	-	POMPA IN - OUT (DN)	TEK POMPA PRICE (EURO)	MOTOPOMP PRICE (EURO)
			lt/sn	0,00	1,11	1,67	2,22	2,78	3,33	3,89	-	-			
HNV 10/07	380	3	MSS	72	68	63	56	46	35	21	-	-	1 ¼" - 1"	**230**	**440**
HNV 10/08	380	3		84	78	72	64	53	40	24	-	-		**240**	**450**
HNV 10/09	380	4		95	87	81	72	60	45	28	-	-		**251**	**517**
HNV 10/10	380	4		105	98	90	80	66	50	31	-	-		**262**	**527**
HNV 10/11	380	4		115	105	97	87	74	56	35	-	-		**272**	**538**
HNV 10/12	380	5,5		126	117	109	97	82	64	43	-	-		**284**	**615**
HNV 10/13	380	5,5		135	126	117	105	90	70	47	-	-		**295**	**626**
HNV 10/14	380	5,5		145	134	125	112	95	74	49	-	-		**306**	**636**
HNV 10/15	380	5,5		156	142	131	116	98	79	52	-	-		**316**	**647**

TYPE	VOLT	HP	m³/h	0,00	8,00	10,00	12,00	14,00	16,00	18,00	20,00	22,00	POMPA IN - OUT (DN)	TEK POMPA PRICE (EURO)	MOTOPOMP PRICE (EURO)
			lt/sn	0,00	2,22	2,78	3,33	3,89	4,44	5,00	5,56	6,11			
HNV 15/06	380	4	MSS	62	56	54	51	48	43	37	29	20	1 ½" -1 ¼"	**224**	**490**
HNV 15/07	380	4		73	65	62	60	56	50	42	32	21		**235**	**500**
HNV 15/08	380	5,5		82	74	71	69	65	60	52	43	31		**245**	**577**
HNV 15/09	380	5,5		91	81	79	76	71	65	56	47	34		**256**	**588**
HNV 15/10	380	7,5		101	91	88	85	81	74	64	52	37		**267**	**686**
HNV 15/11	380	7,5		112	100	97	93	88	80	69	56	39		**278**	**696**
HNV 15/12	380	7,5		119	107	104	100	94	86	75	61	44		**288**	**707**

HNV 10 SERIES, PACKAGE BODY
BODY - NORYL IMPELLER

TEK POMPALI														
TYPE	VOLT	HP	m³/h	0,00	4,00	6,00	8,00	10,00	12,00	14,00	-	-	KOLLEKTÖR IN - OUT (DN)	PAKET PRICE (EURO)
			lt/sn	0,00	1,11	1,67	2,22	2,78	3,33	3,89	-	-		
HNV 10/07X 1	380	3	MSS	72	68	63	56	46	35	21	-	-	1 ¼" - 1"	**621**
HNV 10/08 X 1	380	3		84	78	72	64	53	40	24	-	-		**633**
HNV 10/09 X 1	380	4		95	87	81	72	60	45	28	-	-		**699**
HNV 10/10X 1	380	4		105	98	90	80	66	50	31	-	-		**710**
HNV 10/11X 1	380	4		115	105	97	87	74	56	35	-	-		**721**
HNV 10/12X 1	380	5,5		126	117	109	97	82	64	43	-	-		**798**
HNV 10/13X 1	380	5,5		135	126	117	105	90	70	47	-	-		**808**
HNV 10/14 X1	380	5,5		145	134	125	112	95	74	49	-	-		**819**
HNV 10/15X 1	380	5,5		156	142	131	116	98	79	52	-	-		**830**

İKİ POMPALI														
TYPE	VOLT	HP	m³/h	0,00	8,00	12,00	16,00	20,00	24,00	28,00	-	-	KOLLEKTÖR IN - OUT (DN)	PAKET PRICE (EURO)
			lt/sn	0,00	2,22	3,33	4,44	5,56	6,67	7,78	-	-		
HNV 10/07X 2	380	3	MSS	72	68	63	56	46	35	21	-	-	2" -1 ½"	**1.348**
HNV 10/08 X 2	380	3		84	78	72	64	53	40	24	-	-		**1.370**
HNV 10/09 X 2	380	4		95	87	81	72	60	45	28	-	-		**1.503**
HNV 10/10X 2	380	4		105	98	90	80	66	50	31	-	-		**1.524**
HNV 10/11X 2	380	4		115	105	97	87	74	56	35	-	-		**1.545**
HNV 10/12X 2	380	5,5		126	117	109	97	82	64	43	-	-		**1.699**
HNV 10/13X 2	380	5,5		135	126	117	105	90	70	47	-	-		**1.721**
HNV 10/14 X2	380	5,5		145	134	125	112	95	74	49	-	-		**1.742**
HNV 10/15X 2	380	5,5		156	142	131	116	98	79	52	-	-		**1.763**

ÜÇ POMPALI														
TYPE	VOLT	HP	m³/h	0,00	12,00	18,00	24,00	30,00	36,00	42,00	-	-	KOLLEKTÖR IN - OUT (DN)	PAKET PRICE (EURO)
			lt/sn	0,00	3,33	5,00	6,67	8,33	10,00	11,67	-	-		
HNV 10/07X 3	380	3	MSS	72	68	63	56	46	35	21	-	-	2 ½" - 2"	**1.992**
HNV 10/08 X 3	380	3		84	78	72	64	53	40	24	-	-		**2.025**
HNV 10/09 X 3	380	4		95	87	81	72	60	45	28	-	-		**2.224**
HNV 10/10X 3	380	4		105	98	90	80	66	50	31	-	-		**2.256**
HNV 10/11X 3	380	4		115	105	97	87	74	56	35	-	-		**2.288**
HNV 10/12X 3	380	5,5		126	117	109	97	82	64	43	-	-		**2.519**
HNV 10/13X 3	380	5,5		135	126	117	105	90	70	47	-	-		**2.551**
HNV 10/14 X3	380	5,5		145	134	125	112	95	74	49	-	-		**2.583**
HNV 10/15X 3	380	5,5		156	142	131	116	98	79	52	-	-		**2.614**

* GENLEŞME TANKI VE SPİRAL HORTUM FİYATLARI LİSTEYE DAHİL DEĞİLDİR.

HNV 15 SERIES, PACKAGE BODY
BODY - NORYL IMPELLER

TEK POMPALI														
TYPE	VOLT	HP	m³/h	0,00	8,00	10,00	12,00	14,00	16,00	18,00	20,00	22,00	KOLLEKTÖR IN - OUT (DN)	PAKET PRICE (EURO)
			lt/sn	0,00	2,22	2,78	3,33	3,89	4,44	5,00	5,56	6,11		
HNV 15/06 X 1	380	4	MSS	62	56	54	51	48	43	37	29	20	1 ½" -1 ¼"	**678**
HNV 15/07X 1	380	4		73	65	62	60	56	50	42	32	21		**689**
HNV 15/08 X 1	380	5,5		82	74	71	69	65	60	52	43	31		**765**
HNV 15/09 X1	380	5,5		91	81	79	76	71	65	56	47	34		**776**
HNV 15/10X 1	380	7,5		101	91	88	85	81	74	64	52	37		**875**
HNV 15/11X 1	380	7,5		112	100	97	93	88	80	69	56	39		**886**
HNV 15/12X 1	380	7,5		119	107	104	100	94	86	75	61	44		**896**

İKİ POMPALI														
TYPE	VOLT	HP	m³/h	0,00	16,00	20,00	24,00	28,00	32,00	36,00	40,00	44,00	KOLLEKTÖR IN - OUT (DN)	PAKET PRICE (EURO)
			lt/sn	0,00	4,44	5,56	6,67	7,78	8,89	10,00	11,11	12,22		
HNV 15/06 X 2	380	4	MSS	62	56	54	51	48	43	37	29	20	2 ½" - 2"	**1.466**
HNV 15/07X 2	380	4		73	65	62	60	56	50	42	32	21		**1.487**
HNV 15/08 X 2	380	5,5		82	74	71	69	65	60	52	43	31		**1.640**
HNV 15/09 X2	380	5,5		91	81	79	76	71	65	56	47	34		**1.661**
HNV 15/10X 2	380	7,5		101	91	88	85	81	74	64	52	37		**1.859**
HNV 15/11X 2	380	7,5		112	100	97	93	88	80	69	56	39		**1.880**
HNV 15/12X 2	380	7,5		119	107	104	100	94	86	75	61	44		**1.901**

ÜÇ POMPALI														
TYPE	VOLT	HP	m³/h	0,00	24,00	30,00	36,00	42,00	48,00	54,00	60,00	66,00	KOLLEKTÖR IN - OUT (DN)	PAKET PRICE (EURO)
			lt/sn	0,00	6,67	8,33	10,00	11,67	13,33	15,00	16,67	18,33		
HNV 15/06 X 3	380	4	MSS	62	56	54	51	48	43	37	29	20	3" - 2 ½"	**2.164**
HNV 15/07X 3	380	4		73	65	62	60	56	50	42	32	21		**2.196**
HNV 15/08 X 3	380	5,5		82	74	71	69	65	60	52	43	31		**2.426**
HNV 15/09 X3	380	5,5		91	81	79	76	71	65	56	47	34		**2.458**
HNV 15/10X 3	380	7,5		101	91	88	85	81	74	64	52	37		**2.753**
HNV 15/11X 3	380	7,5		112	100	97	93	88	80	69	56	39		**2.785**
HNV 15/12X 3	380	7,5		119	107	104	100	94	86	75	61	44		**2.816**

* EXPANSION TANK AND SPIRAL HOSE PRICES ARE NOT INCLUDED IN THE LIST.

HSV, STAINLESS IMPELLER and DIFFUSER BOILER PUMPS and PACKAGE BOOSTERS

HSV 3 - 5 SERIES, WITH STAINLESS IMPELLER and DIFFUSER (AISI 304), VERTICAL SHAFT, MULTI-STAGE, IN-LINE, SINGLE PUMPS AND MOTOPUMPS WITH WAT MOTOR (STANDARD CONNECTION) - MAXIMUM WATER TEMPERATURE I 120°C

TYPE	HP	VOLT	m³/h	0,00	1,50	2,00	2,50	3,00	3,50	4,00	4,50	5,00	5,50	IN OUT	TEK POMPA PRICE (EURO)	MOTOPOMP PRICE (EURO)
			lt/sn	0,00	0,42	0,56	0,69	0,83	0,97	1,11	1,25	1,39	1,53			
HSV 03/03	0,75	380V	MSS	34	29	28	25	23	20	17	14	10	7	1¼"	**358**	**546**
HSV 03/04	1			46	41	39	36	33	29	25	21	16	10		**380**	**574**
HSV 03/05	1			57	50	47	44	40	35	31	25	19	12		**400**	**594**
HSV 03/06	1,5			68	61	57	53	48	43	37	31	23	15		**431**	**662**
HSV 03/07	1,5			79	70	66	61	55	49	42	35	25	17		**452**	**682**
HSV 03/08	2			91	82	77	72	65	58	50	42	32	21		**486**	**728**
HSV 03/10	2			113	101	95	87	79	70	61	50	38	24		**532**	**773**
HSV 03/12	3			137	124	117	109	99	89	77	64	50	33		**614**	**863**
HSV 03/14	3			160	143	135	125	114	101	88	73	55	37		**663**	**910**

TYPE	HP	VOLT	m³/h	0,00	3,00	4,00	4,50	5,00	5,50	6,00	7,00	8,00	8,50	IN OUT	TEK POMPA PRICE (EURO)	MOTOPOMP PRICE (EURO)
			lt/sn	0,00	0,83	1,11	1,25	1,39	1,53	1,67	1,94	2,22	2,36			
HSV 05/03	1	380V	MSS	34	30	28	27	26	24	23	18	13	10	1¼"	**361**	**556**
HSV 05/04	1,5			46	40	38	36	34	32	30	24	17	14		**383**	**616**
HSV 05/05	1,5			57	49	46	44	42	39	36	29	20	16		**404**	**636**
HSV 05/06	2			69	61	57	54	52	49	45	37	25	19		**445**	**689**
HSV 05/07	2			80	70	65	62	59	56	51	41	28	21		**466**	**709**
HSV 05/08	3			92	82	77	74	71	67	62	51	36	28		**487**	**739**
HSV 05/10	3			114	101	94	91	86	82	75	61	44	33		**533**	**784**
HSV 05/12	4			138	122	115	110	105	99	92	75	54	41		**614**	**936**
HSV 05/14	4			160	141	132	126	120	114	105	85	60	46		**663**	**984**

SIC - CAR - EPDM MECHANICAL SEAL

has pompa®

HSV 9 - 16 SERIES, WITH STAINLESS IMPELLER and DIFFUSER (AISI 304), VERTICAL SHAFT, MULTI-STAGE, IN-LINE, SINGLE PUMPS AND MOTORPUMPS WITH WAT MOTOR (STANDARD CONNECTION) - MAXIMUM WATER TEMPERATURE 120°C

TYPE	HP	VOLT	m³/h	0,00	6,00	7,00	8,00	9,00	10,00	11,00	12,00	13,00	14,00	IN OUT	TEK POMPA PRICE (EURO)	MOTOPOMP PRICE (EURO)
			lt/sn	0,00	1,67	1,94	2,22	2,50	2,78	3,06	3,33	3,61	3,89			
HSV 09/02	1	380V	MSS	24	21	**20**	**19**	**19**	**17**	**16**	**14**	**12**	9	1½"	**389**	**583**
HSV 09/03	1,5			36	31	**30**	**29**	**27**	**26**	**23**	**20**	**17**	13		**416**	**647**
HSV 09/04	2			48	42	**40**	**39**	**37**	**35**	**32**	**27**	**24**	19		**439**	**682**
HSV 09/05	3			60	53	**51**	**50**	**48**	**45**	**41**	**36**	**31**	25		**474**	**727**
HSV 09/06	3			72	63	**61**	**59**	**56**	**53**	**48**	**42**	**36**	29		**498**	**751**
HSV 09/07	4			84	74	**72**	**69**	**66**	**63**	**57**	**50**	**43**	35		**525**	**850**
HSV 09/08	4			96	84	**81**	**78**	**75**	**70**	**64**	**56**	**48**	38		**553**	**876**
HSV 09/10	5,5			121	108	**104**	**101**	**97**	**91**	**84**	**75**	**64**	52		**650**	**1.059**
HSV 09/11	5,5			132	118	**114**	**110**	**106**	**100**	**92**	**81**	**70**	56		**682**	**1.090**

TYPE	HP	VOLT	m³/h	0,00	10,00	12,00	14,00	16,00	18,00	20,00	22,00	23,00	24,00	IN OUT	TEK POMPA PRICE (EURO)	MOTOPOMP PRICE (EURO)
			lt/sn	0,00	2,78	3,33	3,89	4,44	5,00	5,56	6,11	6,39	6,67			
HSV 16/03	3	380V	MSS	36	32	**30**	**29**	**28**	**26**	**24**	**20**	**17**	15	2"	**558**	**809**
HSV 16/04	4			48	43	**41**	**39**	**37**	**35**	**32**	**27**	**25**	21		**612**	**934**
HSV 16/05	5,5			61	55	**54**	**50**	**48**	**46**	**41**	**35**	**32**	29		**650**	**1.058**
HSV 16/06	7,5			73	66	**63**	**60**	**57**	**55**	**49**	**42**	**38**	34		**693**	**1.215**
HSV 16/07	7,5			85	76	**73**	**70**	**66**	**63**	**57**	**48**	**43**	39		**732**	**1.253**
HSV 16/08	7,5			97	86	**83**	**79**	**76**	**71**	**64**	**54**	**49**	43		**771**	**1.291**

SIC - CAR - EPDM MECHANICAL SEAL

HSV 3 SERIES, WITH STAINLESS IMPELLER and DIFFUSER (AISI 304), IN-LINE, PACKAGE BOOSTERS WAT MOTOR (STANDARD CONNECTION) - MAXIMUM WATER TEMPERATURE 120°C

SINGLE PUMP
EXCEPT TANK AND FLEXIBLE

TYPE	HP	VOLT	m³/h	0,00	1,50	2,00	2,50	3,00	3,50	4,00	4,50	5,00	IN OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	0,42	0,56	0,69	0,83	0,97	1,11	1,25	1,39				
HSV 03/04 X 1	1	380V	MSS	46	41	39	36	33	29	25	21	16	1¼"	100	10	876
HSV 03/05 X 1	1			57	50	47	44	40	35	31	25	19		100	10	897
HSV 03/06 X 1	1,5			68	61	57	53	48	43	37	31	23		100	10	966
HSV 03/07 X 1	1,5			79	70	66	61	55	49	42	35	25		100	10	987
HSV 03/08 X 1	2			91	82	77	72	65	58	50	42	32		100	10	1.034
HSV 03/10 X 1	2			113	101	95	87	79	70	61	50	38		100	16	1.081
HSV 03/12X 1	3			137	124	117	109	99	89	77	64	50		100	16	1.173

TWO PUMPS
EXCEPT TANK AND FLEXIBLE

TYPE	HP	VOLT	m³/h	0,00	3,00	4,00	5,00	6,00	7,00	8,00	9,00	10,00	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	0,83	1,11	1,39	1,67	1,94	2,22	2,50	2,78				
HSV 03/04 X 2	1	380V	MSS	46	41	39	36	33	29	25	21	16	1¼"	100	10	1.813
HSV 03/05 X 2	1			57	50	47	44	40	35	31	25	19		100	10	1.855
HSV 03/06 X 2	1,5			68	61	57	53	48	43	37	31	23		100	10	1.994
HSV 03/07 X 2	1,5			79	70	66	61	55	49	42	35	25		100	10	2.035
HSV 03/08 X 2	2			91	82	77	72	65	58	50	42	32		100	10	2.130
HSV 03/10 X 2	2			113	101	95	87	79	70	61	50	38		100	16	2.223
HSV 03/12X 2	3			137	124	117	109	99	89	77	64	50		100	16	2.407

THREE PUMP
EXCEPT TANK AND FLEXIBLE

TYPE	HP	VOLT	m³/h	0,00	4,50	6,00	7,50	9,00	10,50	12,00	13,50	15,00	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	1,25	1,67	2,08	2,50	2,92	3,33	3,75	4,17				
HSV 03/04 X 3	1	380V	MSS	46	41	39	36	33	29	25	21	16	1½"	100	10	2.710
HSV 03/05 X 3	1			57	50	47	44	40	35	31	25	19		100	10	2.773
HSV 03/06 X 3	1,5			68	61	57	53	48	43	37	31	23		100	10	2.981
HSV 03/07 X 3	1,5			79	70	66	61	55	49	42	35	25		100	10	3.043
HSV 03/08 X 3	2			91	82	77	72	65	58	50	42	32		100	10	3.185
HSV 03/10 X 3	2			113	101	95	87	79	70	61	50	38		100	16	3.325
HSV 03/12X 3	3			137	124	117	109	99	89	77	64	50		100	16	3.601

has pompa®

HSV 5 SERIES, WITH STAINLESS IMPELLER and DIFFUSER (AISI 304), IN-LINE, PACKAGE BOOSTERS WAT MOTOR (STANDARD CONNECTION) - MAXIMUM WATER TEMPERATURE 120°C

SINGLE PUMP
EXCEPT TANK AND FLEXIBLE

TYPE	HP	VOLT	m³/h	0,00	3,00	4,00	4,50	5,00	5,50	6,00	7,00	8,00	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	0,83	1,11	1,25	1,39	1,53	1,67	1,94	2,22				
HSV 05/04 X 1	1,5	380V	MSS	46	40	**38**	**36**	**34**	**32**	**30**	**24**	17	1¼"	200	10	**901**
HSV 05/05 X 1	1,5			57	49	**46**	**44**	**42**	**39**	**36**	**29**	20		200	10	**922**
HSV 05/06 X 1	2			69	61	**57**	**54**	**52**	**49**	**45**	**37**	25		200	10	**977**
HSV 05/07 X 1	2			80	70	**65**	**62**	**59**	**56**	**51**	**41**	28		200	10	**992**
HSV 05/08 X 1	3			92	82	**77**	**74**	**71**	**67**	**62**	**51**	36		200	10	**1.025**
HSV 05/10 X 1	3			114	101	**94**	**91**	**86**	**82**	**75**	**61**	44		200	16	**1.069**
HSV 05/12 X 1	4			138	122	**115**	**110**	**105**	**99**	**92**	**75**	54		200	16	**1.221**

TWO PUMPS
EXCEPT TANK AND FLEXIBLE

TYPE	HP	VOLT	m³/h	0,00	6,00	8,00	9,00	10,00	11,00	12,00	14,00	16,00	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	1,67	2,22	2,50	2,78	3,06	3,33	3,89	4,44				
HSV 05/04 X 2	1,5	380V	MSS	46	40	**38**	**36**	**34**	**32**	**30**	**24**	17	1½"	200	10	**1.867**
HSV 05/05 X 2	1,5			57	49	**46**	**44**	**42**	**39**	**36**	**29**	20		200	10	**1.907**
HSV 05/06 X 2	2			69	61	**57**	**54**	**52**	**49**	**45**	**37**	25		200	10	**2.018**
HSV 05/07 X 2	2			80	70	**65**	**62**	**59**	**56**	**51**	**41**	28		200	10	**2.047**
HSV 05/08 X 2	3			92	82	**77**	**74**	**71**	**67**	**62**	**51**	36		200	10	**2.114**
HSV 05/10 X 2	3			114	101	**94**	**91**	**86**	**82**	**75**	**61**	44		200	16	**2.199**
HSV 05/12 X 2	4			138	122	**115**	**110**	**105**	**99**	**92**	**75**	54		200	16	**2.504**

THREE PUMP
EXCEPT TANK AND FLEXIBLE

TYPE	HP	VOLT	m³/h	0,00	9,00	12,00	13,50	15,00	16,50	18,00	21,00	24,00	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	2,50	3,33	3,75	4,17	4,58	5,00	5,83	6,67				
HSV 05/04 X 3	1,5	380V	MSS	46	40	**38**	**36**	**34**	**32**	**30**	**24**	17	2"	200	10	**2.762**
HSV 05/05 X 3	1,5			57	49	**46**	**44**	**42**	**39**	**36**	**29**	20		200	10	**2.823**
HSV 05/06 X 3	2			69	61	**57**	**54**	**52**	**49**	**45**	**37**	25		200	10	**2.989**
HSV 05/07 X 3	2			80	70	**65**	**62**	**59**	**56**	**51**	**41**	28		200	10	**3.033**
HSV 05/08 X 3	3			92	82	**77**	**74**	**71**	**67**	**62**	**51**	36		200	10	**3.134**
HSV 05/10 X 3	3			114	101	**94**	**91**	**86**	**82**	**75**	**61**	44		200	16	**3.260**
HSV 05/12 X 3	4			138	122	**115**	**110**	**105**	**99**	**92**	**75**	54		200	16	**3.717**

HSV 9 SERIES, WITH STAINLESS IMPELLER and DIFFUSER (AISI 304), IN-LINE, PACKAGE BOOSTERS WAT MOTOR (STANDARD CONNECTION) - MAXIMUM WATER TEMPERATURE 120°C

SINGLE PUMP
EXCEPT TANK AND FLEXIBLE

TYPE	HP	VOLT	m³/h	0,00	6,00	7,00	8,00	9,00	10,00	11,00	12,00	13,00	14,00	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	1,67	1,94	2,22	2,50	2,78	3,06	3,33	3,61	3,89				
HSV 09/04 X 1	2	380V	MSS	48	42	**40**	**39**	**37**	**35**	**32**	**27**	**24**	19	1½"	300	10	**981**
HSV 09/05 X 1	3			60	53	**51**	**50**	**48**	**45**	**41**	**36**	**31**	25		300	10	**998**
HSV 09/06 X 1	3			72	63	**61**	**59**	**56**	**53**	**48**	**42**	**36**	29		300	10	**1.020**
HSV 09/07 X 1	4			84	74	**72**	**69**	**66**	**63**	**57**	**50**	**43**	35		300	10	**1.143**
HSV 09/08 X 1	4			96	84	**81**	**78**	**75**	**70**	**64**	**56**	**48**	38		300	10	**1.171**
HSV 09/10 X 1	5,5			121	108	**104**	**101**	**97**	**91**	**84**	**75**	**64**	52		300	16	**1.346**
HSV 09/11 X 1	5,5			132	118	**114**	**110**	**106**	**100**	**92**	**81**	**70**	56		300	16	**1.417**

TWO PUMPS
EXCEPT TANK AND FLEXIBLE

TYPE	HP	VOLT	m³/h	0,00	12,00	14,00	16,00	18,00	20,00	22,00	24,00	26,00	28,00	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	3,33	3,89	4,44	5,00	5,56	6,11	6,67	7,22	7,78				
HSV 09/04 X 2	2	380V	MSS	48	42	**40**	**39**	**37**	**35**	**32**	**27**	**24**	19	2"	300	10	**2.040**
HSV 09/05 X 2	3			60	53	**51**	**50**	**48**	**45**	**41**	**36**	**31**	25		300	10	**2.075**
HSV 09/06 X 2	3			72	63	**61**	**59**	**56**	**53**	**48**	**42**	**36**	29		300	10	**2.120**
HSV 09/07 X 2	4			84	74	**72**	**69**	**66**	**63**	**57**	**50**	**43**	35		300	10	**2.366**
HSV 09/08 X 2	4			96	84	**81**	**78**	**75**	**70**	**64**	**56**	**48**	38		300	10	**2.421**
HSV 09/10 X 2	5,5			121	108	**104**	**101**	**97**	**91**	**84**	**75**	**64**	52		300	16	**2.770**
HSV 09/11 X 2	5,5			132	118	**114**	**110**	**106**	**100**	**92**	**81**	**70**	56		300	16	**2.892**

THREE PUMP
EXCEPT TANK AND FLEXIBLE

TYPE	HP	VOLT	m³/h	0,00	18,00	21,00	24,00	27,00	30,00	33,00	36,00	39,00	42,00	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	5,00	5,83	6,67	7,50	8,33	9,17	10,00	10,83	11,67				
HSV 09/04 X 3	2	380V	MSS	48	42	**40**	**39**	**37**	**35**	**32**	**27**	**24**	19	2½"	300	10	**2.993**
HSV 09/05 X 3	3			60	53	**51**	**50**	**48**	**45**	**41**	**36**	**31**	25		300	10	**3.044**
HSV 09/06 X 3	3			72	63	**61**	**59**	**56**	**53**	**48**	**42**	**36**	29		300	10	**3.112**
HSV 09/07 X 3	4			84	74	**72**	**69**	**66**	**63**	**57**	**50**	**43**	35		300	10	**3.481**
HSV 09/08 X 3	4			96	84	**81**	**78**	**75**	**70**	**64**	**56**	**48**	38		300	10	**3.603**
HSV 09/10 X 3	5,5			121	108	**104**	**101**	**97**	**91**	**84**	**75**	**64**	52		300	16	**4.086**
HSV 09/11 X 3	5,5			132	118	**114**	**110**	**106**	**100**	**92**	**81**	**70**	56		300	16	**4.249**

has pompa®

HSV 16 SERIES, STAINLESS IMPELLER AND DIFFUSER (AISI 304), IN-LINE, PACKAGE BOILER WAT MOTOR (STANDARD CONNECTION) - MAXIMUM WATER TEMPERATURE 120°C

SINGLE PUMP
EXCEPT TANK AND FLEXIBLE

TYPE	HP	VOLT	m³/h	0,00	10,00	12,00	14,00	16,00	18,00	20,00	22,00	23,00	24,00	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	2,78	3,33	3,89	4,44	5,00	5,56	6,11	6,39	6,67				
HSV 16/03X 1	3	380V	MSS	36	32	**30**	**29**	**28**	**26**	**24**	**20**	**17**	15	2"	500	10	**957**
HSV 16/04X 1	4			48	43	**41**	**39**	**37**	**35**	**32**	**27**	**25**	21		500	10	**1.259**
HSV 16/05 X 1	5,5			61	55	**54**	**50**	**48**	**46**	**41**	**35**	**32**	29		500	10	**1.334**
HSV 16/06X 1	7,5			73	66	**63**	**60**	**57**	**55**	**49**	**42**	**38**	34		500	10	**1.483**
HSV 16/07X 1	7,5			85	76	**73**	**70**	**66**	**63**	**57**	**48**	**43**	39		500	10	**1.561**
HSV 16/08X 1	7,5			97	86	**83**	**79**	**76**	**71**	**64**	**54**	**49**	43		500	10	**1.599**

TWO PUMPS
EXCEPT TANK AND FLEXIBLE

TYPE	HP	VOLT	m³/h	0,00	20,00	24,00	28,00	32,00	36,00	40,00	44,00	46,00	48,00	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	5,56	6,67	7,78	8,89	10,00	11,1	12,22	12,78	13,33				
HSV 16/03X 2	3	380V	MSS	36	32	**30**	**29**	**28**	**26**	**24**	**20**	**17**	15	3"	500	10	**2.005**
HSV 16/04X 2	4			48	43	**41**	**39**	**37**	**35**	**32**	**27**	**25**	21		500	10	**2.609**
HSV 16/05 X 2	5,5			61	55	**54**	**50**	**48**	**46**	**41**	**35**	**32**	29		500	10	**2.759**
HSV 16/06X 2	7,5			73	66	**63**	**60**	**57**	**55**	**49**	**42**	**38**	34		500	10	**3.056**
HSV 16/07X 2	7,5			85	76	**73**	**70**	**66**	**63**	**57**	**48**	**43**	39		500	10	**3.213**
HSV 16/08X 2	7,5			97	86	**83**	**79**	**76**	**71**	**64**	**54**	**49**	43		500	10	**3.288**

THREE PUMP
EXCEPT TANK AND FLEXIBLE

TYPE	HP	VOLT	m³/h	0,00	30,00	36,00	42,00	48,00	54,00	60,00	66,00	69,00	72,00	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	8,33	10,00	11,67	13,33	15,00	16,67	18,33	19,17	20,00				
HSV 16/03X 3	3	380V	MSS	36	32	**30**	**29**	**28**	**26**	**24**	**20**	**17**	15	DN100	500	10	**2.939**
HSV 16/04X 3	4			48	43	**41**	**39**	**37**	**35**	**32**	**27**	**25**	21		500	10	**3.845**
HSV 16/05 X 3	5,5			61	55	**54**	**50**	**48**	**46**	**41**	**35**	**32**	29		500	10	**4.070**
HSV 16/06X 3	7,5			73	66	**63**	**60**	**57**	**55**	**49**	**42**	**38**	34		500	10	**4.516**
HSV 16/07X 3	7,5			85	76	**73**	**70**	**66**	**63**	**57**	**48**	**43**	39		500	10	**4.751**
HSV 16/08X 3	7,5			97	86	**83**	**79**	**76**	**71**	**64**	**54**	**49**	43		500	10	**4.864**

has pompa®



E-TECH EV, COMPLETE STAINLESS (AISI 304) PACKAGE BOOSTERS

E-TECH EV 3 SERIES, COMPLETE STAINLESS (AISI 304), IN-LINE, PACKAGE BOOSTERS AEG MOTOR (STANDARD CONNECTION) - MAXIMUM WATER TEMPERATURE 120°C

E-Tech® Made in ITALY by Franklin Electric

TEK POMPALI
TANK VE FLEXIBLE HARİÇ

TYPE	HP	VOLT	m³/h	0,00	1,00	1,50	2,00	2,50	3,00	3,50	4,00	4,50	-	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	0,28	0,42	0,56	0,69	0,83	0,97	1,11	1,25	-				
EV 03/13 T X 1	1,5	380V	MSS	97	93	89	85	78	70	60	48	34	-	1¼"	100	10	**1.590**
EV 03/17 T X 1	2			127	123	118	112	104	93	80	64	46	-		100	16	**1.758**

İKİ POMPALI
PASLANMAZ KOLLEKTÖRLÜ, TANK VE FLEXIBLE HARİÇ

TYPE	HP	VOLT	m³/h	0,00	2,00	3,00	4,00	5,00	6,00	7,00	8,00	9,00	-	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	0,56	0,83	1,11	1,39	1,67	1,94	2,22	2,50	-				
EV 03/13 T X 2	1,5	380V	MSS	97	93	89	85	78	70	60	48	34	-	1½"	100	10	**3.434**
EV 03/17 T X 2	2			127	123	118	112	104	93	80	64	46	-		100	16	**3.770**

ÜÇ POMPALI
PASLANMAZ KOLLEKTÖRLÜ, TANK VE FLEXIBLE HARİÇ

TYPE	HP	VOLT	m³/h	0,00	3,00	4,50	6,00	7,50	9,00	10,50	12,00	13,50	-	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	0,83	1,25	1,67	2,08	2,50	2,92	3,33	3,75	-				
EV 03/13 T X 3	1,5	380V	MSS	97	93	89	85	78	70	60	48	34	-	2"	100	10	**5.227**
EV 03/17 T X 3	2			127	123	118	112	104	93	80	64	46	-		100	16	**5.731**

E-TECH EV 6 SERIES, COMPLETE STAINLESS (AISI 304), IN-LINE, PACKAGE BOOSTERS AEG MOTOR (STANDARD CONNECTION) - MAXIMUM WATER TEMPERATURE 120°C

TEK POMPALI
TANK VE FLEXIBLE HARİÇ

TYPE	HP	VOLT	m³/h	0,00	2,50	3,00	3,50	4,00	4,50	5,00	5,40	6,00	7,00	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	0,69	0,83	0,97	1,11	1,25	1,39	1,50	1,67	1,94				
EV 06/13 T X 1	2	380V	MSS	97	89	86	82	79	75	71	67	62	49	1¼"	200	10	**1.687**
EV 06/19T X 1	3			142	132	127	122	116	110	104	99	91	72		200	16	**1.879**

İKİ POMPALI
PASLANMAZ KOLLEKTÖRLÜ, TANK VE FLEXIBLE HARİÇ

TYPE	HP	VOLT	m³/h	0,00	5,00	6,00	7,00	8,00	9,00	10,00	10,80	12,00	14,00	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	1,39	1,67	1,94	2,22	2,50	2,78	3,00	3,33	3,89				
EV 06/13 T X 2	2	380V	MSS	97	89	86	82	79	75	71	67	62	49	2"	200	10	**3.628**
EV 06/19T X 2	3			142	132	127	122	116	110	104	99	91	72		200	16	**4.012**

ÜÇ POMPALI
PASLANMAZ KOLLEKTÖRLÜ, TANK VE FLEXIBLE HARİÇ

TYPE	HP	VOLT	m³/h	0,00	7,50	9,00	10,50	12,00	13,50	15,00	16,20	18,00	21,00	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	2,08	2,50	2,92	3,33	3,75	4,17	4,50	5,00	5,83				
EV 06/13 T X 3	2	380V	MSS	97	89	86	82	79	75	71	67	62	49	2½"	200	10	**5.518**
EV 06/19T X 3	3			142	132	127	122	116	110	104	99	91	72		200	16	**6.094**

E-TECH EV 10 SERIES, COMPLETE STAINLESS (AISI 304), IN-LINE, PACKAGE BOOSTERS AEG MOTOR (STANDARD CONNECTION) - MAXIMUM WATER TEMPERATURE 120°C

E-Tech® Made in ITALY by Franklin Electric

TEK POMPALI
TANK VE FLEXIBLE HARİÇ

TYPE	HP	VOLT	m³/h	0,00	5,00	5,40	6,00	7,00	8,00	9,00	10,00	11,00	14,00	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	1,39	1,50	1,67	1,94	2,22	2,50	2,78	3,06	3,89				
EV 10/07 T X 1	3	380V	MSS	71	67	66	65	62	60	56	53	48	31	1½"	300	10	**1.698**
EV 10/09 T X 1	4			92	88	86	85	82	78	74	70	64	42		300	10	**1.966**
EV 10/13 T X 1	5,5			133	127	126	123	119	114	108	101	94	62		300	16	**2.125**

İKİ POMPALI
PASLANMAZ KOLLEKTÖRLÜ, TANK VE FLEXIBLE HARİÇ

TYPE	HP	VOLT	m³/h	0,00	10,00	10,80	12,00	14,00	16,00	18,00	20,00	22,00	28,00	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	2,78	3,00	3,33	3,89	4,44	5,00	5,56	6,11	7,78				
EV 10/07 T X 2	3	380V	MSS	71	67	66	65	62	60	56	53	48	31	2½"	300	10	**3.670**
EV 10/09 T X 2	4			92	88	86	85	82	78	74	70	64	42		300	10	**4.206**
EV 10/13 T X 2	5,5			133	127	126	123	119	114	108	101	94	62		300	16	**4.524**

ÜÇ POMPALI
PASLANMAZ KOLLEKTÖRLÜ, TANK VE FLEXIBLE HARİÇ

TYPE	HP	VOLT	m³/h	0,00	15,00	16,20	18,00	21,00	24,00	27,00	30,00	33,00	42,00	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	4,17	4,50	5,00	5,83	6,67	7,50	8,33	9,17	11,67				
EV 10/07 T X 3	3	380V	MSS	71	67	66	65	62	60	56	53	48	31	3"	300	10	**5.667**
EV 10/09 T X 3	4			92	88	86	85	82	78	74	70	64	42		300	10	**6.471**
EV 10/13 T X 3	5,5			133	127	126	123	119	114	108	101	94	62		300	16	**6.948**

E-TECH EV 15 SERIES, COMPLETE STAINLESS (AISI 304), IN-LINE, PACKAGE BOOSTERS AEG MOTOR (STANDARD CONNECTION) - MAXIMUM WATER TEMPERATURE 120°C

TEK POMPALI
TANK VE FLEXIBLE HARİÇ

TYPE	HP	VOLT	m³/h	0,00	4,00	8,00	10,00	12,00	16,00	20,00	22,00	24,00	-	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	1,11	2,22	2,78	3,33	4,44	5,56	6,11	6,67	-				
EV 15/07 T X 1	7,5	380V	MSS	102	98	92	89	86	78	62	53	42	-	2"	500	16	**3.079**
EV 15/09 T X 1	10			132	126	119	116	111	101	81	69	55	-		500	16	**3.466**

İKİ POMPALI
PASLANMAZ KOLLEKTÖRLÜ, TANK VE FLEXIBLE HARİÇ

TYPE	HP	VOLT	m³/h	0,00	8,00	16,00	20,00	24,00	32,00	40,00	44,00	48,00	-	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	2,22	4,44	5,56	6,67	8,89	11,11	12,22	13,33	-				
EV 15/07 T X 2	7,5	380V	MSS	102	98	92	89	86	78	62	53	42	-	3"	500	16	**6.465**
EV 15/09 T X 2	10			132	126	119	116	111	101	81	69	55	-		500	16	**7.239**

ÜÇ POMPALI
PASLANMAZ KOLLEKTÖRLÜ, TANK VE FLEXIBLE HARİÇ

TYPE	HP	VOLT	m³/h	0,00	12,00	24,00	30,00	36,00	48,00	60,00	66,00	72,00	-	INPUT OUT	MİN. TANK	BAR	PAKET PRICE (EURO)
			lt/sn	0,00	3,33	6,67	8,33	10,00	13,33	16,67	18,33	20,00	-				
EV 15/07 T X 3	7,5	380V	MSS	102	98	92	89	86	78	62	53	42	-	DN100	500	16	**10.565**
EV 15/09 T X 3	10			132	126	119	116	111	101	81	69	55	-		500	16	**11.726**

PRACTICAL CALCULATION TABLE IN THE SELECTION OF THE BOILER ACCORDING TO THE NUMBER OF FLOOR AND FLATS

KAT SAYISI	BASINÇ (bar)
1	2,4
2	2,8
3	3,1
4	3,5
5	3,8
6	4,1
7	4,5
8	4,8
9	5,2
10	5,5
11	5,9
12	6,2
13	6,6
14	6,9
15	7,3
16	7,6
17	7,9
18	8,3
19	8,6
20	9,0
21	9,3
22	9,7
23	10,0
24	10,4
25	10,7
26	11,3
27	11,4
28	11,7
29	12,1
30	12,4

DAİRE SAYISI	GEREKLİ CAPACITY m³/h
1	0,4
2	0,8
3	1,1
4	1,3
5	1,5
6	1,6
7	1,8
8	2,1
9	2,3
10	2,5
11	2,7
12	2,9
13	3,1
14	3,3
15	3,4
16	3,6
17	3,8
18	3,9
19	4,0
20	4,2
21	4,4
22	4,6
23	4,8
24	5,0
25	5,2
26	5,4
27	5,6
28	5,7
29	5,9
30	6,1

DAİRE SAYISI	GEREKLİ CAPACITY m³/h
31	6,3
32	6,4
33	6,6
34	6,8
35	7,0
36	7,1
37	7,3
38	7,4
39	7,6
40	7,8
41	7,9
42	8,1
43	8,2
44	8,4
45	8,5
46	8,7
47	8,8
48	9,0
49	9,1
50	9,3
51	9,5
52	9,7
53	9,8
54	10,0
55	10,2
56	10,4
57	10,5
58	10,7
59	10,9
60	11,1

DAİRE SAYISI	GEREKLİ CAPACITY m³/h
61	11,3
62	11,4
63	11,6
64	11,8
65	12,0
66	12,1
67	12,3
68	12,5
69	12,7
70	12,8
71	13,0
72	13,2
73	13,4
74	13,5
75	13,7
76	13,9
77	14,1
78	14,2
79	14,4
80	14,6
81	14,8
82	14,9
83	15,1
84	15,3
85	15,4
86	15,6
87	15,8
88	16,0
89	16,1
90	16,3

FLOOR HEIGHTS ARE 3 m AVERAGE.

EXAMPLE: BASEMENT + GROUND + FOR A 7-STOREY BUILDING WITH 32 FLATS:
THE PRESSURE REQUIRED FOR A TOTAL 9 FLOOR IS 5.2 bar FROM THE TABLE.
WATER REQUIREMENT FOR 32 FLATS IS 6.4 m3/h FROM THE TABLE. SELECTION IS MADE FOR 5.2 bar - 6.4 m3/h.

BOILER ACCESSORIES

HYDROPHORE TANKS

		NEMA	WATES	CRUWA
HACİM (LT)	ÖZELLİK	PRICE (EURO)	PRICE (DOLAR)	
24	AYAKSIZ DİK HİDROFOR TANKI	-	-	32
50		-	-	50
24	AYAKSIZ KÜRE HİDROFOR TANKI	34	31	28
24	AYAKLI YATIK HİDROFOR TANKI	39	37	32
50		72	61	54
60		98	76	64
80		118	114	91
100		121	116	103
50	AYAKLI DİK HİDROFOR TANKI	72	61	54
60		98	76	64
80		118	114	91
100	AYAKLI DİK HİDROFOR TANKI (GÖSTERGELİ)	128	116	109
150		169	170	136
200		225	231	198
300		266	263	252
500		404	401	381
750		634	523	494
1.000		798	729	665
1.500		1.437	1.154	1.085
2.000		1.830	1.699	1.466

HACİM (LT)	ÖZELLİK	PASLANMAZ PRICE (DOLAR)
24	AYAKSIZ KÜRE HİDROFOR TANKI	70
24	AYAKLI YATIK HİDROFOR TANKI	79
50		132
100		289
50	AYAKLI DİK HİDROFOR TANKI (GÖSTERGELİ)	132
100		289

16 BAR, 25 BAR and 100 LT. ASK PRICE FOR OUR STAINLESS OVER TOP TANKS

Get Daily Price

has pompa®

HYDRAULIC TANK EXPANSION MEMBRANES EPDM, 10-16 BAR (Se.Fa Made in ITALY)

HACİM (LT)	FLANŞ	UZUNLUK	ÇAP	PRICE (EURO)
24 (Ø80)	80/110 mm	260 mm	200 mm	**3,83**
24 (Ø90)	90/120 mm	260 mm	200 mm	**4,51**
35 - 50	80/110 mm	335 mm	210 mm	**8,49**
80 - 100	80/110 mm	630 mm	120/140 mm	**22,87**
100 - 150	80/110 mm	730 mm	180/270 mm	**26,76**
150 - 200 (Ø90)	80/110 mm	810 mm	240/270 mm	**38,11**
150 - 200 (Ø150)	150/200 mm	810 mm	240/270 mm	**38,89**
200 - 300	150/200 mm	1000 mm	230/380 mm	**53,20**
500 - 750	150/200 mm	1350 mm	280/440 mm	**91,78**
750 - 1.000	150/200 mm	1800 mm	340/470 mm	**144,67**
1.000 - 1.500	200/260 mm	2100 mm	420/500 mm	**222,44**

ASK PRICE FOR MEMBRANES OF DIFFERENT VOLUMES

ELBOWED, FLEXIBLE HOSES (DOMESTIC MANUFACTURING)

TYPE			GALVANİZ	PASLANMAZ
			PRICE (TL)	
50 cm DİRSEKLİ FLEXIBLE HORTUM	1"	10 BAR	**51,64**	**65,33**
60 cm DİRSEKLİ FLEXIBLE HORTUM			**54,13**	**69,53**
70 cm DİRSEKLİ FLEXIBLE HORTUM			**56,62**	**73,73**
80 cm DİRSEKLİ FLEXIBLE HORTUM			**59,11**	**77,93**
90 cm DİRSEKLİ FLEXIBLE HORTUM			**61,60**	**82,13**
100 cm DİRSEKLİ FLEXIBLE HORTUM			**64,09**	**86,33**
125 cm DİRSEKLİ FLEXIBLE HORTUM			**70,31**	**96,85**
150 cm DİRSEKLİ FLEXIBLE HORTUM			**76,53**	**107,33**
100 cm DİRSEKLİ FLEXIBLE HORTUM	1¼"	16 BAR	**134,71**	**174,22**
125 cm DİRSEKLİ FLEXIBLE HORTUM			**145,60**	**189,78**
150 cm DİRSEKLİ FLEXIBLE HORTUM			**156,49**	**205,33**
100 cm DİRSEKLİ FLEXIBLE HORTUM	1½"		**196,00**	**255,11**
125 cm DİRSEKLİ FLEXIBLE HORTUM			**210,00**	**273,78**
150 cm DİRSEKLİ FLEXIBLE HORTUM			**224,00**	**292,44**
50 cm DİRSEKLİ FLEXIBLE HORTUM	2"		**242,67**	**280,00**
100 cm DİRSEKLİ FLEXIBLE HORTUM			**301,78**	**357,78**
125 cm DİRSEKLİ FLEXIBLE HORTUM			**331,33**	**390,44**
150 cm DİRSEKLİ FLEXIBLE HORTUM			**360,89**	**423,11**

Get Daily Price

HYDROMATE, PRESSURE SWITCH, MANOMETER, 5-WAY AND FLOATERS

TYPE		PRICE	
EPC-2.1, (1-5 BAR)	HİDROMAT, (1m KABLOLU VE FİŞLİ)	**46,30**	DOLAR
KRS-3, (2-4 BAR)	BASINÇ ŞALTERİ, 220V	**6,58**	DOLAR
VA 1-5, (1-5 BAR)	BASINÇ ŞALTERİ, 220V-380V	**11,82**	DOLAR
VA 1-8, (1-8 BAR)	BASINÇ ŞALTERİ, 220V-380V	**11,82**	DOLAR
VA 3-11, (3-11BAR)	BASINÇ ŞALTERİ, 220V-380V	**11,82**	DOLAR
VA 4-16, (4-16 BAR)	BASINÇ ŞALTERİ, 220V-380V	**11,82**	DOLAR
BRIO 2000, ITALTECNICA	HİDROMAT, (MADE IN ITALY)	**68,44**	EURO
PM 1-5, (1-5 BAR), ITALTECNICA	BASINÇ ŞALTERİ, 220V, (MADE IN ITALY)	**9,96**	EURO
PM 1-6 3W, (1-6 BAR), ITALTECNICA	BASINÇ ŞALTERİ, 220V, (MADE IN ITALY)	**16,49**	EURO
PT 1-5, (1-5 BAR), TRF, ITALTECNICA	BASINÇ ŞALTERİ, 380V, (MADE IN ITALY)	**15,56**	EURO
PT 1-12, (1-12 BAR), TRF, ITALTECNICA	BASINÇ ŞALTERİ, 380V, (MADE IN ITALY)	**17,73**	EURO
MONDEO (1-4, 4-6 BAR)	BASINÇ ŞALTERİ, 220V, (MADE IN ITALY)	**17,96**	EURO
MONDEO (0-10 BAR)	MANOMETRE, 10 BAR (MADE IN ITALY)	**6,89**	EURO
HX50R	MANOMETRE, (METAL KAPAK), 10 BAR	**4,69**	DOLAR
5 YOLLU - 1"	1" (110mm)	**42,00**	TL
5 YOLLU - 1¼"	1¼" (120mm)	**107,33**	TL
5 YOLLU ÇEKVALF - 1"	EKONOMİK SERİ, DIŞTAN DİŞLİ	**68,13**	TL
5 YOLLU ÇEKVALF - 1"	STANDART SERİ, DIŞTAN DİŞLİ	**112,93**	TL
5 YOLLU ÇEKVALF - 1¼"	STANDART SERİ, DIŞTAN DİŞLİ	**160,53**	TL
5 YOLLU ÇEKVALF - 1½"	STANDART SERİ, DIŞTAN DİŞLİ	**213,73**	TL
5 YOLLU ÇEKVALF - 2"	STANDART SERİ, DIŞTAN DİŞLİ	**289,33**	TL
FSP-1-2m PVC	2metre PVC (3*0.75mm²) FLATÖR	**9,67**	DOLAR
FSP-1-3m PVC	3metre PVC (3*0.75mm²) FLATÖR	**10,78**	DOLAR
FSP-1-5m PVC	5metre PVC (3*0.75mm²) FLATÖR	**13,74**	DOLAR
YENİ **FPS-1-60cm KAUÇUK**	60 santimetre (3*1mm²) FLATÖR	**6,79**	DOLAR
FSP-1-2m KAUÇUK	2metre KAUÇUK (3*1mm²) FLATÖR	**10,74**	DOLAR
FSP-1-3m KAUÇUK	3metre KAUÇUK (3*1mm²) FLATÖR	**12,76**	DOLAR
FSP-1-5m KAUÇUK	5metre KAUÇUK (3*1mm²) FLATÖR	**16,95**	DOLAR

ELEMENT, PRESSURE SWITCHES

TYPE	DİFRANSİYEL ARALIĞI	ALT BAĞLANTI	KOLİ ADEDİ	PRICE (TL)
(ELT 5) 01-06 bar TAHLİYESİZ BASINÇ ŞALTERİ (Monofaze 220V)	0,9 bar / 2,5 bar	1/4" - 1/2"	25	**64**
(ELT 6) 02-11bar TAHLİYESİZ BASINÇ ŞALTERİ (Monofaze 220V)	1,0 bar / 3,5 bar	1/4" - 1/2"	25	**68**
(ELT 2) 02-08 bar TAHLİYESİZ BASINÇ ŞALTERİ (Trifaze 380V)	0,9 bar / 4,7 bar	1/4" - 1/2"	20	**77**
(ELT 3) 03-11bar TAHLİYESİZ BASINÇ ŞALTERİ (Trifaze 380V)	1,2 bar / 5,3 bar	1/4" - 1/2"	20	**77**
(ELT 4) 04-16bar TAHLİYESİZ BASINÇ ŞALTERİ (Trifaze 380V)	1,8 bar / 7,5 bar	1/4" - 1/2"	20	**77**

Günlük Fiyat Alınız

has pompa®

GWS, IMPORTED, FIXED DIAPHRAGM, DRINKING WATER TANKS (PRESSUREWAVE AND CHALLENGER SERIES) 10 BAR - 90˚C - STAINLESS STEEL WATER CONNECTION

PRESUREWAVE SERİSİ					PRICE (DOLAR)
PWB-2LX	2 LT	DİKEY	AYAKSIZ	1" BSP SU BAĞLANTISI	**34,72**
PWB-4LX	4 LT				**50,00**
PWB-8LX	8 LT				**55,56**
PWB-12LX	12 LT				**65,28**
PEB-24LX	24 LT				**59,72**
PWB-35LX	35 LT				**111,11**
PRESUREWAVE SERİSİ					PRICE (DOLAR)
PWB-35LV	35 LT	DİKEY	AYAKLI	1" BSP SU BAĞLANTISI	**120,83**
PWB-60LV	60 LT				**194,44**
PWB-80LV	80 LT				**241,67**
PWB-100LV	100 LT				**288,89**
PWB-150LV	150 LT				**419,44**
CHALLENGER SERİSİ					PRICE (DOLAR)
GCB-200LV	200 LT	DİKEY	AYAKLI	1¼" BSP SU BAĞLANTISI	**738,89**
GCB-300LV	300 LT				**873,61**
GCB-500LV	500 LT				**1.326,39**
PRESUREWAVE SERİSİ					PRICE (DOLAR)
PWB-8LH	8 LT	YATAY	AYAKLI	1" BSP SU BAĞLANTISI, MOTOR ŞASELİ	**70,83**
PWB-12LH	12 LT				**79,17**
PWB-20LH	20 LT				**91,67**
PWB-24LH	24 LT				**94,44**
PWB-35LH	35 LT				**131,94**
PWB-60LH	60 LT				**190,28**
PWB-80LH	80 LT				**247,22**
PWB-100LH	100 LT				**309,72**

Günlük Fiyat Alınız

has pompa
Suya Ulastiran

has pompa

has pompa®

CENTRIFUGAL AND DRAIN PUMPS

has pompa®

CENTRIFUGAL AND DRAIN PUMPS (Made in Europe)

CENTRIFUGAL AND DRAIN PUMPS

COMPLETE STAINLESS (AISI 304),(EH)
HORIZONTAL ELECTROPOMPS

COMPLETE STAINLESS (AISI 304), (VN)
CAISSON WELL PUMPS

COMPLETE STAINLESS (AISI 304), (EV)
VERTICAL ELECTROPOMPS

LIQUID TRANSFER PUMPS

has pompa®

CENTRIFUGAL AND DRAIN PUMPS

THAL CENTRIFUGAL PUMPS

A SERIES, PREFERICAL TYPE CENTRIFUGAL PUMPS

TYPE	HP	VOLT	CAPACITY														INPUT	OUT	WEIGHT	PRICE (EURO)
			m³/h	0,00	0,30	0,60	0,90	1,20	1,50	1,80	2,10	2,40	3,00	-	-	-	inç	inç	kg	
			lt/sn	0,00	0,08	0,17	0,25	0,33	0,42	0,50	0,58	0,67	0,83	-	-	-				
A1-M	0,50	220V	MSS	40	38	33,5	29	24	19,5	15	10	5	-	-	-	-	1"	1"	5,2	**148**
A5-M	1	220V		70	66	61	56	51	46	41	36.5	31	22	-	-	-	1"	1"	10,0	**286**
A5-MS	1	220V		90	82	71	60	49	38	27	17	5	-	-	-	-	3/4"	3/4"	10,3	**351**

CLEAN WATER, IMPELLER BRONZE AND PREFERIC WINGS, STAINLESS SHAFT, CERAMIC SEAL, MAXIMUM ENVIRONMENTAL TEMPERATURE, MAX 40°C, MAXIMUM WATER TEMPERATURE 60°C, SUCTION DEPTH MAX 8m.

JR, SELF-PRICING JET TYPE CENTRIFUGAL PUMPS



TYPE	HP	VOLT	CAPACITY															INPUT	OUT	WEIGHT	PRICE (EURO)
			m³/h	0,00	0,30	0,60	0,90	1,20	1,50	1,80	2,40	2,70	3,00	3,60	4,20	4,80	inç	inç	kg	
			lt/sn	0,00	0,08	0,17	0,25	0,33	0,42	0,50	0,67	0,75	0,83	1,00	1,17	1,33				
JRm 10	1	220V	MSS	46	42	40	38	37	35	33	30	29	27	25	23	21	1"	1"	13,7	**302**
JRm 15	1,5	220V		55	52	50	48	46	45	43	40	39	37	35	33	30	1"	1"	15,1	**342**

CLEAN WATER, IMPELLER AISI 304, STAINLESS SHAFT, CERAMIC SEAL, MAXIMUM AMBIENT TEMPERATURE 40°C, MAXIMUM WATER TEMPERATURE 40°C, SUCTION DEPTH MAXIMUM 9m.

STAINLESS STEEL BODY (AISI 304) MULTI-STAGE CENTRIFUGAL PUMPS

TYPE	HP	VOLT	CAPACITY															INPUT	OUT	WEIGHT	PRICE (EURO)
			m³/h	0,00	0,30	0,60	1,20	1,80	2,40	3,00	3,60	4,20	4,80	5,40	6,60	7,80	inç	inç	kg	
			lt/sn	0,00	0,08	0,17	0,33	0,50	0,67	0,83	1,00	1,17	1,33	1,50	1,83	2,17				
PLURI JRm 4/80	0,75	220V	MSS	52	50	49	44,5	40	34	28,5	22,5	16	10	-	-	-	1"	1"	8,6	**335**
PLURI JRm 4/100	1	220V		51	50	49	47	45	42	39,5	37	34	30,5	26,5	17	5	1"	1"	10,6	**407**

CLEAN WATER, IMPELLER NORYL, DIFFUSER NORYL, CERAMIC SEAL, MAXIMUM TEMPERATURE 40°C, MAXIMUM WATER TEMPERATURE 40°C, SUCTION DEPTH MAX 9m.

has pompa®

AL DRAINAGE AND CAISION WELL PUMPS

PLASTIC BODY, FLOAT, CLEAN WATER DRAINAGE PUMPS

TYPE	HP	VOLT	CAPACITY															OUT	WEIGHT	PRICE (EURO)
			m³/h	0,00	1,20	2,40	3,60	4,80	6,00	7,20	8,40	9,60	10,80	12,00	13,20	14,40	15,60	inç	kg	
			lt/sn	0,00	0,33	0,67	1,00	1,33	1,67	2,00	2,33	2,67	3,00	3,33	3,67	4,00	4,33			
SWIFT 2	0,50	220V	MSS	9	8	7,5	6,5	6	5,5	4,5	4	3	2,5	1,8	1	-	-	1¼"	5,2	**237**
SWIFT 3	0,75	220V		10,5	10	9	8,8	8	7,5	6,5	6	5,5	4,8	4	3,5	2,5	2	1¼"	6,6	**277**

CLEAN WATER, IMPELLER TECHNOPOLYMER, DIFFUSER NORILE, DOUBLE SEAL, 5mt CABLE LENGTH, DRAIN LEVEL 14mm, SOLID MATERIAL PASSAGE DIAMETER MAX 10mm, WATER TEMPERATURE MAX 40°C, MINIMUM Immersion 3m

PLASTIC BODY, MAGNETIC FLOAT, CLEAN WATER DRAINAGE PUMPS

TYPE	HP	VOLT	CAPACITY															OUT	WEIGHT	PRICE (EURO)
			m³/h	0,00	1,20	2,40	3,60	4,80	6,00	7,20	8,40	9,60	10,80	12,00	13,20	14,40	15,60	inç	kg	
			lt/sn	0,00	0,33	0,67	1,00	1,33	1,67	2,00	2,33	2,67	3,00	3,33	3,67	4,00	4,33			
SWIFT-GM 2	0,50	220V	MSS	9	8	7,5	6,5	6	5,5	4,5	4	3	2,5	1,8	1	-	-	1¼"	5,2	**274**
SWIFT-GM 3	0,75	220V		10,5	10	9	8,8	8	7,5	6,5	6	5,5	4,8	4	3,5	2,5	2	1¼"	6,6	**314**

CLEAN WATER, IMPELLER TECHNOPOLYMER, DIFFUSER NORILE, DOUBLE SEAL, 5mt CABLE LENGTH, DRAIN LEVEL 14mm, SOLID MATERIAL PASSAGE DIAMETER MAX 10mm, WATER TEMPERATURE MAX 40°C, MINIMUM Immersion 3m

ZERO SUCTION PLASTIC BODY, AUTOMATIC THERMISTOR, CLEAN WATER DRAINAGE PUMPS

TYPE	HP	VOLT	CAPACITY															OUT	WEIGHT	PRICE (EURO)
			m³/h	0,00	1,20	2,40	3,60	4,80	6,00	7,20	8,40	9,60	-	-	-	-	-	inç	kg	
			lt/sn	0,00	0,33	0,67	1,00	1,33	1,67	2,00	2,33	2,67	-	-	-	-	-			
SWIFT FLOOR 2	0,50	220V	MSS	9	8	7	6	5	4	3	2	1	-	-	-	-	-	1¼"	5,0	**237**

CLEAN WATER, IMPELLER NORYL, DIFFUSER TECHNOPOLYMER, DOUBLE SEAL, 5mt CABLE LENGTH, DRAIN LEVEL 2mm, SOLID PASSAGE DIAMETER MAX 2mm, WATER TEMPERATURE MAX 40°C, MINIMUM Immersion 3mm.

MULTI-STAGE, PLASTIC BODY, FLOAT, CAISION WELL PUMPS

TYPE	HP	VOLT	CAPACITY															OUT	WEIGHT	PRICE (EURO)
			m³/h	0,00	0,60	1,20	1,80	2,40	3,00	3,60	4,20	4,80	5,40	6,00	6,60	7,20	-	inç	kg	
			lt/sn	0,00	0,17	0,33	0,50	0,67	0,83	1,00	1,17	1,33	1,50	1,67	1,83	2,00	-			
SWIFT MULTI 3	0,75	220V	MSS	33	32	31	29,5	28	25,5	23	20,5	18	15	12,0	8	4	-	1¼"	9,4	**445**

CLEAN WATER, IMPELLER NORYL, DIFFUSER TECHNOPOLYMER, DOUBLE SEAL, 10mt CABLE LENGTH, DRAIN LEVEL 22mm, SOLID MATERIAL PASSAGE DIAMETER MAXIMUM 2mm, WATER TEMPERATURE MAX 40°C, MINIMUM Immersion 10mm.

AL DRAIN PUMPS

COMPLETE STAINLESS DIRT WATER DRAIN PUMPS

TYPE	HP	VOLT	CAPACITY													OUT	WEIGHT	PRICE (EURO)
			m³/h	0,00	1,20	2,40	3,60	4,80	6,00	7,20	8,40	9,60	10,80	-	-	-	inç	kg	
			lt/sn	0,00	0,33	0,67	1,00	1,33	1,67	2,00	2,33	2,67	3,00	-	-	-			
LRXm 2/20	0,50	220V	MSS	7	6,5	6	5,5	4,8	4,3	3,7	3	2,5	2	-	-	-	1¼"	6,1	**347**

DIRTY WATER, IMPELLER AISI 304 VORTEX TYPE, DIFFUSER AISI 304, DOUBLE SEAL, 5mt CABLE LENGTH, DRAIN LEVEL 25mm, SOLID MATERIAL PASSAGE DIAMETER MAX 20mm, WATER TEMPERATURE MAX 50°C, MAXIMUM Immersion.

COMPLETE STAINLESS DIRT WATER DRAIN PUMPS

TYPE	HP	VOLT	CAPACITY													OUT	WEIGHT	PRICE (EURO)
			m³/h	0,00	1,20	2,40	3,60	4,80	6,00	7,20	8,40	9,60	10,80	-	-	-	inç	kg	
			lt/sn	0,00	0,33	0,67	1,00	1,33	1,67	2,00	2,33	2,67	3,00	-	-	-			
LRXm 3/20	0,75	220V	MSS	9	8	7,5	6,5	6	5,5	4,7	4,2	3,5	3	-	-	-	1¼"	7,9	**374**

DIRTY WATER, IMPELLER AISI 304 VORTEX TYPE, DIFFUSER AISI 304, DOUBLE SEAL, 5mt CABLE LENGTH, DRAIN LEVEL 25mm, SOLID MATERIAL PASSAGE DIAMETER MAX 20mm, WATER TEMPERATURE MAX 50°C, MAXIMUM Immersion.

STAINLESS STEEL BODY, CLEAN WATER DRAIN PUMPS

TYPE	HP	VOLT	CAPACITY													OUT	WEIGHT	PRICE (EURO)
			m³/h	0,00	1,50	3,00	4,50	6,00	7,50	9,00	10,50	12,00	-	-	-	-	inç	kg	
			lt/sn	0,00	0,42	0,83	1,25	1,67	2,08	2,50	2,92	3,33	-	-	-	-			
LDm 3	1	220V	MSS	21	20	19	17,5	16	15	13,5	12	10	-	-	-	-	1½"	13,0	**501**

CLEAN WATER, IMPELLER TECHNOPOLYMER OPEN TYPE, DOUBLE SEAL, 5mt CABLE LENGTH, DRAIN LEVEL 17mm, SOLID MATERIAL PASSAGE DIAMETER MAX 10mm, WATER TEMPERATURE MAX 40°C, Immersion Depth MAX 5

STAINLESS STEEL BODY, CLEAN WATER DRAIN PUMPS

TYPE	HP	VOLT	CAPACITY															OUT	WEIGHT	PRICE (EURO)
			m³/h	0,00	1,50	3,00	4,50	6,00	7,50	9,00	10,50	12,00	13,50	15,00	16,50	18,00		inç	kg	
			lt/sn	0,00	0,42	0,83	1,25	1,67	2,08	2,50	2,92	3,33	3,75	4,17	4,58	5,00				
LDm 4	1,5	220V	MSS	27	26	25	23,5	22	21	19,5	18	16	14,5	13	11,5	10		1½"	15,0	**573**

CLEAN WATER, IMPELLER TECHNOPOLYMER OPEN TYPE, DOUBLE SEAL, 10mt CABLE LENGTH, DRAIN LEVEL 17mm, SOLID MATERIAL PASSAGE DIAMETER MAX 10mm, WATER TEMPERATURE MAX 40°C, Immersion Depth MAX 5

has pompa®

DRAIN PUMPS

VORTEX IMPELLER, DIRT WATER DRAIN PUMPS

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (EURO)
			m³/h	0,00	3,00	6,00	9,00	12,00	15,00	18,00	-	-	-	inç	kg	
			lt/sn	0,00	0,83	1,67	2,50	3,33	4,17	5,00	-	-	-			
LVXm 1	1	220V	MSS	10	9,5	8,5	7,2	5,8	4	2	-	-	-	1½"	13,3	**503**

DIRTY WATER, IMPELLER AISI 304 VORTEX TYPE, DOUBLE SEAL, 5mt CABLE LENGTH, SOLID MATERIAL PASSAGE DIAMETER MAX 40mm, WATER TEMPERATURE MAX 40°C, Immersion Depth MAX 5m.

VORTEX IMPELLER, DIRT WATER DRAIN PUMPS

TYPE	HP	VOLT	CAPACITY											OUT	WEIGHT	PRICE (EURO)
			m³/h	0,00	3,00	6,00	9,00	12,00	15,00	18,00	21,00	24,00	27,00	inç	kg	
			lt/sn	0,00	0,83	1,67	2,50	3,33	4,17	5,00	5,83	6,67	7,50			
LVXm 2	1,5	220V	MSS	15	14	13	11,8	10,5	9	7,5	6	4	2	1½"	16,3	**593**

DIRTY WATER, IMPELLER AISI 304 VORTEX TYPE, DOUBLE SEAL, 10mt CABLE LENGTH, SOLID MATERIAL PASSAGE DIAMETER MAX 40mm, WATER TEMPERATURE MAX 40°C, Immersion Depth MAX 5m.

DOUBLE CHANNEL IMPELLER, DIRT WATER DRAINAGE PUMPS

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (EURO)
			m³/h	0,00	3,00	6,00	12,00	18,00	24,00	30,00	36,00	-	-	inç	kg	
			lt/sn	0,00	0,83	1,67	3,33	5,00	6,67	8,33	10,00	-	-			
LBCm 4	1	220V	MSS	12	11	10	8,5	7	5	3,5	2	-	-	2"	14,9	**573**

KİRLİ SU, IMPELLER AISI 304 KROM DÖKÜM ÇİFT KANALLI TYPE, ÇİFT SALMASTRALI, 5mt KABLO UZUNLUĞU, KATI MADDE GEÇİŞ ÇAPI MAKSİMUM 50mm, SU SICAKLIĞI MAKSİMUM 40°C, DALDIRMA DERİNLİĞİ MAKSİMUM 5m.

DOUBLE CHANNEL IMPELLER, DIRT WATER DRAINAGE PUMPS

TYPE	HP	VOLT	CAPACITY											OUT	WEIGHT	PRICE (EURO)
			m³/h	0,00	3,00	6,00	12,00	18,00	24,00	30,00	36,00	42,00	45,00	inç	kg	
			lt/sn	0,00	0,83	1,67	3,33	5,00	6,67	8,33	10,00	11,67	12,50			
LBCm 5	1,5	220V	MSS	15	14	13	11,5	9,7	8	6,3	4,5	3	2	2"	16,5	**652**

KİRLİ SU, IMPELLER AISI 304 KROM DÖKÜM ÇİFT KANALLI TYPE, ÇİFT SALMASTRALI, 10mt KABLO UZUNLUĞU, KATI MADDE GEÇİŞ ÇAPI MAKSİMUM 50mm, SU SICAKLIĞI MAKSİMUM 40°C, DALDIRMA DERİNLİĞİ MAKSİMUM 5m.

DRAIN PUMPS

VORTEX IMPELLER, DIRT WATER DRAIN PUMPS

TYPE	HP	VOLT	CAPACITY												OUT	WEIGHT	PRICE (EURO)
			m³/h	0,00	6,00	12,00	18,00	21,00	24,00	30,00	36,00	42,00	-	-	-	inç	kg	
			lt/sn	0,00	1,67	3,33	5,00	5,83	6,67	8,33	10,00	11,67	-	-	-			
LVX 11	2	380V	MSS	13	12	11	9,5	9	8	7	4,5	2	-	-	-	2½"	37,3	**1.270**

DIRTY WATER, IMPELLER AISI 304 VORTEX TYPE, DOUBLE SEAL, 5mt CABLE LENGTH, SOLID MATERIAL PASSAGE DIAMETER MAX 50mm, WATER TEMPERATURE MAX 40°C, Immersion Depth MAX 10m.

VORTEX IMPELLER, DIRT WATER DRAIN PUMPS

TYPE	HP	VOLT	CAPACITY													OUT	WEIGHT	PRICE (EURO)
			m³/h	0,00	6,00	12,00	18,00	21,00	24,00	30,00	36,00	42,00	48,00	51,00	-	inç	kg	
			lt/sn	0,00	1,67	3,33	5,00	5,83	6,67	8,33	10,00	11,67	13,33	14,17	-			
LVX 12	3	380V	MSS	16	15	14	13	12,3	11,5	10	8	5,9	3,3	2	-	2½"	41,2	**1.305**

DIRTY WATER, IMPELLER AISI 304 VORTEX TYPE, DOUBLE SEAL, 10mt CABLE LENGTH, SOLID MATERIAL PASSAGE DIAMETER MAX 50mm, WATER TEMPERATURE MAX 40°C, Immersion Depth MAX 10m.

DOUBLE CHANNEL IMPELLER, DIRT WATER DRAINAGE PUMPS

TYPE	HP	VOLT	CAPACITY													OUT	WEIGHT	PRICE (EURO)
			m³/h	0,00	6,00	12,00	18,00	24,00	30,00	36,00	42,00	48,00	54,00	-	-	inç	kg	
			lt/sn	0,00	1,67	3,33	5,00	6,67	8,33	10,00	11,67	13,33	15,00	-	-			
LDC 11	2	380V	MSS	18	16	14	12,5	10,5	8,5	6,5	5	3	1	-	-	2½"	37,7	**1.325**

KİRLİ SU, IMPELLER AISI 304 KROM DÖKÜM ÇİFT KANALLI TYPE, ÇİFT SALMASTRALI, 10mt KABLO UZUNLUĞU, KATI MADDE GEÇİŞ ÇAPI MAKSİMUM 50mm, SU SICAKLIĞI MAKSİMUM 40°C, DALDIRMA DERİNLİĞİ MAKSİMUM 10m.

DOUBLE CHANNEL IMPELLER, DIRT WATER DRAINAGE PUMPS

TYPE	HP	VOLT	CAPACITY														OUT	WEIGHT	PRICE (EURO)
			m³/h	0,00	6,00	12,00	18,00	24,00	30,00	36,00	42,00	48,00	54,00	60,00	66,00		inç	kg	
			lt/sn	0,00	1,67	3,33	5,00	6,67	8,33	10,00	11,67	13,33	15,00	16,67	18,33				
LDC 12	3	380V	MSS	24	22	20	18	16	14	12	10	8	6	4	2		2½"	41,9	**1.367**

DIRTY WATER, IMPELLER AISI 304 CHROME CAST IRON DOUBLE CHANNEL TYPE, DOUBLE SEAL, 10mt CABLE LENGTH, SOLID MATERIAL PASSAGE DIAMETER MAX 50mm, WATER TEMPERATURE MAX 40°C, MAXIMUM Immersion Depth 10m.

has pompa®

CENTRIFUGAL AND DRAIN PUMPS (Made in Europe)

COMPLETE STAINLESS (AISI 304), (EH) HORIZONTAL ELECTROPOMPS, (VN) CAISSON WELL PUMPS and (EV) VERTICAL ELECTROPOMPS

EH 3 - 5 - 9 SERIES, COMPLETE STAINLESS (AISI 304), HORIZONTAL SHAFT, MULTI-STAGE, ELECTROPOMPS WITH AEG MOTOR, MAXIMUM WATER TEMPERATURE 100°C

0.5 HP-0.75 HP IE2 MOTOR / 0.75 HP ABOVE IE3 MOTOR

TYPE	HP	m³/h	0,00	1,50	**2,00**	**2,50**	**3,00**	**3,50**	**4,00**	**4,50**	5,00	INPUT	MONOFAZE PRICE (EURO)	TRİFAZE PRICE (EURO)
		l/s	0,00	0,42	**0,56**	**0,69**	**0,83**	**0,97**	**1,11**	**1,25**	1,39	OUT		
EH 3/02	0,45	MSS	23	21	**19**	**18**	**16**	**14**	**12**	**10**	8	1¼" - 1"	**436**	**507**
EH 3/03	0,60		34	31	**29**	**26**	**24**	**21**	**18**	**14**	10		**440**	**511**
EH 3/04	0,75		45	40	**38**	**34**	**31**	**27**	**23**	**18**	13		**460**	**531**
EH 3/05	1		55	49	**46**	**42**	**37**	**32**	**27**	**21**	15		* **479**	* **550**
EH 3/06	1,2		67	61	**57**	**53**	**48**	**42**	**35**	**28**	20		* **521**	**597**
EH 3/07	1,5		78	70	**66**	**60**	**54**	**48**	**40**	**32**	23		* **548**	* **623**
EH 3/08	1,8		90	82	**77**	**71**	**64**	**56**	**47**	**38**	28		* **626**	**692**
EH 3/09	2		101	91	**86**	**78**	**70**	**62**	**52**	**42**	30		* **646**	**712**

TYPE	HP	m³/h	0,00	1,00	2,00	**3,00**	**4,00**	**5,00**	**6,00**	**7,00**	8,00	INPUT	MONOFAZE PRICE (EURO)	TRİFAZE PRICE (EURO)
		l/s	0,00	0,28	0,56	**0,83**	**1,11**	**1,39**	**1,67**	**1,94**	2,22	OUT		
EH 5/02	0,60	MSS	23	22	21	**20**	**19**	**17**	**15**	**12**	8	1¼" - 1"	**436**	**507**
EH 5/03	0,75		34	33	32	**30**	**28**	**24**	**21**	**16**	11		**440**	**511**
EH 5/04	1,2		46	45	43	**41**	**38**	**34**	**29**	**23**	15		**483**	**559**
EH 5/05	1,5		58	55	53	**50**	**46**	**42**	**35**	**28**	18		* **502**	**578**
EH 5/06	1,8		70	67	64	**61**	**56**	**51**	**44**	**34**	23		* **581**	* **647**
EH 5/07	2		81	78	74	**70**	**65**	**58**	**49**	**38**	25		* **606**	* **673**
EH 5/08	2,2		92	88	84	**79**	**73**	**64**	**54**	**42**	27		* **745**	* **775**
EH 5/09	2,5		104	100	96	**90**	**84**	**75**	**64**	**50**	33		-	* **795**

TYPE	HP	m³/h	0,00	2,00	**4,00**	**6,00**	**8,00**	**10,00**	**12,00**	**13,00**	14,00	INPUT	MONOFAZE PRICE (EURO)	TRİFAZE PRICE (EURO)
		l/s	0,00	0,56	**1,11**	**1,67**	**2,22**	**2,78**	**3,33**	**3,61**	3,89	OUT		
EH 9/02	1	MSS	24	22	**21**	**20**	**18**	**15**	**12**	**9**	7	1½" - 1¼"	**446**	**517**
EH 9/03	1,5		36	34	**32**	**30**	**27**	**24**	**18**	**15**	11		**474**	**550**
EH 9/04	2		48	45	**43**	**41**	**37**	**32**	**25**	**20**	16		* **557**	**623**
EH 9/05	2,5		60	57	**54**	**51**	**46**	**40**	**31**	**25**	19		-	* **729**
EH 9/06	3		71	67	**64**	**60**	**54**	**47**	**36**	**29**	21		-	* **758**

(*) MARKED PRODUCTS ARE OUR STOCKED PRODUCTS. THERMAL PROTECTION IS AVAILABLE IN MONOPHASE TYPES.

WRAS
WATER REGULATIONS ADVISORY SCHEME
İÇME SUYUNA UYGUNDUR

VN 3 - 5 - 9 SERIES, COMPLETE STAINLESS (AISI 304), VERTICAL SHAFT, MULTI-STAGE, CAISSON WELL PUMPS MAX WATER TEMPERATURE 40°C

TYPE	HP	m³/h	0,00	1,50	**2,00**	**2,50**	**3,00**	**3,50**	**4,00**	**4,50**	5,00	INPUT	MONOFAZE PRICE (EURO)	TRİFAZE PRICE (EURO)
		l/s	0,00	0,42	**0,56**	**0,69**	**0,83**	**0,97**	**1,11**	**1,25**	1,39	OUT		
VN 3/04	0,75		45	40	**37**	**34**	**31**	**27**	**23**	**18**	13		**671**	**660**
VN 3/05	1		56	49	**46**	**42**	**38**	**33**	**28**	**21**	15		**691**	**681**
VN 3/06	1		67	58	**54**	**50**	**44**	**38**	**32**	**25**	17		* **712**	**701**
VN 3/07	1,2	MSS	78	68	**64**	**58**	**52**	**45**	**38**	**29**	20	1¼"	**759**	**722**
VN 3/08	1,5		88	77	**72**	**65**	**58**	**50**	**42**	**32**	22		* **780**	**743**
VN 3/09	2		101	89	**83**	**76**	**68**	**60**	**50**	**40**	28		**840**	**783**
VN 3/10	2		112	98	**92**	**84**	**75**	**65**	**55**	**44**	30		**861**	**804**

TYPE	HP	m³/h	0,00	1,00	2,00	**3,00**	**4,00**	**5,00**	**6,00**	**7,00**	8,00	INPUT	MONOFAZE PRICE (EURO)	TRİFAZE PRICE (EURO)
		l/s	0,00	0,28	0,56	**0,83**	**1,11**	**1,39**	**1,67**	**1,94**	2,22	OUT		
VN 5/04	1		46	44	42	**39**	**36**	**33**	**28**	**22**	15		**671**	**660**
VN 5/05	1,2		57	55	52	**49**	**45**	**41**	**35**	**28**	18		**718**	**681**
VN 5/06	1,5		68	65	62	**58**	**53**	**48**	**40**	**32**	20		* **738**	**701**
VN 5/07	2	MSS	80	77	73	**69**	**64**	**58**	**50**	**40**	27	1¼"	**790**	**734**
VN 5/08	2		92	87	83	**78**	**72**	**65**	**56**	**44**	29		* **811**	* **755**
VN 5/09	3		102	98	94	**88**	**82**	**73**	**63**	**50**	33		**890**	**837**
VN 5/10	3		114	108	103	**98**	**90**	**80**	**68**	**54**	36		* **911**	* **858**

TYPE	HP	m³/h	0,00	2,00	**4,00**	**6,00**	**8,00**	**10,00**	**12,00**	**13,00**	14,00	INPUT	MONOFAZE PRICE (EURO)	TRİFAZE PRICE (EURO)
		l/s	0,00	0,56	**1,11**	**1,67**	**2,22**	**2,78**	**3,33**	**3,61**	3,89	OUT		
VN 9/03	1,5		36	34	**32**	**30**	**28**	**24**	**18**	**15**	11		**706**	**669**
VN 9/04	2		48	46	**44**	**41**	**38**	**33**	**25**	**20**	15		**760**	**704**
VN 9/05	3		59	57	**54**	**51**	**47**	**41**	**32**	**25**	18		**813**	**760**
VN 9/06	3	MSS	71	68	**64**	**60**	**55**	**47**	**36**	**29**	20	1¼"	**839**	* **785**
VN 9/07	4		82	79	**75**	**70**	**64**	**55**	**42**	**34**	22		-	**825**
VN 9/08	4		94	90	**85**	**79**	**72**	**62**	**46**	**36**	26		-	**880**
VN 9/09	4		105	101	**94**	**88**	**80**	**68**	**50**	**39**	27		-	* **905**

MAXIMUM IMMERSION DEPTH 20m
MAXIMUM ALLOWABLE AMOUNT OF SAND 50 gr/m3 (MAXIMUM PARTICLE DIAMETER 2mm)
MOTOR, ASYNCHRON, CLASS F INSULATION, IP 68 PROTECTION
20m CABLE (H07RN)
MONOPHASE 0.5m FLOATER AND PANEL
OUR PRODUCTS MARKED (*) ARE OUR STOCKED PRODUCTS.

WRAS
WATER REGULATIONS ADVISORY SCHEME
İÇME SUYUNA UYGUNDUR

IMPORT, CENTRIFUGAL AND DRAIN PUMPS (Made in Europe)

E- Tech Imported, Stainless Steel (AISI 304), Caisson Well Pumps

CENTRIFUGAL AND DRAIN PUMPS (Made in Europe)

E-Tech Imported, Completely Stainless (AISI 304), Vertical Electropumps

EV 1 SERIES, COMPLETE STAINLESS (AISI 304), VERTICAL SHAFT, MULTI-STAGE IN-LINE, SINGLE PUMPS AND MOTORPUMPS WITH AEG MOTOR (STANDARD CONNECTION) - MAXIMUM WATER TEMPERATURE 120°C

0.5 HP-0.75 HP IE2 MOTOR / 0.75 HP ABOVE IE3 MOTOR

T Flanş

F Flanş

TYPE	HP	VOLT	m³/h	0,00	0,50	1,00	1,50	2,00	2,50	3,00	3,50	4,00	INPUT OUT	TEK POMPA PRICE (EURO)	MOTOPOMP PRICE (EURO)
			l/s	0,00	0,14	0,28	0,42	0,56	0,69	0,83	0,97	1,11			
EV 01/02 T	0,50	380V	MSS	15	14	13	12	10	8	-	-	-	1¼"	**730**	**900**
EV 01/03 T	0,50			22	20	19	17	14	11	-	-	-		**749**	**919**
EV 01/04 T	0,50			28	27	25	22	19	14	-	-	-		**768**	**938**
EV 01/05 T	0,50			35	33	31	27	23	17	-	-	-		**787**	**957**
EV 01/06 T	0,50			42	39	36	32	27	20	-	-	-		**807**	**977**
EV 01/07 T	0,50			48	45	42	37	30	22	-	-	-		**826**	**995**
EV 01/08 T	0,75			55	52	48	43	35	26	-	-	-		**845**	**1.037**
EV 01/09 T	0,75			62	58	53	47	39	29	-	-	-		**864**	**1.057**
EV 01/10 T	0,75			68	64	59	52	43	3	-	-	-		**902**	**1.094**
EV 01/11T	0,75			75	70	64	57	47	34	-	-	-		**941**	**1.134**
EV 01/12T	1			83	79	72	64	53	40	-	-	-		**961**	**1.222**
EV 01/13T	1			90	85	78	59	57	42	-	-	-		**981**	**1.242**
EV 01/14T	1			96	91	83	73	61	45	-	-	-		**999**	**1.261**
EV 01/15 T	1			103	96	88	78	64	47	-	-	-		**1.020**	**1.282**
EV 01/17 T	1,5			118	112	103	92	76	57	-	-	-		**1.083**	**1.372**
EV 01/19 T	1,5			131	124	114	101	84	62	-	-	-		**1.119**	**1.408**
EV 01/22 T	1,5			151	142	130	115	95	70	-	-	-		**1.217**	**1.505**
EV 01/23 T	2			161	152	140	125	104	78	-	-	-		**1.273**	**1.650**
EV 01/25 F	2			174	164	152	135	112	84	-	-	-		**1.340**	**1.717**
EV 01/27 F	2			187	177	163	144	120	89	-	-	-		**1.382**	**1.758**
EV 01/30 F	2			207	195	179	158	131	97	-	-	-		**1.461**	**1.838**
EV 01/32F	3			225	213	197	176	148	111	-	-	-		**1.523**	**1.988**
EV 01/34F	3			238	226	209	186	156	117	-	-	-		**1.560**	**2.026**
EV 01/37F	3			258	244	226	201	168	125	-	-	-		**1.625**	**2.090**

ASK PRICE FOR COMPLETE AISI 316 PUMPS

WRAS
WATER REGULATIONS ADVISORY SCHEME
İÇME SUYUNA UYGUNDUR

has pompa®

EV 3 SERIES, COMPLETE STAINLESS (AISI 304), VERTICAL SHAFT, MULTI-STAGE, IN-LINE, SINGLE PUMPS AND MOTORPUMPS WITH AEG MOTOR (STANDARD CONNECTION) - MAXIMUM WATER TEMPERATURE 120°C

0.5 HP-0.75 HP IE2 MOTOR / 0.75 HP ABOVE IE3 MOTOR

TYPE	HP	VOLT	m³/h	0,00	1,00	1,50	2,00	2,50	3,00	3,50	4,00	4,50	INPUT OUT	TEK POMPA PRICE (EURO)	MOTOPOMP PRICE (EURO)
			l/s	0,00	0,28	0,42	0,56	0,69	0,83	0,97	1,11	1,25			
EV 03/02 T	0,50			15	15	15	14	13	12	10	8	6		**729**	**899**
EV 03/03 T	0,50			23	22	21	20	19	17	15	12	9		**748**	**917**
EV 03/04 T	0,50			30	29	28	26	24	22	19	15	11		**767**	**937**
EV 03/05 T	0,75			38	36	35	33	30	27	24	19	13		**783**	**976**
EV 03/06 T	0,75			45	43	41	39	36	32	27	22	15		**802**	**995**
EV 03/07 T	1			53	51	49	46	43	39	33	27	19		**825**	**1.086**
EV 03/08 T	1			60	58	55	52	48	44	37	30	21		**844**	**1.105**
EV 03/09 T	1			67	64	62	58	54	48	41	33	23		**863**	**1.125**
EV 03/10 T	1,5			75	73	70	67	62	56	48	39	28		**920**	**1.209**
EV 03/11T	1,5			83	80	77	73	67	61	52	42	30		**940**	**1.228**
EV 03/12T	1,5			90	86	83	79	73	65	56	45	32		**958**	**1.247**
EV 03/13T	1,5			97	93	89	85	78	70	60	48	34		**978**	* **1.267**
EV 03/14T	2	380V	MSS	106	102	99	94	87	78	68	55	40	1¼"	**1.000**	**1.376**
EV 03/15 T	2			113	109	105	100	93	83	72	58	42		**1.020**	**1.397**
EV 03/16T	2			120	116	112	106	98	88	76	61	44		**1.040**	**1.416**
EV 03/17T	2			127	123	118	112	104	93	80	64	46		**1.058**	* **1.435**
EV 03/18T	3			137	133	128	122	114	103	89	73	53		**1.062**	**1.527**
EV 03/19T	3			144	140	135	128	119	108	94	76	56		**1.081**	**1.546**
EV 03/21 T	3			159	154	148	141	131	118	102	83	60		**1.121**	**1.586**
EV 03/23 F	3			173	168	162	153	142	128	111	90	65		**1.210**	**1.675**
EV 03/25 F	3			188	181	175	166	154	138	119	96	69		**1.247**	* **1.712**
EV 03/27 F	4			206	200	193	184	172	155	135	111	81		**1.265**	**1.949**
EV 03/29 F	4			220	214	207	197	184	166	144	118	86		**1.302**	**1.986**
EV 03/31 F	4			235	228	221	210	195	177	153	125	91		**1.339**	**2.023**
EV 03/33 F	4			250	242	234	222	207	187	162	132	96		**1.415**	**2.099**

T Flanş

F Flanş

OUR PRODUCTS MARKED (*) ARE OUR STOCKED PRODUCTS
ASK FOR PRICE FOR COMPLETE AISI 316 PUMPS

WRAS
WATER REGULATIONS ADVISORY SCHEME
İÇME SUYUNA UYGUNDUR

EV 6 SERIES, COMPLETE STAINLESS (AISI 304), VERTICAL SHAFT, MULTI-STAGE, IN-LINE, SINGLE PUMPS AND MOTORPUMPS WITH AEG MOTOR (STANDARD CONNECTION) - MAXIMUM WATER TEMPERATURE 120°C

T Flanş

F Flanş

TYPE	HP	VOLT	m³/h	0,00	2,50	3,00	3,50	4,00	4,50	5,00	5,40	6,00	7,00	INPUT OUT	TEK POMPA PRICE (EURO)	MOTOPOMP PRICE (EURO)
			l/s	0,00	0,69	0,83	0,97	1,11	1,25	1,39	1,50	1,67	1,94			
EV 06/02 T	1	380V	MSS	15	14	14	13	13	12	12	11	10	8	1¼"	635	897
EV 06/03 T	1			23	21	20	19	18	17	16	16	14	11		655	916
EV 06/04 T	1			30	27	26	25	24	23	22	21	19	14,5		695	956
EV 06/05 T	1			38	35	34	32	31	29	28	26	24	19		784	1.046
EV 06/06 T	1			45	41	40	38	36	34	33	31	28	22		807	1.068
EV 06/07 T	1,5			53	49	47	45	43	41	39	37	34	27		826	1.115
EV 06/08 T	1,5			60	55	54	51	49	47	44	42	39	31		846	1.135
EV 06/09 T	1,5			67	62	59	57	54	52	49	46	43	34		866	1.155
EV 06/10 T	2			75	70	68	65	62	59	56	54	49	39		926	1.303
EV 06/11T	2			83	77	74	71	68	65	61	58	54	43		947	1.323
EV 06/12 T	2			90	83	80	77	73	70	66	63	58	46		966	1.342
EV 06/13 T	2			97	89	86	82	79	75	71	67	62	49		987	* 1.364
EV 06/14 T	3			106	99	96	92	88	84	80	76	70	56		993	1.458
EV 06/15 T	3			113	106	102	98	94	89	85	81	74	60		1.012	1.477
EV 06/16 T	3			121	112	108	104	99	95	90	86	79	63		1.031	1.496
EV 06/17 T	3			128	119	115	110	105	100	95	90	83	66		1.053	1.518
EV 06/18 T	3			135	125	121	116	111	105	100	95	87	69		1.072	1.537
EV 06/19 T	3			142	132	127	122	116	110	104	99	91	72		1.091	* 1.556
EV 06/20 T	4			152	143	138	133	127	121	115	110	102	82		1.063	1.747
EV 06/21T	4			159	150	145	139	133	127	121	115	106	86		1.120	1.804
EV 06/23 F	4			174	163	158	152	145	138	131	125	115	93		1.217	1.901
EV 06/25 F	4			189	176	170	164	158	151	143	136	124	99		1.255	* 1.939
EV 06/28 F	5,5			214	201	195	188	181	174	165	157	143	116		1.411	2.053
EV 06/30 F	5,5			229	214	208	201	193	185	176	167	153	123		1.451	2.093
EV 06/33 F	5,5			252	235	227	220	211	202	191	182	166	134		1.556	2.198
EV 06/36 F	7,5			275	258	250	242	233	223	212	202	184	149		-	-

OUR PRODUCTS MARKED (*) ARE OUR STOCKED PRODUCTS
ASK FOR PRICE FOR COMPLETE AISI 316 PUMPS

WRAS
WATER REGULATIONS ADVISORY SCHEME
İÇME SUYUNA UYGUNDUR

has pompa®

EV 10 SERIES, COMPLETE STAINLESS (AISI 304), VERTICAL SHAFT, MULTI-STAGE, IN-LINE, SINGLE PUMPS AND MOTORPUMPS WITH AEG MOTOR (STANDARD CONNECTION) - MAXIMUM WATER TEMPERATURE 120°C

TYPE	HP	VOLT	m³/h	0,00	5,00	5,40	6,00	7,00	8,00	9,00	10,00	11,00	14,00	INPUT OUT	TEK POMPA PRICE (EURO)	MOTOPOMP PRICE (EURO)
			l/s	0,00	1,39	1,50	1,67	1,94	2,22	2,50	2,78	3,06	3,89			
EV 10/02 T	1	380V	MSS	20	19	19	19	18	17	16	15	14	9	1½"	798	1.060
EV 10/03 T	1,5			30	29	28	28	27	26	24	23	21	14		820	1.109
EV 10/04 T	2			41	39	38	37	36	34	33	31	28	18		853	1.229
EV 10/05 T	2			51	47	47	46	44	42	40	37	34	22		875	1.252
EV 10/06 T	3			61	58	57	56	54	52	49	46	42	28		883	1.348
EV 10/07 T	3			71	67	66	65	62	60	56	53	48	31		892	* 1.357
EV 10/08 T	4			82	78	77	76	73	70	67	63	58	38		920	1.604
EV 10/09 T	4			92	88	86	85	82	78	74	70	64	42		942	* 1.625
EV 10/10 T	5,5			103	99	98	96	93	89	85	80	74	49		1.051	1.693
EV 10/11T	5,5			113	108	107	105	102	98	93	87	81	54		1.089	1.731
EV 10/12 T	5,5			123	118	117	114	110	106	101	94	87	58		1.112	1.754
EV 10/13 T	5,5			133	127	126	123	119	114	108	101	94	62		1.142	* 1.784
EV 10/15 T	7,5			154	147	146	143	138	132	126	118	109	72		1.536	2.417
EV 10/17 F	7,5			174	166	164	161	155	149	141	133	122	81		1.682	2.564
EV 10/19 F	10			195	188	186	182	176	169	161	151	140	93		1.738	2.689
EV 10/21 F	10			216	206	204	200	194	186	177	166	153	102		1.782	2.733
EV 10/23 F	10			236	225	223	219	211	202	192	181	167	110		1.826	2.776
EV 10/24 F	15			248	241	238	234	227	218	208	196	182	123		1.932	3.400

OUR PRODUCTS MARKED (*) ARE OUR STOCKED PRODUCTS ASK FOR PRICE FOR COMPLETE AISI 316 PUMPS

T Flanş

F Flanş

WRAS WATER REGULATIONS ADVISORY SCHEME

İÇME SUYUNA UYGUNDUR

CENTRIFUGAL AND DRAIN PUMPS (Made in Europe)

E-Tech Imported, Completely Stainless (AISI 304), Vertical Electropumps

EV 15 - 20 SERIES, ICOMPLETE STAINLESS (AISI 304), VERTICAL SHAFT, MULTI-STAGE, IN-LINE, SINGLE PUMPS AND MOTORPUMPS WITH AEG MOTOR (STANDARD CONNECTION) - MAXIMUM WATER TEMPERATURE 120°C

F Flanş

TYPE	HP	VOLT	m³/h	0,00	4,00	8,00	10,00	12,00	16,00	20,00	22,00	24,00	INPUT OUT	TEK POMPA PRICE (EURO)	MOTOPOMP PRICE (EURO)
			l/s	0,00	1,11	2,22	2,78	3,33	4,44	5,56	6,11	6,67			
EV 15/01 F	1,5	380V	MSS	15	14	13	12	11	10	9	7	6	DN 50	**1.108**	**1.396**
EV 15/02 F	3			29	28	26	25	24	22	17	14	11		**1.099**	**1.564**
EV 15/03 F	4			44	42	39	38	37	33	26	22	17		**1.187**	**1.871**
EV 15/04 F	5,5			59	58	53	51	49	44	36	30	24		**1.360**	**2.002**
EV 15/05 F	5,5			73	69	66	64	61	55	43	36	29		**1.433**	**2.075**
EV 15/06 F	7,5			88	85	80	77	74	67	54	46	37		**1.750**	**2.632**
EV 15/07 F	7,5			102	98	92	89	86	78	62	53	42		**1.823**	* **2.705**
EV 15/08 F	10			117	111	107	103	100	89	73	62	49		**2.026**	**2.977**
EV 15/09 F	10			132	126	119	115	111	101	81	69	55		**2.141**	* **3.092**
EV 15/10 F	15			148	141	135	131	127	115	94	81	65		**2.306**	**3.774**
EV 15/11 F	15			162	155	148	144	139	127	103	89	71		**2.378**	**3.846**
EV 15/12 F	15			177	170	161	157	151	138	112	96	77		**2.457**	**3.925**
EV 15/13 F	15			191	184	175	170	164	149	121	103	83		**2.529**	**3.997**
EV 15/14 F	15			206	198	188	182	176	159	129	111	88		**2.641**	**4.110**
EV 15/15 F	20			221	212	201	196	189	170	140	120	96		**2.807**	**4.597**
EV 15/16 F	20			236	227	214	208	201	181	148	127	102		**2.910**	**4.700**
EV 15/17 F	20			250	240	228	221	213	191	157	134	107		**2.990**	**4.780**

F Flanş

TYPE	HP	VOLT	m³/h	0,00	4,00	8,00	12,00	16,00	20,00	24,00	26,00	28,00	INPUT OUT	TEK POMPA PRICE (EURO)	MOTOPOMP PRICE (EURO)
			l/s	0,00	1,11	2,22	3,33	4,44	5,56	6,67	7,22	7,78			
EV 20/01 F	1,5	380V	MSS	16	15	14	13	12	11	9	8	6	DN 50	**1.108**	**1.396**
EV 20/02 F	3			31	30	28	27	25	23	18	15	12		**1.099**	**1.564**
EV 20/03 F	4			47	45	42	41	38	35	28	23	19		**1.187**	**1.871**
EV 20/04 F	7,5			63	60	58	55	52	47	37	32	26		**1.120**	**2.002**
EV 20/05 F	7,5			78	75	72	69	65	58	47	40	33		**1.671**	**2.553**
EV 20/06 F	10			95	92	89	85	80	72	60	52	43		**1.883**	**2.834**
EV 20/07 F	10			110	108	103	98	93	83	69	60	49		**1.959**	**2.910**
EV 20/08 F	15			127	124	120	114	109	99	83	72	60		**2.120**	**3.588**
EV 20/09 F	15			143	139	135	128	122	111	93	81	67		**2.234**	**3.702**
EV 20/10 F	15			158	155	149	142	135	123	102	89	73		**2.306**	**3.774**
EV 20/11 F	20			174	169	164	157	149	137	113	98	81		**2.472**	**4.262**
EV 20/12 F	20			190	185	178	171	162	149	123	107	88		**2.550**	**4.341**
EV 20/13 F	20			205	200	194	184	175	160	132	115	94		**2.622**	**4.413**
EV 20/14 F	20			221	216	208	198	188	171	141	122	101		**2.735**	**4.525**
EV 20/15 F	25			237	231	222	213	202	186	152	132	109		**2.890**	**5.011**
EV 20/16 F	25			253	248	238	226	215	197	162	140	115		**2.962**	**5.083**
EV 20/17 F	25			268	262	251	240	228	209	171	148	122		**3.042**	**5.163**

OUR PRODUCTS MARKED (*) ARE OUR STOCKED PRODUCTS ASK FOR PRICE FOR COMPLETE AISI 316 PUMPS

WRAS
WATER REGULATIONS ADVISORY SCHEME
İÇME SUYUNA UYGUNDUR

FOR EV 20 SERIES, ASK FOR STOCK!

has pompa®

EV 30 SERIES, STAINLESS IMPELLER and DIFFUSER (AISI 304), VERTICAL SHAFT, MULTI-STAGE, IN-LINE, SINGLE PUMPS and MOTORPUMPS WITH AEG MOTOR (STANDARD CONNECTION) - MAXIMUM WATER TEMPERATURE 120°C

TYPE	HP	VOLT	m³/h	0,00	20,00	25,00	30,00	35,00	40,00	45,00	INPUT OUT	TEK POMPA PRICE (EURO)	MOTOPOMP PRICE (EURO)
			l/s	0,00	5,56	6,94	8,33	9,72	11,11	12,50			
EV 30/01 F	3			24	20	19	18	16	14	11		**1.887**	**2.352**
EV 30/02-2a F	5,5			36	31	30	27	22	18	13		**2.083**	**2.725**
EV 30/02-1a F	5,5			42	38	34	32	28	23	18		**2.214**	**2.856**
EV 30/02 F	7,5			49	41	40	37	34	29	24		**2.438**	**3.320**
EV 30/03-2a F	7,5			60	52	48	44	39	32	24		**2.701**	**3.583**
EV 30/03-1a F	10			67	58	54	50	46	38	30		**2.701**	**3.652**
EV 30/03 F	10			73	61	59	55	50	44	36		**2.701**	**3.652**
EV 30/04-2a F	10			84	72	68	62	55	46	35		**2.908**	**3.859**
EV 30/04-1a F	15			92	80	76	70	63	55	44		**2.919**	**4.387**
EV 30/04 F	15			98	84	81	75	69	60	50		**2.919**	**4.387**
EV 30/05-2a F	15			109	95	90	83	74	63	50		**3.129**	**4.597**
EV 30/05-1aF	15			116	100	95	88	80	69	55		**3.129**	**4.597**
EV 30/05 F	20			123	105	100	94	86	75	62		**3.223**	**5.013**
EV 30/06-2a F	20			134	116	110	102	91	78	62		**3.559**	**5.349**
EV 30/06-1a F	20			140	120	115	107	97	84	67		**3.559**	**5.349**
EV 30/06 F	20			147	126	120	112	102	89	73		**3.559**	**5.349**
EV 30/07-2a F	20			158	138	129	119	107	92	73		**3.900**	**5.691**
EV 30/07-1a F	20			164	140	134	124	113	97	78		**3.900**	**5.691**
EV 30/07 F	25	380V	MSS	171	147	140	130	119	104	85	DN 65	**3.901**	**6.021**
EV 30/08-2a F	25			183	157	149	138	124	106	85		**4.143**	**6.264**
EV 30/08-1a F	25			189	162	154	143	130	112	90		**4.143**	**6.264**
EV 30/08 F	25			195	168	159	148	135	117	96		**4.143**	**6.264**
EV 30/09-2a F	30			209	180	171	159	144	125	101		**4.370**	**6.744**
EV 30/09-1a F	30			215	186	177	165	150	130	106		**4.370**	**6.744**
EV 30/09 F	30			221	190	182	170	156	136	112		**4.370**	**6.744**
EV 30/10-2a F	30			233	201	191	178	161	139	112		**4.581**	**6.955**
EV 30/10-1a F	30			239	207	196	183	167	145	118		**4.581**	**6.955**
EV 30/10 F	40			247	213	204	191	175	154	127		**4.697**	**7.829**
EV 30/11-2a F	40			258	225	213	199	181	157	127		**5.055**	**8.187**
EV 30/11-1a F	40			265	230	218	204	186	162	133		**5.055**	**8.187**
EV 30/11F	40			271	235	224	209	192	168	139		**5.055**	**8.187**
EV 30/12-2a F	40			283	245	233	217	198	171	139		**5.269**	**8.402**
EV 30/12-1a F	40			289	250	238	223	203	177	145		**5.269**	**8.402**
EV 30/12F	40			295	255	243	228	209	183	151		**5.269**	**8.402**
EV 30/13-2a F	40			307	266	253	236	214	186	151		**5.480**	**8.612**
EV 30/13-1a F	40			313	271	258	241	220	192	157		**5.480**	**8.612**
EV 30/13 F	40			320	277	263	246	226	197	163		**5.480**	**8.612**

F Flanş

ASK FOR STOCK!

WRAS
WATER REGULATIONS ADVISORY SCHEME
İÇME SUYUNA UYGUNDUR

CENTRIFUGAL AND DRAIN PUMPS (Made in Europe)

E-Tech Imported, Completely Stainless (AISI 304), Vertical Electropumps

EV 45 SERIES, STAINLESS IMPELLER and DIFFUSER (AISI 304), VERTICAL SHAFT, MULTI-STAGE, IN-LINE, SINGLE PUMPS and MOTOPOMPS WITH AEG MOTOR (STANDARD CONNECTION) - MAXIMUM WATER TEMPERATURE 120°C

F Flanş

TYPE	HP	VOLT	m³/h	0,00	30,00	35,00	40,00	45,00	50,00	55,00	60,00	65,00	INPUT OUT	TEK POMPA PRICE (EURO)	MOTOPOMP PRICE (EURO)
			l/s	0,00	8,33	9,72	11,11	12,50	13,89	15,28	16,67	18,06			
EV 45/01-1a F	4			19	18	17	16	15	13	12	10	8		1.864	2.548
EV 45/01 F	5,5			25	22	21	20	19	18	17	16	14		1.964	2.607
EV 45/02-2a F	7,5			39	34	33	31	29	26	23	19	15		2.602	3.484
EV 45/02 F	10			49	43	43	42	39	36	34	31	27		2.602	3.553
EV 45/03-2a F	15			63	59	56	54	50	46	42	36	30		2.816	4.284
EV 45/03 F	15			74	68	66	63	60	56	53	47	41		2.816	4.284
EV 45/04-2a F	20			88	80	78	74	70	64	60	51	43		3.119	4.909
EV 45/04 F	20			98	90	87	84	80	74	70	62	55		3.119	4.909
EV 45/05-2a F	25			112	102	99	95	89	82	77	66	56		3.331	5.452
EV 45/05 F	25			122	111	108	105	99	92	87	77	68		3.331	5.452
EV 45/06-2a F	30			138	126	122	118	111	102	96	84	72		3.684	6.059
EV 45/06 F	30			148	136	132	127	121	112	106	95	84		3.684	6.059
EV 45/07-2a F	40	380V	MSS	163	150	145	140	132	122	115	101	88	DN 80	4.174	7.307
EV 45/07 F	40			173	160	155	150	143	132	126	112	99		4.174	7.307
EV 45/08-2a F	40			187	172	167	161	152	141	132	117	101		4.388	7.520
EV 45/08 F	40			197	180	177	171	163	151	143	128	113		4.388	7.520
EV 45/09-2a F	50			212	195	189	182	172	160	150	132	115		4.601	8.353
EV 45/09 F	50			222	204	198	192	182	170	160	143	126		4.601	8.353
EV 45/10-2a F	50			236	218	210	202	192	179	167	147	128		4.813	8.565
EV 45/10 F	50			246	225	219	212	202	190	177	158	139		4.813	8.565
EV 45/11-2a F	60			261	240	233	225	213	200	186	165	144		5.201	9.773
EV 45/11 F	60			271	250	243	235	224	210	197	176	155		5.201	9.773
EV 45/12-2a F	60			286	262	255	246	233	218	203	180	157		5.417	9.989
EV 45/12 F	60			296	271	264	256	243	228	214	191	169		5.417	9.989
EV 45/13-2a F	60			310	285	276	266	253	236	221	195	170		5.629	10.201

WRAS
WATER REGULATIONS ADVISORY SCHEME
İÇME SUYUNA UYGUNDUR

ASK FOR STOCK!

has pompa®

EV 65-95 SERIES, STAINLESS IMPELLER and DIFFUSER (AISI 304), VERTICAL SHAFT, MULTI-STAGE, IN-LINE, SINGLE PUMPS and MOTORPUMPS WITH AEG MOTOR (STANDARD CONNECTION) - MAXIMUM WATER TEMPERATURE 120°C

TYPE	HP	VOLT	m³/h	0,00	40,00	50,00	60,00	70,00	80,00	85,00	90,00	-	-	INPUT OUT	TEK POMPA PRICE (EURO)	MOTOPOMP PRICE (EURO)
			l/s	0,00	11,11	13,89	16,67	19,44	22,22	23,61	25,00	-	-			
EV 65/01-1a F	5,5	380V	MSS	20	18	17	16	14	10	9	8	-	-	DN 100	**2.202**	**2.845**
EV 65/01 F	7,5			28	24	23	22	20	18	17	14	-	-		**2.618**	**3.500**
EV 65/02-2a F	10			39	36	34	31	26	20	18	15	-	-		**2.894**	**3.845**
EV 65/02-1a F	15			48	43	41	39	35	30	27	24	-	-		**2.904**	**4.372**
EV 65/02 F	15			57	49	46	45	42	37	35	32	-	-		**2.904**	**4.372**
EV 65/03-2a F	20			68	61	58	54	48	40	36	33	-	-		**3.268**	**5.058**
EV 65/03-1a F	20			76	67	65	61	55	48	43	40	-	-		**3.268**	**5.058**
EV 65/03 F	25			85	74	70	67	63	56	52	47	-	-		**3.268**	**5.389**
EV 65/04-2a F	25			96	85	80	76	67	59	52	48	-	-		**3.540**	**5.661**
EV 65/04-1a F	30			105	92	87	84	78	68	62	58	-	-		**3.686**	**6.061**
EV 65/04 F	30			114	98	95	91	85	75	70	65	-	-		**3.686**	**6.061**
EV 65/05-2a F	40			125	112	106	101	92	80	73	66	-	-		**4.230**	**7.362**
EV 65/05-1aF	40			134	118	114	108	100	87	81	75	-	-		**4.230**	**7.362**
EV 65/05 F	40			142	124	119	114	106	95	89	82	-	-		**4.230**	**7.362**
EV 65/06-2a F	40			153	135	130	123	114	97	90	83	-	-		**4.506**	**7.638**
EV 65/06-1a F	50			162	142	135	130	120	106	98	91	-	-		**4.506**	**8.259**
EV 65/06 F	50			170	148	142	136	127	115	106	99	-	-		**4.546**	**8.299**
EV 65/07-2a F	50			182	160	153	145	133	117	107	100	-	-		**4.822**	**8.574**
EV 65/07-1a F	50			190	165	160	152	140	125	115	106	-	-		**4.822**	**8.574**
EV 65/07 F	60			199	173	165	160	150	135	124	116	-	-		**4.998**	**9.569**
EV 65/08-2a F	60			210	185	178	169	155	138	125	117	-	-		**5.271**	**9.842**
EV 65/08-1a F	60			219	190	184	175	162	145	133	125	-	-		**5.271**	**9.842**
EV 65/08 F	60			227	196	190	182	170	153	141	133	-	-		**5.271**	**9.842**

TYPE	HP	VOLT	m³/h	0,00	50,00	60,00	70,00	80,00	90,00	100,00	110,00	115,00	120,00	INPUT OUT	TEK POMPA PRICE (EURO)	MOTOPOMP PRICE (EURO)
			l/s	0,00	13,89	16,67	19,44	22,22	25,00	27,78	30,56	31,94	33,33			
EV 95/01-1a F	7,5	380V	MSS	22	21	20	19	17	15	13	10	7	5	DN 100	**2.638**	**3.520**
EV 95/01 F	10			31	27	26	25	23	21	19	17	14	12		**2.638**	**3.589**
EV 95/02-2a F	15			45	42	41	38	35	32	26	20	15	13		**2.924**	**4.392**
EV 95/02 F	20			62	54	52	50	47	43	38	34	29	24		**3.018**	**4.808**
EV 95/03-2a F	25			76	69	67	63	59	52	45	37	29	25		**3.288**	**5.409**
EV 95/03 F	30			94	83	78	75	71	65	60	52	46	42		**3.304**	**5.678**
EV 95/04-2a F	40			108	98	95	90	85	76	67	56	50	43		**3.828**	**6.961**
EV 95/04 F	40			126	110	105	100	95	89	80	70	63	56		**3.828**	**6.961**
EV 95/05-2a F	50			139	125	120	115	107	97	86	73	65	57		**4.144**	**7.896**
EV 95/05 F	50			156	138	131	125	118	110	100	86	74	70		**4.144**	**7.896**
EV 95/06-2a F	60			171	153	147	140	133	120	107	90	76	71		**4.637**	**9.208**
EV 95/06 F	60			188	165	157	150	143	134	120	105	95	84		**4.637**	**9.208**

ASK FOR STOCK!

WRAS
WATER REGULATIONS ADVISORY SCHEME
İÇME SUYUNA UYGUNDUR

IMPORT, CENTRIFUGAL AND DRAIN PUMPS (Made in Europe)

has pompa®



LIQUID TRANSFER PUMPS

BRONZE IMPELLER, LIQUID TRANSFER PUMPS PM SERIES

TYPE	HP	VOLT AMPER	CAPACITY											INPUT	OUT	WEIGHT	PRICE (EURO)
			m³/h	0,30	0,60	0,90	1,20	1,50	1,80	2,10	2,40	3,00	3,30	fl	fl	kg	
			lt/sn	0,08	0,17	0,25	0,33	0,42	0,50	0,58	0,67	0,83	0,92				
PM 20	0,50	220V-2.3A	MSS	14	10	8	4	1	-	-	-	-	-	20	20	6,5	**248**
PM 25	1	220V-4.8A		19	17	15	13	11	10	8	6	4	1	25	25	11,5	**363**

OLIVE OIL, VINEGAR, WINE, FRUIT JUICE etc. USED IN LIQUID TRANSFER.

SELF-SUCTIONING, TWO-DIRECTIONAL WORKING, DOUBLE OIL SEAL, PUMP CHROME, LIQUID TEMPERATURE MAX 35°C, SUCTION DEPTH MAX 6m

has pompa®

CENTRIFUGAL AND DRAIN PUMPS

NORYL IMPELLER AND DIFFUSER
HYDROPHORUS PUMPS

CENTRIFUGAL PUMPS

CENTRIFUGAL PUMPS

CLEAN WATER PLASTIC AND STAINLESS
DRAIN PUMPS

HIGH ALTITUDE, CAISION WELL AND SENSITIVE
PUMPS

GRINDING - KNIFE - SHREDDER DRAINAGE PUMPS

INDUSTRIAL TYPE, LONG-TERM WORKING MUD PUMP

IMPORTED, OTHER PUMPS

has pompa®

CENTRIFUGAL AND DRAIN PUMPS

has pompa

CENTRIFUGAL AND DRAIN PUMPS T15

has pompa®

VERTICAL SHAFT, MULTI-STAGE, NORYL IMPELLER AND DIFFUSER, MOTORPUMPS

TYPE	HP	VOLT	m³/h	0,00	2,00	3,00	4,00	5,00	6,00	6,60	INPUT OUT	PRICE (DOLAR)
			l/s	0,00	0,56	0,83	1,11	1,39	1,67	1,83		
VM 4-9X4	1,5	220V	MSS	53	48	44	37	30	20	15	1" - 1"	**292**
VM 4-9X6	2	220V		79	73	65	55	45	30	22	1" - 1"	**383**
VM 4-9X6T	2	380V		79	73	65	55	45	30	22	1" - 1"	**346**
VM 4-9X8	3	220V		105	96	86	75	60	41	30	1" - 1"	**487**

HORIZONTAL SHAFT, MULTI-STAGE, NORYL IMPELLER AND DIFFUSER, MOTORPUMPS

TYPE	HP	VOLT	m³/h	0,00	2,00	3,00	4,00	5,00	6,00	6,60	INPUT OUT	PRICE (DOLAR)
			l/s	0,00	0,56	0,83	1,11	1,39	1,67	1,83		
BM 4-9X4	1,5	220V	MSS	53	48	44	37	30	20	15	1" - 1"	**235**
BM 4-9X6	2	220V		79	73	65	55	45	30	22	1" - 1"	**330**
BM 4-9X6T	2	380V		79	73	65	55	45	30	22	1" - 1"	**289**

VERTICAL SHAFT, MULTI-STAGE, NORYL IMPELLER AND DIFFUSER, MOTORPUMPS

TYPE	HP	VOLT	m³/h	0,00	1,20	3,60	4,80	6,00	6,60	7,20	INPUT OUT	PRICE (DOLAR)
			l/s	0,00	0,33	1,00	1,33	1,67	1,83	2,00		
YMPV 6-60	1,5	220V	MSS	65	55	45	38	24	14	-	1¼"-1"	**360**
YMPV 6-80	2	220V		80	72	55	45	30	16	-	1¼"-1"	**392**
YMPV 6-80	2	380V		80	72	55	45	30	16	-	1¼"-1"	**392**
YMPV 6-90	2,25	380V		90	75	60	50	32	18	-	1¼"-1"	**407**
YMPV 9-80	3	380V	MSS	85	76	70	60	46	42	35	1½"-1¼"	**521**
YMPV 9-90	3,5	380V		95	85	75	65	50	47	40	1½"-1¼"	**548**

HORIZONTAL SHAFT, MULTI-STAGE, NORYL IMPELLER AND DIFFUSER, MOTORPUMPS

TYPE	HP	VOLT	m³/h	0,00	0,60	1,20	2,40	3,60	4,80	6,00	INPUT OUT	PRICE (DOLAR)
			l/s	0,00	0,17	0,33	0,67	1,00	1,33	1,67		
YMP 6-60	1,5	220V	MSS	63	61	59	55	47	37	23	1¼"-1"	**343**
YMP 6-80	2	220V		82	80	77	70	60	47	27	1¼"-1"	**385**

TYPE	HP	VOLT	m³/h	0,00	1,80	3,60	4,80	6,00	7,20	8,40	INPUT OUT	PRICE (DOLAR)
			l/s	0,00	0,50	1,00	1,33	1,67	2,00	2,33		
YMP 9-70	3	220V	MSS	77	69	60	54	43	33	22	1½"-1¼"	**483**
YMP 9-70	3	380V		77	69	60	54	43	33	22	1½"-1¼"	**483**

CENTRIFUGAL PUMPS

PREFERIC - BRONZE IMPELLER

TYPE	HP	VOLT AMPER	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	0,50	1,00	1,50	1,80	2,00	2,50	3,00	inç	inç	kg	
			lt/sn	0,00	0,14	0,28	0,42	0,50	0,56	0,69	0,83				
QB 60	0,50	220V 1.8A	MSS	33	30	24	14	8	-	-	-	1"	1"	5,3	**74**
QB 80	1	220V 4.8A		60	48	43	36	32	30	22	8	1"	1"	9,5	**122**

CLEAN WATER, THERMAL PROTECTED, COPPER WRAPPED, STAINLESS SHAFT, MAXIMUM WATER TEMPERATURE 35°C, MAXIMUM AMBIENT TEMPERATURE 40°C, SUCTION DEPTH MAXIMUM 6 m.

QB60K1

TYPE	HP	VOLT	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	0,60	0,90	1,20	1,50	1,80	2,10	2,40	inç	inç	kg	
			lt/sn	0,00	0,17	0,25	0,33	0,42	0,50	0,58	0,67				
QB60K-1	0,50	220V	MSS	40	25	19	14	9	6	3	1	1"	1"	4,4	**88**

SELF-SUCTIONING, CLEAN WATER, THERMAL PROTECTED, COPPER WRAPPED, STAINLESS SHAFT, MAXIMUM WATER TEMPERATURE 40°C, MAXIMUM ENVIRONMENTAL TEMPERATURE 40°C, SUCTION DEPTH MAX 8m.

JET - BRONZE IMPELLER

TYPE	HP	VOLT AMPER	CAPACITY										INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	0,50	1,00	1,50	2,00	2,50	3,00	3,60		inç	inç	kg	
			lt/sn	0,00	0,14	0,28	0,42	0,56	0,69	0,83	1,00					
M 80	1	220V 4.8A	MSS	46	42	38	32	28	20	10	2		1"	1"	15,5	**154**

SELF-SUCTIONING, CLEAN WATER, THERMAL PROTECTED, COPPER WRAPPED, STAINLESS SHAFT, MAXIMUM WATER TEMPERATURE 35°C, MAXIMUM AMBIENT TEMPERATURE 40°C, SUCTION DEPTH MAXIMUM 9 m.

JET - BRONZE IMPELLER

TYPE	HP	VOLT AMPER	CAPACITY										INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	1,20	1,80	2,40	3,00	3,60	4,20	-		inç	inç	kg	
			lt/sn	0,00	0,33	0,50	0,67	0,83	1,00	1,17	-					
JET 150	1,5	220V 8.1A	MSS	50	48	45	38	31	22	11	-		1¼"	1"	22,0	**259**
JET 200	2	220V 8.5A		55	52	50	42	38	32	26	-		1¼"	1"	23,0	**268**

SELF-SUCTIONING, CLEAN WATER, THERMAL PROTECTED, COPPER WRAPPED, STAINLESS SHAFT, MAXIMUM WATER TEMPERATURE 35°C, MAXIMUM AMBIENT TEMPERATURE 40°C, SUCTION DEPTH MAXIMUM 9 m.

HCP STAINLESS - BRONZE IMPELLER

TYPE	HP	VOLT AMPER	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	0,50	1,00	1,50	2,00	2,50	3,00	3,30	inç	inç	kg	
			lt/sn	0,00	0,14	0,28	0,42	0,56	0,69	0,83	0,92				
HCP 50	1	220V 4.8A	MSS	45	40	36	32	26	20	12	6	1"	1"	9,0	**167**

SUITABLE FOR DRINKING WATER, THERMAL PROTECTED, COPPER WRAPPED, STAINLESS BODY AND SHAFT, WATER TEMPERATURE MAX 35°C, MAXIMUM AMBIENT TEMPERATURE 40°C, SUCTION DEPTH MAX 9 m.

has pompa®

CENTRIFUGAL PUMPS

SINGLE STAGE - BRONZE IMPELLER

TYPE	HP	VOLT AMPER	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	1,00	2,00	3,00	4,00	5,00	5,50	-	inç	inç	kg	
			lt/sn	0,00	0,28	0,56	0,83	1,11	1,39	1,53	-				
SCM50	1	220V 4.8A	MSS	28	27	26	25	23	18	10	-	1"	1"	12,5	**154**

CLEAN WATER, THERMAL PROTECTED, COPPER WRAPPED, STAINLESS SHAFT, MAXIMUM WATER TEMPERATURE 35°C, MAXIMUM AMBIENT TEMPERATURE 40°C, SUCTION DEPTH MAX 9 m.

IRRIGATION TYPE - BRONZE IMPELLER

TYPE	HP	VOLT AMPER	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	6,00	9,00	12,00	15,00	18,00	21,00	23,00	inç	inç	kg	
			lt/sn	0,00	1,67	2,50	3,33	4,17	5,00	5,83	6,67				
MHF5AM	2	220V 8A	MSS	16	15	14	13	11	9	6	3	2"	2"	21,0	**227**

CLEAN WATER, THERMAL PROTECTED, COPPER WRAPPED, STAINLESS SHAFT, MAXIMUM WATER TEMPERATURE 35°C, MAXIMUM AMBIENT TEMPERATURE 40°C, SUCTION DEPTH MAXIMUM 6 m.

DOUBLE STAGE - BRONZE IMPELLER

TYPE	HP	VOLT AMPER	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	1,00	2,00	3,00	4,00	5,00	6,00	-	inç	inç	kg	
			lt/sn	0,00	0,28	0,56	0,83	1,11	1,39	1,67	-				
2MCP25/140	1,5	220V 7.1A	MSS	38	37	35	30	23	12	1	-	1¼"	1"	23,0	**286**

CLEAN WATER, THERMAL PROTECTED, COPPER WRAPPED, STAINLESS SHAFT, MAXIMUM WATER TEMPERATURE 35°C, MAXIMUM AMBIENT TEMPERATURE 40°C, SUCTION DEPTH MAXIMUM 6 m.

DOUBLE STAGE - BRONZE IMPELLER

TYPE	HP	VOLT AMPER	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	1,00	2,00	3,00	4,00	5,00	6,00	-	inç	inç	kg	
			lt/sn	0,00	0,28	0,56	0,83	1,11	1,39	1,67	-				
2MCP50/200	2	220V 10A	MSS	50	45	39	32	24	14	2	-	1¼"	1"	25,0	**295**

CLEAN WATER, THERMAL PROTECTED, COPPER WRAPPED, STAINLESS SHAFT, WATER TEMPERATURE MAX. 35˚C, MAXIMUM AMBIENT TEMPERATURE 40˚C, SUCTION DEPTH MAXIMUM 6 m.

DIRTY WATER DRAIN PUMPS

V250F

TYPE	HP	VOLT	CAPACITY											OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	1,00	2,00	3,00	4,00	5,00	6,00	7,00	8,00	9,00	inç	kg	
			lt/sn	0,00	0,28	0,56	0,83	1,11	1,39	1,67	1,94	2,22	2,50			
V250F	0,34	220V	MSS	7,5	7,2	6,9	6,5	6	5,5	5	4,1	3,3	2,3	1"-1¼ - 1½	9,5	**145**

FLOAT, CABLE, DIRTY WATER, WATER TEMPERATURE MAX 40°C, THERMAL PROTECTED, Immersion Depth MAX 5 m.

V750F

TYPE	HP	VOLT	CAPACITY											OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	2,00	4,00	6,00	8,00	10,00	12,00	14,00	16,00	18,00	inç	kg	
			lt/sn	0,00	0,56	1,11	1,67	2,22	2,78	3,33	3,89	4,44	5,00			
V750F	1	220V	MSS	10	9,5	9,1	8,5	8	7,5	7	6,1	5,5	4,2	2"	22,0	**246**

FLOAT, CABLE, DIRTY WATER, WATER TEMPERATURE MAX 40°C, THERMAL PROTECTED, Immersion Depth MAX 5 m.

V1100F

TYPE	HP	VOLT	CAPACITY											OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	4,00	6,00	8,00	10,00	12,00	14,00	16,00	18,00	20,00	inç	kg	
			lt/sn	0,00	1,11	1,67	2,22	2,78	3,33	3,89	4,44	5,00	5,56			
V1100F	1,5	220V	MSS	9	8,5	8,1	7,5	6,9	6,2	5,2	4,4	3,5	2,5	2"	24,0	**276**

FLOAT, CABLE, DIRTY WATER, WATER TEMPERATURE MAX 40°C, THERMAL PROTECTED, Immersion Depth MAX 5 m.

has pompa®

DIRTY WATER DRAIN PUMPS

V1500F

TYPE	HP	VOLT	CAPACITY											OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	1,80	3,60	5,40	7,20	9,00	10,80	12,60	14,40	-	inç	kg	
			lt/sn	0,00	0,50	1,00	1,50	2,00	2,50	3,00	3,50	4,00	-			
V1500F	2	220V	MSS	22	21	20	18	16	14	11	8	4	-	1½	26,5	**351**

FLOAT, CABLE, DIRTY WATER, WATER TEMPERATURE MAX 40°C, THERMAL PROTECTED, Immersion Depth MAX 5 m.

V2200F

TYPE	HP	VOLT	CAPACITY											OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	10,00	14,00	18,00	22,00	26,00	30,00	34,00	38,00	42,00	inç	kg	
			lt/sn	0,00	2,78	3,89	5,00	6,11	7,22	8,33	9,44	10,56	11,67			
V2200F	3	220V	MSS	17	15,2	14,4	13,6	12,4	11,2	9,6	8	6	4,4	3"	33,0	**451**

FLOAT, CABLE, DIRTY WATER, WATER TEMPERATURE MAX 40°C, THERMAL PROTECTED, Immersion Depth MAX 5 m.

V2200 (380)

TYPE	HP	VOLT	CAPACITY											OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	10,00	14,00	18,00	22,00	26,00	30,00	34,00	38,00	42,00	inç	kg	
			lt/sn	0,00	2,78	3,89	5,00	6,11	7,22	8,33	9,44	10,56	11,67			
V2200 (380V)	3	380V	MSS	17	15,2	14,4	13,6	12,4	11,2	9,6	8	6	4,4	3"	33,0	**458**

WIRED, DIRTY WATER, WATER TEMPERATURE MAX. 40°C, THERMAL PROTECTED, Immersion DEPTH MAX. 5 m.

CLEAN WATER, PLASTIC DRAIN PUMPS

Q400124

TYPE	WATT	VOLT	CAPACITY								OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	1,50	3,00	4,50	6,00	7,00	-	inç	kg	
			lt/sn	0,00	0,42	0,83	1,25	1,67	1,94	-			
Q400124	400	220V	MSS	8	7	5,5	3,6	1,2	0,1	-	1"-1¼"-1½"	4,6	**90**

FLOAT, 10mt CABLE, ZERO SUCTION, CLEAN WATER, WATER TEMPERATURE MAX 35°C, MAXIMUM PARTICLE DIAMETER 5mm, MAXIMUM Immersion Depth 7m.

Q550124

TYPE	WATT	VOLT	CAPACITY								OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	3,00	4,50	6,00	7,50	9,00	11,00	inç	kg	
			lt/sn	0,00	0,83	1,25	1,67	2,08	2,50	3,06			
Q550124	550	220V	MSS	8,5	7,5	6,5	5,2	3,8	2	0,1	1"-1¼"-1½"	5,6	**97**

FLOAT, 10mt CABLE, ZERO SUCTION, CLEAN WATER, WATER TEMPERATURE MAX 35°C, MAXIMUM PARTICLE DIAMETER 5mm, MAXIMUM Immersion Depth 7m.

Q400122

TYPE	WATT	VOLT	CAPACITY								OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	1,50	3,00	4,50	6,00	7,50	9,00	inç	kg	
			lt/sn	0,00	0,42	0,83	1,25	1,67	2,08	2,50			
Q400122	400	220V	MSS	8,0	7,4	6,4	5,2	3,9	2,2	0,1	1"-1¼"-1½"	4,9	**94**

INTERNAL FLOAT, 10mt CABLE, CLEAN WATER, WATER TEMPERATURE MAX 35°C, MAXIMUM PARTICLE DIAMETER 5mm, MAXIMUM Immersion Depth 7m.

has pompa®

CLEAN WATER PLASTIC AND STAINLESS DRAIN PUMPS

Q10000B101

TYPE	WATT	VOLT	CAPACITY								OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	2,50	7,50	10,00	12,50	17,50	20,00	inç	kg	
			lt/sn	0,00	0,69	2,08	2,78	3,47	4,86	5,56			
Q10000B101	1000	220V	MSS	9,0	8,4	7,2	6,2	5,3	2,2	0,1	1½"-2"	16,3	**160**

FLOAT, 10mt CABLE, HIGH CAPACITY, CLEAN WATER, WATER TEMPERATURE MAX 35°C, MAXIMUM PARTICLE DIAMETER 40mm, MAXIMUM Immersion Depth 7m.

Q750115M

TYPE	WATT	VOLT	CAPACITY								OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	1,50	3,00	6,00	9,00	12,50	-	inç	kg	
			lt/sn	0,00	0,42	0,83	1,67	2,50	3,47	-			
Q750115M	750	220V	MSS	8,5	8,3	7,8	6,4	4	0,1	-	1"-1¼"-1½"	6,0	**152**

WITH LEVEL SENSOR, 10mt CABLE, 1mm SUCTION FEATURE, CLEAN WATER, WATER TEMPERATURE MAX 35°C, MAXIMUM PARTICLE DIAMETER 5mm, MAXIMUM Immersion Depth 7m.

(If the water level is below the motor body, it can be operated for a maximum of 15 minutes since it cannot cool.)

Q40065

TYPE	WATT	VOLT	CAPACITY								OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	1,50	3,00	4,50	6,00	7,50	8,50	inç	kg	
			lt/sn	0,00	0,42	0,83	1,25	1,67	2,08	2,36			
Q40065	400	220V	MSS	7	6,4	5,6	4,5	3,2	1	0,5	1"-1¼"	6,5	**135**

WITH FLOAT, 10 mt CABLE, ZERO SUCTION, CLEAN WATER, WATER TEMPERATURE MAX 35°C, MAXIMUM PARTICLE DIAMETER 10mm, MAXIMUM Immersion Depth 7m.

HIGH ALTITUDE, CAISION WELL PUMPS

QDX1,5-16-037

TYPE	HP	VOLT	CAPACITY							OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	1,00	2,00	3,00	4,00	6,00	-	inç	kg	
			lt/sn	0,00	0,28	0,56	0,83	1,11	1,67	-			
QDX 1,5-16-037	0,50	220V	MSS	18	16	15	13	12	8	-	1"	9,0	**182**

FLOAT, 10 mt CABLE, SINGLE STAGE, CLEAN WATER, WATER TEMPERATURE MAX 35°C, ALUMINUM BODY, Immersion Depth MAX 5 m.

QDX1,5-32-0,75F

TYPE	HP	VOLT	CAPACITY							OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	1,00	2,00	3,00	4,00	6,00	-	inç	kg	
			lt/sn	0,00	0,28	0,56	0,83	1,11	1,67	-			
QDX 1,5-32-0,75	1	220V	MSS	35	32	30	29	28	23	-	1"	15,6	**246**

FLOAT, 10 mt CABLE, SINGLE STAGE, CLEAN WATER, WATER TEMPERATURE MAX 35°C, STAINLESS BODY, Immersion Depth MAX 5 m.

SPA6-28/2-1.1A

TYPE	HP	VOLT	CAPACITY							OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	2,00	4,00	6,00	8,00	10,00	12,50	inç	kg	
			lt/sn	0,00	0,56	1,11	1,67	2,22	2,78	3,47			
SPA6-28/2-1.1A	1,5	220V	MSS	30	29	28	25	21	17	10	2"	23,0	**356**

FLOAT, 12 mt CABLE, MULTI-STAGE, CLEAN WATER, WATER TEMPERATURE MAX. 40°C, THERMAL PROTECTED, MAXIMUM Immersion Depth: 5 m.

SPA6-39/3-1.5A

TYPE	HP	VOLT	CAPACITY							OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	2,00	4,00	6,00	8,00	10,00	12,50	inç	kg	
			lt/sn	0,00	0,56	1,11	1,67	2,22	2,78	3,47			
SPA6-39/3-1.5A	2	220V	MSS	42	39	37	33	28	22	12	2"	28,5	**426**

FLOAT, 12 mt CABLE, MULTI-STAGE, CLEAN WATER, WATER TEMPERATURE MAX 40°C, THERMAL PROTECTED, MAXIMUM Immersion Depth 5 m.

has pompa®

HIGH ALTITUDE, CAISION WELL AND SEASEPTIC PUMPS

Q1000127-4P

TYPE	WATT	VOLT	CAPACITY								OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	1,50	3,00	3,50	4,50	6,00	6,50	-	inç	kg	
			lt/sn	0,00	0,42	0,83	0,97	1,25	1,67	1,81	-			
Q1000127-4P	1000	220V	MSS	40	35	30	25	20	6	0,1	-	1"	17,5	**195**

FLOAT, 10 m. CABLE, MULTI-STAGE, CLEAN WATER, WATER TEMPERATURE MAX. 35°C, MAXIMUM PARTICLE DIAMETER 1 mm, MAXIMUM Immersion Depth 7 m.

5" R128K

TYPE	HP	VOLT	CAPACITY								OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	1,00	2,00	3,00	4,00	5,00	6,00	6,60	inç	kg	
			lt/sn	0,00	0,28	0,56	0,83	1,11	1,39	1,67	1,83			
5" R128K-5	1,3	220V	MSS	72	62	59	54	47	37	26	18	1¼"	18,4	**447**
5" R128K-6	1,6	220V		82	76	71	65	56	45	31	22	1¼"	19,7	**482**

FLOAT, 15 m. WIRED, MULTI-STAGE, ITALIAN MECHANICAL SEAL, THERMAL PROTECTED, 304 STAINLESS IMPELLER, NORYL DIFFUSER, 304 COMPLETE STAINLESS OUTER SURFACE, Immersion Depth MAX 19 m.

NKm

TYPE	HP	VOLT	CAPACITY								OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	1,20	1,80	2,40	3,00	4,20	4,80	5,40	inç	kg	
			lt/sn	0,00	0,33	0,50	0,67	0,83	1,17	1,33	1,50			
NKm 3/6	1,5	220V	MSS	66	62	60	56	51	37	28	17	1¼"	20,0	**476**
NKm 3/8	2	320V		88	83	79	74	68	50	38	22	1¼"	24,0	**535**

FLOAT, 18mt CABLE, MULTI-STAGE, THERMAL PROTECTED, PPO IMPELLER, PPO DIFFUSER, 304 COMPLETE STAINLESS OUTER SURFACE, Immersion Depth MAX 20m.

COMPLETE STAINLESS STEEL PUMPS

TYPE	HP	VOLT	CAPACITY								OUT	WEIGHT	PRICE (DOLAR)
			m³/h	5,00	10,00	15,00	20,00	25,00	30,00	35,00	inç	kg	
			lt/sn	1,39	2,78	4,17	5,56	6,94	8,33	9,72			
WQ 20-10-1.5D	2	220V	MSS	13	12	11	10	8	6	4	2"	24,0	**804**
WQ 20-10-1.5	2	380V		13	12	11	10	8	6	4	2"	24,0	**768**
WQ 20-14-2.2	3	380V		18	17	16	14	13	11	8	2"	24,0	**833**

304 STAINLESS STEEL OPEN TYPE VORTEX IMPELLER, APPLICABLE PARTICLE DIAMETER MAX. 30 mm, IMMING DEPTH MAX. 5 m.

GRINDING, DRAINAGE PUMPS

TYPE	HP	VOLT	CAPACITY											OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	2,00	4,00	6,00	8,00	10,00	12,00	14,00	16,00	18,00	inç	kg	
			lt/sn	0,00	0,56	1,11	1,67	2,22	2,78	3,33	3,89	4,44	5,00			
QDX15-7-1.1F	1,5	220V	MSS	14	13	12	11	10	9	6,5	5	4	2	2"	27,0	**426**

WITH FLOATER, 10 mt CABLE, GRINDING, DIRTY WATER, WATER TEMPERATURE MAX 40°C, THERMAL PROTECTION, MAXIMUM Immersion Depth 5m.

BLADED, DRAIN PUMPS

TYPE	HP	VOLT	CAPACITY											OUT	WEIGHT	FİYAT[I] (DOLAR)
			m³/h	0,00	1,00	2,00	4,00	6,00	8,00	10,00	12,00	14,00	15,00	inç	kg	
			lt/sn	0,00	0,28	0,56	1,11	1,67	2,22	2,78	3,33	3,89	4,17			
V1100DF	1,5	220V	MSS	8	7,9	7,8	7,4	6,6	5,8	5	4	3	2,4	2"	22,5	**291**

FLOAT, 6mt CABLE, KNIFE, DIRTY WATER, MAXIMUM 40°C WATER TEMPERATURE, THERMAL PROTECTION, MAXIMUM Immersion Depth of 5m.

BLADED, DRAIN PUMPS

TYPE	HP	VOLT	CAPACITY											OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	2,00	4,00	6,00	8,00	10,00	12,00	14,00	16,00	18,00	inç	kg	
			lt/sn	0,00	0,56	1,11	1,67	2,22	2,78	3,33	3,89	4,44	5,00			
V1300DF	1,8	220V	MSS	12	11,6	10,8	10	9,2	8	6,8	5,4	4	2	2"	26,0	**329**

FLOAT, 6mt CABLE, KNIFE, DIRTY WATER, MAXIMUM 40°C WATER TEMPERATURE, THERMAL PROTECTION, MAXIMUM Immersion Depth of 5m.

has pompa®

GRINDING DRAIN PUMPS

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	4,00	5,00	6,00	8,00	10,00	-	-	-	inç	kg	
			lt/sn	0,00	1,11	1,39	1,67	2,22	2,78	-	-	-			
50U2.75S	1,0	220V	MSS	7,5	6,5	6	5,5	4,5	3	-	-	-	2"	20,0	**258**

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	4,00	6,50	9,00	12,00	13,00	-	-	-	inç	kg	
			lt/sn	0,00	1,11	1,81	2,50	3,33	3,61	-	-	-			
WQ 10-13-1.8GF	2,5	220V	MSS	21	18	15	12	8	5	-	-	-	2"	33,0	**602**
V2200C	3	380V		29	25	24	23	20	10	-	-	-	2"	32,0	**688**

OPEN TYPE VORTEX CAST IRON IMPELLER, SPECIAL GRINDING, IMMERSION DEPTH MAX 5 m. THE FEATURE TO ATTACH FIBER MATERIALS EASY, WQ 10-13-1.8GF-50U2.75S MODELS ARE FLOAT.

GRINDING CAST IRON BODY DRAINAGE PUMPS

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (DOLAR)
			m³/h	2,00	4,00	6,00	8,00	10,00	12,00	-	-	-	inç	kg	
			lt/sn	0,56	1,11	1,67	2,22	2,78	3,33	-	-	-			
40G21.1SF	1,5	220V	MSS	16	14	13	12	10	5	-	-	-	1½"	29,0	**545**
40G21.1	1,5	380V		16	14	13	12	10	5	-	-	-	1½"	30,0	**620**

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	6,00	12,00	15,00	17,00	21,00	24,00	-	-	inç	kg	
			lt/sn	0,00	1,67	3,33	4,17	4,72	5,83	6,67	-	-			
40G21,5	2	380V	MSS	-	19	15	12	8	-	-	-	-	1½"	41,0	**656**
40G22,2	3	380V		-	25	21	17	9	-	-	-	-	1½"	44,0	**699**
50G23,7	5	380V		-	30	29	28	27	24	21	-	-	2"	60,0	**1.071**
50G25,5	7,5	380V		-	41	39	38	37	34	31	-	-	2"	73,0	**1.314**

OPEN TYPE VORTEX CAST IRON IMPELLER, SPECIAL GRINDING, IMMERSION DEPTH MAX 5 m. FEATURE TO ATTACH FIBER MATERIALS WITH CONVENIENCE,

HIGH CAPACITY GRINDING CAST IRON BODY DRAINAGE PUMPS

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	4,00	14,00	25,00	35,00	40,00	44,00	-	-	inç	kg	
			lt/sn	0,00	1,11	3,89	6,94	9,72	11,11	12,22	-	-			
CWQ25-10-2.2	3	380V	MSS	-	20	17	13	8	6	2	-	-	2½"	41,0	**452**

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	8,00	30,00	40,00	50,00	60,00	75,00	-	-	inç	kg	
			lt/sn	0,00	2,22	8,33	11,11	13,89	16,67	20,83	-	-			
CWQ50-10-4	5,5	380V	MSS	-	23	19	16	14	10	5	-	-	3"	72,0	**720**

OPEN TYPE VORTEX HIGH CHROME ALLOY CAST IRON IMPELLER, SPECIAL GRINDERS, FIBER MATERIALS EASY SPINNING FEATURE, THREE-PHASE MODEL CONTACTOR AND FLOAT.

GRINDABLE FIBER MATERIALS



Towels • Diapers • Thread and similar fibrous materials

CAST IRON BODY, SHREDDER, DRAIN PUMPS

TYPE	HP	VOLT	CAPACITY							OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	4,00	8,00	12,00	14,00	15,00	inç	kg	
			lt/sn	0,00	1,11	2,22	3,33	3,89	4,17			
VH100/40M	1	220V	MSS	12	10	8	6	5	4,5	1½"	-	**287**
VH100/40	1	380V		12	10	8	6	5	4,5	1½"	-	**294**

CAST IRON VORTEX IMPELLER, APPLICABLE PARTICLE DIAMETER MAXIMUM 20mm. WITH WIRE AND VH100/40M MODEL WITH FLOATER.

TYPE	HP	VOLT	CAPACITY							OUT	WEIGHT	PRICE (DOLAR)
			m³/h	3,00	5,00	10,00	15,00	20,00	30,00	inç	kg	
			lt/sn	0,83	1,39	2,78	4,17	5,56	7,50			
WQ 15-9-1.1 QC	1,5	220V	MSS	14	13,5	12	10,5	8	4	2"	32,0	**509**

C TYPE CAST IMPELLER, CABLE AND FLOAT, CAN BE THROWED PARTICLE DIAMETER MAXIMUM 20 mm.

TYPE	HP	VOLT	CAPACITY							OUT	WEIGHT	PRICE (DOLAR)
			m³/h	8,00	18,00	30,00	35,00	42,00	50,00	inç	kg	
			lt/sn	2,22	5,00	8,33	9,72	11,67	13,89			
80C 21.5	2	380V	MSS	12	10	7	6	5	3	3"	44,0	**541**

C TYPE TUNGSTEN CUTTER WITH CAST IRON IMPELLER, APPLICABLE PARTICLE DIAMETER MAXIMUM 25 mm.

TYPE	HP	VOLT	CAPACITY							OUT	WEIGHT	PRICE (DOLAR)
			m³/h	10,00	20,00	30,00	40,00	50,00	70,00	inç	kg	
			lt/sn	2,78	5,56	8,33	11,11	13,89	19,44			
65 WQX 25-10-2,2	3	380V	MSS	14	12	9	8	-	-	2½"	45,0	**573**
65 WQX 25-15-3	4	380V		17	16	13	11	-	-	2½"	54,0	**717**
80 WQX 40-15-4	5,5	380V		19	17	14	12	9,0	-	3"	59,0	**903**
80 WQX 50-15-5,5	7,5	380V		21	19	17	15	12	6	3"	72,0	**1.143**

CAST IRON VORTEX IMPELLER, SUITABLE FOR USE IN ANIMAL FARM, APPLICABLE PARTICLE DIAMETER MAXIMUM 56 mm

TYPE	HP	VOLT	CAPACITY							OUT	WEIGHT	PRICE (DOLAR)
			m³/h	10,00	30,00	45,00	60,00	75,00	110,00	inç	kg	
			lt/sn	2,78	8,33	12,50	16,67	20,83	30,56			
WQ 65-12-5.5 QG	7,5	380V	MSS	26	23	18	15	12	5	4"	89,0	**1.146**
WQ 85-13-7.5 QG	10	380V		29	24	21	18	15	6	4"	105,0	**1.411**

C TYPE TUNGSTEN CUTTER WITH CAST IRON IMPELLER, APPLICABLE PARTICLE DIAMETER MAX 35 mm, MAXIMUM Immersion Depth 8 m.

has pompa®

CAST IRON BODY, SHREDDER, DRAIN PUMPS

TYPE	HP	VOLT	CAPACITY							OUT	WEIGHT	PRICE (DOLAR)
			m³/h	5,00	15,00	31,00	41,00	50,00	60,00	inç	kg	
			lt/sn	1,39	4,17	8,61	11,39	13,89	16,67			
50B 25,5	7,5	380V	MSS	42	40	32	28	20	-	2"	81,0	**1.078**
50B 27,5	10	380V		50	46	41	35	30	24	2"	127,0	**1.676**

CAST IRON CLOSED TYPE WIDE IMPELLER, APPLICABLE PARTICLE DIAMETER MAX 25 mm, MAXIMUM IMMERSION DEPTH 8 m.

CAST IRON BODY, SHREDDER, DRAIN PUMPS (1.450rpm)

TYPE	HP	VOLT	CAPACITY									OUT	WEIGHT	PRICE (DOLAR)
			m³/h	15,00	30,00	60,00	75,00	90,00	105,00	120,00	130,00	inç	kg	
			lt/sn	4,17	8,33	16,67	20,83	25,00	29,17	33,33	36,11			
100U 45,5	7,5	380V	MSS	13	12	11	9,5	8,5	7	6	4	4"	149,0	**1.719**

TYPE	HP	VOLT	CAPACITY							OUT	WEIGHT	PRICE (DOLAR)
			m³/h	15,00	60,00	80,00	110,00	150,00	170,00	inç	kg	
			lt/sn	4,17	16,67	22,22	30,56	41,67	47,22			
100U 47,5	10	380V	MSS	15	13	11	10	8	-	4"	165,0	**2.099**
100U 411	15	380V		17,5	16	15	13	12	10	4"	185,0	**2.335**

WITH CAST IRON VORTEX IMPELLER, APPLICABLE PARTICLE DIAMETER MAX 100mm, 1450 rpm 4-POLE, MAXIMUM Immersion Depth 8 m.

CAST IRON BODY, SHREDDER, DRAIN PUMPS (1.450rpm)

TYPE	HP	VOLT	CAPACITY							OUT	WEIGHT	PRICE (DOLAR)
			m³/h	70,00	150,00	200,00	250,00	350,00	450,00	inç	kg	
			lt/sn	19,44	41,67	55,56	69,44	97,22	125,00			
150 WQ 130-15-11	15	380V	MSS	19	15	14	9	-	-	6"	274,0	**3.187**
150 WQ 130-20-15	20	380V		24	20	18	15	-	-	6"	295,0	**3.538**
150 WQ 180-25-22	30	380V		33	28	25	22	13	-	6"	367,0	**4.805**
150 WQ 250-22-30	40	380V		31	28	26	24	19	10	8"	549,0	**6.731**

TYPE	HP	VOLT	CAPACITY									OUT	WEIGHT	PRICE (DOLAR)
			m³/h	60,00	180,00	240,00	300,00	360,00	420,00	480,00	540,00	600,00	inç	kg	
			lt/sn	16,67	50,00	66,67	83,33	100,00	116,67	133,33	150,00	166,67			
200B 445	60	380V	MSS	40	35	33	30	28	25	22	18	14	8"	634,0	**9.023**

CAST IRON CLOSED TYPE WIDE IMPELLER, APPLICABLE PARTICLE DIAMETER MAX 70 mm, MAXIMUM Immersion Depth 8 m, 1450 rpm 4-POLE.

IMPORT, CENTRIFUGAL AND DRAIN PUMPS

HAS PUMP, Imported, Industrial Type, Long-Term Durable Mud Pumps

INDUSTRIAL TYPE, LONG-TERM WORKING MUD PUMPS

TYPE	HP	VOLT	CAPACITY								OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	5,00	10,00	15,00	18,00	22,00	25,00	27,00	inç	kg	
			lt/sn	0,00	1,39	2,78	4,17	5,00	6,11	6,94	7,50			
KBZ 2-1,5	2	380V	MSS	22	19	17	15	13	9	6	4	2"	40,0	**724**

TYPE	HP	VOLT	CAPACITY								OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	5,00	10,00	15,00	18,00	22,00	25,00	27,00	inç	kg	
			lt/sn	0,00	1,39	2,78	4,17	5,00	6,11	6,94	7,50			
KBZ 2-2,2	3	380V	MSS	26	25	24	22	20	15	10	6	2"	43,0	**810**

TYPE	HP	VOLT	CAPACITY								OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	5,00	10,00	15,00	18,00	20,00	25,00	29,00	inç	kg	
			lt/sn	0,00	1,39	2,78	4,17	5,00	5,56	6,94	8,06			
KBZ 2-3,7	5	380V	MSS	35	33	30	27	24	22	20	15	2"	68,0	**1.275**

TYPE	HP	VOLT	CAPACITY								OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	10,00	15,00	20,00	25,00	30,00	35,00	40,00	inç	kg	
			lt/sn	0,00	2,78	4,17	5,56	6,94	8,33	9,72	11,11			
KBZ 3-1,5	2	380V	MSS	15	13	12	11	10	8	5	3	3"	40,0	**749**

TYPE	HP	VOLT	CAPACITY								OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	10,00	20,00	30,00	35,00	40,00	45,00	50,00	inç	kg	
			lt/sn	0,00	2,78	5,56	8,33	9,72	11,11	12,50	13,89			
KBZ 3-2,2	3	380V	MSS	21	18	16	13	11	8	4	2	3"	43,0	**845**

TYPE	HP	VOLT	CAPACITY								OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	10,00	20,00	30,00	35,00	40,00	50,00	55,00	inç	kg	
			lt/sn	0,00	2,78	5,56	8,33	9,72	11,11	13,89	15,28			
KBZ 3-3,7	5	380V	MSS	29	27	24	20	17	14	6	3	3"	68,0	**1.318**

TYPE	HP	VOLT	CAPACITY								OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	10,00	20,00	30,00	40,00	50,00	60,00	70,00	inç	kg	
			lt/sn	0,00	2,78	5,56	8,33	11,11	13,89	16,67	19,44			
KBZ 3-5,5	7,5	380V	MSS	32	31	29	27	23	19	11	6	3"	84,0	**1.665**

HIGH CHROME ALLOY IMPELLER, INSULATION CLASS (F), MAXIMUM IMMERSION DEPTH 25m, MAXIMUM PARTICLE DIAMETER; KBZ 2-1.5 - KBZ 3-5.5 : 8.5 mm,
WATER TEMPERATURE MAX 40°C MECHANICAL SEAL; 2.2 kW ≥ Sic-Sic / Carbon-Sic, 3.7 kW ≤ Sic-Sic / Sic-Sic (PUMP CAN WORK HORIZONTALLY.)

CENTRIFUGAL AND DRAIN PUMPS T18

has pompa®

INDUSTRIAL TYPE, LONG-TERM WORKING MUD PUMPS

TYPE	HP	VOLT	CAPACITY									OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	20,00	30,00	40,00	50,00	60,00	70,00	85,00	inç	kg	
			lt/sn	0,00	5,56	8,33	11,11	13,89	16,67	19,44	23,61			
KBZ 4-3,7	5	380V	MSS	18	16	15	14	13	10	8	3	4"	68,0	**1.343**

TYPE	HP	VOLT	CAPACITY									OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	40,00	50,00	60,00	70,00	80,00	90,00	100,00	inç	kg	
			lt/sn	0,00	11,11	13,89	16,67	19,44	22,22	25,00	27,78			
KBZ 4-5,5	7,5	380V	MSS	23	18	17	15	13	11	7	3	4"	84,0	**1.701**

TYPE	HP	VOLT	CAPACITY									OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	20,00	30,00	40,00	50,00	60,00	70,00	80,00	inç	kg	
			lt/sn	0,00	5,56	8,33	11,11	13,89	16,67	19,44	22,22			
KBZ 4-7,5	10	380V	MSS	40	34	32	30	26	22	16	6	4"	116,0	**2.192**

TYPE	HP	VOLT	CAPACITY									OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	20,00	30,00	40,00	50,00	60,00	70,00	85,00	inç	kg	
			lt/sn	0,00	5,56	8,33	11,11	13,89	16,67	19,44	23,61			
KBZ 4-11	15	380V	MSS	49	41	37	33	28	23	18	8	4"	148,0	**2.911**

TYPE	HP	VOLT	CAPACITY									OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	11,00	21,00	31,00	41,00	50,00	60,00	80,00	inç	kg	
			lt/sn	0,00	3,06	5,83	8,61	11,39	13,89	16,67	22,22			
KBZ 4-15	20	380V	MSS	55	52	51	49	46	44	41	29	4"	158,0	**3.745**

TYPE	HP	VOLT	CAPACITY									OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	40,00	60,00	80,00	100,00	110,00	120,00	125,00	inç	kg	
			lt/sn	0,00	11,11	16,67	22,22	27,78	30,56	33,33	34,72			
KBZ 6-7,5	10	380V	MSS	31	25	21	17	11	8	5	2	6"	119,0	**2.399**

TYPE	HP	VOLT	CAPACITY									OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	40,00	60,00	80,00	100,00	120,00	140,00	147,00	inç	kg	
			lt/sn	0,00	11,11	16,67	22,22	27,78	33,33	38,89	40,83			
KBZ 6-11	15	380V	MSS	32	28	26	22	18	13	6	3	6"	150,0	**3.033**

TYPE	HP	VOLT	CAPACITY									OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	51,00	63,00	70,00	90,00	125,00	143,00	155,00	inç	kg	
			lt/sn	0,00	14,17	17,50	19,44	25,00	34,72	39,72	43,06			
KBZ 6-15	20	380V	MSS	39	35	34	33	31	24	20	2	6"	160,0	**3.903**

HIGH CHROME ALLOY IMPELLER, INSULATION CLASS (F), MAXIMUM IMMERSION DEPTH 25m, MAXIMUM PARTICLE DIAMETER; KBZ 2-1.5 - KBZ 4-5.5 : 8.5 mm,
WATER TEMPERATURE MAX 40°C. KBZ 4-7.5 - KBZ 4-15 : 11.5mm, KBZ 6-7.5 - KBZ 6-15 : 19.5mm,
MECHANICAL SEAL; 2.2 kW ≥ Sic-Sic / Carbon-Sic, 3.7 kW ≤ Sic-Sic / Sic-Sic (PUMP CAN WORK HORIZONTALLY.)

IMPORT, CENTRIFUGAL AND DRAIN PUMPS

HAS PUMP, Imported, Industrial Type, Long-Term Durable Mud Pumps

INDUSTRIAL TYPE, LONG WORKING MUD PUMPS (1,450 rpm)

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (DOLAR)
			m³/h	-	2,00	4,00	5,00	8,00	9,00	10,00	11,00	12,00	inç	kg	
			lt/sn	-	0,56	1,11	1,39	2,22	2,50	2,78	3,06	3,33			
FDM 2,55	0,75	220V	MSS	-	12	11	10	8	7	6	5	4	2"	16,5	**409**

HIGH CHROME ALLOY IMPELLER, WITH CABLE AND FLOAT, INSULATION CLASS (F), MAXIMUM PARTICLE DIAMETER 9mm, MAXIMUM Immersion Depth 10 m,

INDUSTRIAL TYPE, LONG-TERM WORKING MUD PUMPS

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	10,00	20,00	25,00	30,00	50,00	60,00	85,00	-	inç	kg	
			lt/sn	0,00	2,78	5,56	6,94	8,33	13,89	16,67	23,61	-			
KBD21,5	2	380V	MSS	20	17	12	8	-	-	-	-	-	2"	41,0	**849**
KBD22,2	3	380V		25	23	19	10	-	-	-	-	-	2"	44,0	**942**
KBD33,7	5	380V		30	27	24	22	20	11	4	-	-	3"	69,0	**1.454**
KBD43,7	5	380V		18	17,5	17	16,5	16	13	11	4	-	4"	70,0	**1.497**

HIGH CHROME ALLOY IMPELLER, WITH CABLE AND FLOAT, INSULATION CLASS (F), MAXIMUM PARTICLE DIAMETER 10mm, MAXIMUM Immersion Depth 25 m.

INDUSTRIAL TYPE, LONG WORKING MUD PUMPS (1,450 rpm)

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	12,00	20,00	42,00	56,00	72,00	84,00	100,00	-	inç	kg	
			lt/sn	0,00	3,33	5,56	11,67	15,56	20,00	23,33	27,78	-			
80 KBS 44	5,5	380V	MSS	16	15	14	12	10	8	6	2	-	3"	119,0	**2.557**

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	18,00	46,00	70,00	90,00	100,00	120,00	140,00	-	inç	kg	
			lt/sn	0,00	5,00	12,78	19,44	25,00	27,78	33,33	38,89	-			
100 KBS 46	8	380V	MSS	17	16	14	12	10	8	6	2	-	4"	151,0	**3.130**

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	36,00	48,00	76,00	96,00	112,00	126,00	170,00	-	inç	kg	
			lt/sn	0,00	10,00	13,33	21,11	26,67	31,11	35,00	47,22	-			
150 KBS 49	12	380V	MSS	22	21	20	18	16	14	12	2	-	6"	185,0	**3.620**

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	120,00	160,00	200,00	240,00	270,00	320,00	360,00	-	inç	kg	
			lt/sn	0,00	33,33	44,44	55,56	66,67	75,00	88,89	100,00	-			
200 KBS 415	20	380V	MSS	22	19	18	16	14	12	11	3	-	8"	278,0	**7.340**

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	120,00	160,00	200,00	240,00	270,00	320,00	360,00	-	inç	kg	
			lt/sn	0,00	33,33	44,44	55,56	66,67	75,00	88,89	100,00	-			
200 KBS 422	30	380V	MSS	32	28	26	23	20	18	11	3	-	8"	434,0	**9.130**

HIGH CHROME ALLOY IMPELLER, WITH CABLE, INSULATION CLASS (F), MAXIMUM PARTICLE DIAMETER 30mm, MAXIMUM IMMERSION DEPTH 15 m,
WATER TEMPERATURE MAX 40°C, 1450 rpm 4-POLE, PUMP CAN BE OPERATED HORIZONTALLY.
SCOPE OF APPLICATION ; CONSTRUCTIONS, QUARRY, COAL QUARRY, MARBLE QUARRY, SAND QUARRY, SEWAGE TREATMENT FACILITIES, DAMS, ANIMAL FARMS.

has pompa®

INDUSTRIAL TYPE, LONG WORKING MUD PUMPS (1,450 rpm)

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	15,00	30,00	45,00	50,00	60,00	65,00	71,00	-	inç	kg	
			lt/sn	0,00	4,17	8,33	12,50	13,89	16,67	18,06	19,72	-			
NTZ32.2	3	380V	MSS	12	11	10,5	9,5	9	8	7	5	-	3"	-	**2.138**

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	15,00	30,00	45,00	50,00	60,00	70,00	90,00	-	inç	kg	
			lt/sn	0,00	4,17	8,33	12,50	13,89	16,67	19,44	25,00	-			
NTZ33.7	5	380V	MSS	15	14,5	14	13	12	11	10	7	-	3"	-	**2.603**

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	15,00	30,00	45,00	60,00	70,00	90,00	110,00	-	inç	kg	
			lt/sn	0,00	4,17	8,33	12,50	16,67	19,44	25,00	30,56	-			
NTZ43.7	5	380V	MSS	15	14,5	14	13	11	10	7	3	-	4"	-	**2.610**

HIGH CHROME ALLOY IMPELLER, INSULATION CLASS (F), APPLICABLE PARTICLE DIAMETER MAX. 20 mm, MAX. Immersion Depth 20 m, MAX. WATER TEMPERATURE MAX 40˚C, 1450 rpm 4-POLE.

INDUSTRIAL TYPE, ECONOMIC MUD PUMPS WITH Agitator (1.450 rpm)

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	20,00	30,00	40,00	50,00	60,00	75,00	85,00	-	inç	kg	
			lt/sn	0,00	5,56	8,33	11,11	13,89	16,67	20,83	23,61	-			
80QNS42.2	3	380V	MSS	13	12,5	12	11	10	9	6	-	-	3"	91,0	**1.436**
80QNS43.7	5	380V		16	15	14,5	14	13	12	11	8	-	3"	101,0	**1.798**

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	40,00	60,00	80,00	100,00	120,00	140,00	160,00	-	inç	kg	
			lt/sn	0,00	11,11	16,67	22,22	27,78	33,33	38,89	44,44	-			
100QNS45.5	7,5	380V	MSS	16	15	14	13	11	9	6	-	-	4"	156,0	**2.242**
100QNS47.5	10	380V		19	18	17	16	14,5	12,5	10	7	-	4"	172,0	**2.729**

HIGH CHROME ALLOY IMPELLER, INSULATION CLASS (F), APPLICABLE PARTICLE DIAMETER MAX. 20 mm, MAX. DEPTH OF Immersion 15 m, MAX. WATER TEMPERATURE MAX 40˚C, 1450 rpm 4-POLE.

CAST IRON BODY HIGH CAPACITY WASTE WATER PUMPS (1.450 rpm)

TYPE	HP	VOLT	CAPACITY										OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	20,00	40,00	60,00	80,00	100,00	130,00	-		inç	kg	
			lt/sn	0,00	5,56	11,11	16,67	22,22	27,78	36,11	-	-			
100B42.2	3	380V	MSS	12	10	8,5	7	5,5	4	-	-	-	4"	89,0	**1.311**
100B43.7	5	380V		16	14	13	11,5	10	8	4	-	-	4"	99,0	**1.597**

CAST IRON CLOSED TYPE WIDE IMPELLER, CABLE, INSULATION CLASS (F), APPLICABLE PARTICLE DIAMETER MAX 50 mm, MAXIMUM Immersion Depth 15m, 1450 rpm 4-POLE. SCOPE OF APPLICATION ; CONSTRUCTIONS, QUARRY, COAL QUARRY, MARBLE QUARRY, SAND QUARRY, SEWAGE TREATMENT FACILITIES, DAMS, ANIMAL FARMS.

INDUSTRIAL TYPE, LONG-TERM OPERATING DRAINAGE PUMPS

KSE
Sensörlü ve
Kontaktörlü

TYPE	HP	VOLT	CAPACITY									OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	5,00	10,00	15,00	18,00	22,00	25,00	27,00	-	inç	kg	
			lt/sn	0,00	1,39	2,78	4,17	5,00	6,11	6,94	7,50	-			
KSE21.5	2	380V	MSS	22	19	17	15	13	9	6	4	-	2"	41,0	**994**
KSM21.5F	2	220V		22	19	17	15	13	9	6	4	-	2"	41,0	**772**

TYPE	HP	VOLT	CAPACITY									OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	10,00	15,00	20,00	25,00	30,00	35,00	40,00	-	inç	kg	
			lt/sn	0,00	2,78	4,17	5,56	6,94	8,33	9,72	11,11	-			
KSM31.5	2	380V	MSS	15	13	12	11	10	8	5	3	-	3"	41,0	**796**

TYPE	HP	VOLT	CAPACITY									OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	5,00	10,00	15,00	18,00	22,00	25,00	27,00	-	inç	kg	
			lt/sn	0,00	1,39	2,78	4,17	5,00	6,11	6,94	7,50	-			
KS22.2F	3	380V	MSS	26	25	24	22	20	15	10	6	-	2"	46,0	**914**

TYPE	HP	VOLT	CAPACITY									OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	5,00	10,00	15,00	18,00	20,00	25,00	29,00	-	inç	kg	
			lt/sn	0,00	1,39	2,78	4,17	5,00	5,56	6,94	8,06	-			
KS23.7F	5	380V	MSS	35	33	30	27	24	22	20	15	-	2"	66,0	**1.425**

TYPE	HP	VOLT	CAPACITY									OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	10,00	15,00	20,00	25,00	30,00	35,00	40,00	-	inç	kg	
			lt/sn	0,00	2,78	4,17	5,56	6,94	8,33	9,72	11,11	-			
KS31.5F	2	380V	MSS	15	13	12	11	10	8	5	3	-	3"	43,0	**860**

TYPE	HP	VOLT	CAPACITY									OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	10,00	20,00	30,00	35,00	40,00	45,00	50,00	-	inç	kg	
			lt/sn	0,00	2,78	5,56	8,33	9,72	11,11	12,50	13,89	-			
KS32.2F	3	380V	MSS	21	18	16	13	11	8	4	2	-	3"	46,0	**936**

TYPE	HP	VOLT	CAPACITY									OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	10,00	20,00	30,00	35,00	40,00	50,00	55,00	-	inç	kg	
			lt/sn	0,00	2,78	5,56	8,33	9,72	11,11	13,89	15,28	-			
KS33.7F	5	380V	MSS	29	27	24	20	17	14	6	3	-	3"	66,0	**1.446**

TYPE	HP	VOLT	CAPACITY									OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	10,00	20,00	30,00	40,00	50,00	60,00	70,00	-	inç	kg	
			lt/sn	0,00	2,78	5,56	8,33	11,11	13,89	16,67	19,44	-			
KS35.5F	7,5	380V	MSS	32	31	29	27	23	19	11	6	-	3"	74,0	**1.758**

TYPE	HP	VOLT	CAPACITY									OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	20,00	30,00	40,00	50,00	60,00	70,00	85,00	-	inç	kg	
			lt/sn	0,00	5,56	8,33	11,11	13,89	16,67	19,44	23,61	-			
KS43.7F	5	380V	MSS	18	16	15	14	13	10	8	3	-	4"	67,0	**1.456**

TYPE	HP	VOLT	CAPACITY									OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	40,00	50,00	60,00	70,00	80,00	90,00	100,00	-	inç	kg	
			lt/sn	0,00	11,11	13,89	16,67	19,44	22,22	25,00	27,78	-			
KS45.5F	7,5	380V	MSS	23	18	17	15	13	11	7	3	-	4"	75,0	**1.779**

HIGH CHROME ALLOY IMPELLER, INSULATION CLASS (F), MAXIMUM IMMERSION DEPTH 25 m, APPLICABLE PARTICLE DIAMETER MAXIMUM: 8.5 mm, WATER TEMPERATURE MAX 40°C. ALL PUMPS ARE FLOAT. THE KSE MODEL HAS SENSORED LEVEL CONTROL. PUMP BODY IS STAINLESS STEEL.

PUMP CAN WORK HORIZONTALLY.

Get Daily Price

has pompa®

COMPLETE STAINLESS STEEL OPEN IMPELLER CENTRIFUGAL PUMPS

TYPE	HP	VOLT	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	2,00	3,00	4,00	5,00	6,00	7,00	-	inç	inç	kg	
			lt/sn	0,00	0,56	0,83	1,11	1,39	1,67	1,94	-				
BK50 (304)	0,50	220V	MSS	13	11	10	9	8,5	8	6	-	1¼"	1"	6,2	**192**
BK50 (304)	0,50	380V		13	11	10	9	8,5	8	6	-	1¼"	1"	6,2	**192**
BK50 (316)	0,50	220V		13	11	10	9	8,5	8	6	-	1¼"	1"	6,2	**221**

STAINLESS STEEL IMPELLER AND PUMP BODY, INSULATION CLASS (F), MAXIMUM SUCTION 6 m, MAXIMUM WATER TEMPERATURE 80°C. 220V PUMPS ARE THERMAL PROTECTED. SURFACES IN CONTACT WITH WATER ARE STAINLESS STEEL.

316 L COMPLETE STAINLESS STEEL OPEN IMPELLER CENTRIFUGAL PUMPS

TYPE	HP	VOLT	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	6,00	12,00	18,00	24,00	33,00	42,00	-	inç	inç	kg	
			lt/sn	0,00	1,67	3,33	5,00	6,67	9,17	11,67	-				
BK120D (304)	1,2	220V	MSS	12	11	10	9	-	-	-	-	1½"	1½"	11,0	**281**
BK100D (316)	1	220V		10	8	7	5	-	-	-	-	1½"	1½"	10,5	**323**
BK120D (316)	1,2	220V		12	11	10	9	-	-	-	-	1½"	1½"	11,0	**333**
BK120 (316)	1,2	380V		12	11	10	9	-	-	-	-	1½"	1½"	11,0	**331**
BK200D (316)	2	220V		14	12,7	12	11,2	10	8,3	6,5	-	2"	2"	16,0	**479**
BK200 (316)	2	380V		14	13	12	11,2	10	8,3	6,5	-	2"	2"	16,0	**456**
BK300 (316)	3	380V		16	15	14	14	13	11	10	-	2½"	2"	22,0	**552**
BK400 (316)	4	380V		18	17,5	16,8	16	15,2	14	12,5	-	2½"	2"	24,0	**610**

STAINLESS STEEL IMPELLER AND PUMP BODY, INSULATION CLASS (F), MAXIMUM SUCTION 6 m, WATER TEMPERATURE MAX 80°C. 220V PUMPS ARE THERMAL PROTECTED. SURFACES IN CONTACT WITH WATER ARE STAINLESS STEEL.

304 COMPLETE STAINLESS STEEL CLOSED IMPELLER CENTRIFUGAL PUMPS

TYPE	HP	VOLT	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	6,00	12,00	18,00	24,00	30,00	36,00	-	inç	inç	kg	
			lt/sn	0,00	1,67	3,33	5,00	6,67	8,33	10,00	-				
BB250/0.75	1	380V	MSS	16	14,5	13	10	6	-	-	-	1½"	1½"	11,2	**300**
BB250/0.75D	1	220V		16	15	13	10	6	-	-	-	1½"	1½"	11,2	**310**
BB300/110D	1,5	220V		20	18,5	16,5	13,5	9,5	-	-	-	2"	2"	16,0	**385**
BB300/110	1,5	380V		20	18,5	16,5	13,5	9,5	-	-	-	2"	2"	16,0	**371**
BB300/150D	2	220V		24	22,5	20,5	17,5	13,5	-	-	-	2"	2"	17,0	**427**
BB300/150	2	380V		24	22,5	20,5	17,5	13,5	-	-	-	2"	2"	17,0	**406**
BB500/220	3	380V		23	22	21,5	20	18,5	16,5	14,5	-	2"	2"	22,5	**487**
BB500/300	4	380V		25	24	23	22,5	21	19	17	-	2"	2"	24,5	**539**

STAINLESS STEEL IMPELLER AND PUMP BODY, INSULATION CLASS (F), MAXIMUM SUCTION 6 m, MAXIMUM WATER TEMPERATURE 80°C. 220V PUMPS ARE THERMAL PROTECTED. SURFACES IN CONTACT WITH WATER ARE STAINLESS STEEL.

SINGLE STAGE 304 COMPLETE STAINLESS STEEL CENTRIFUGAL PUMPS

TYPE	HP	VOLT	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	2,40	4,80	7,20	9,60	12,00	14,40	-	inç	inç	kg	
			lt/sn	0,00	0,67	1,33	2,00	2,67	3,33	4,00	-				
CDC 200/185	2,5	220V	MSS	43	40	38	36	34	32	28	-	1½"	1¼"	-	**410**
CDC 200/185T	2,5	380V		43	40	38	36	34	32	28	-	1½"	1¼"	-	**383**

WATER TEMPERATURE MAX 80°C. SURFACES IN CONTACT WITH WATER ARE STAINLESS STEEL.

Günlük Fiyat Alınız

DOUBLE STAGE 304 COMPLETE STAINLESS STEEL CENTRIFUGAL PUMPS

TYPE	HP	VOLT	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	2,40	3,60	4,80	6,00	7,20	8,40	-	inç	inç	kg	
			lt/sn	0,00	0,67	1,00	1,33	1,67	2,00	2,33	-				
WB 2-70/150D	2	220V	MSS	57	52	50	47	43	-	-	-	1¼"	1"	15,5	**562**
WB 2-70/150	2	380V		57	52	50	47	43	-	-	-	1¼"	1"	15,5	**556**
WB 2-70/185D	2,5	220V		64	58	56	52	48	-	-	-	1¼"	1"	20,0	**610**
WB 2-70/185	2,5	380V		64	58	56	52	48	-	-	-	1¼"	1"	20,0	**585**
WB 2-120/260	3,5	380V		65	60	58	56	53	50	47	-	1¼"	1"	23,6	**695**
WB 2-120/300	4	380V		68	65	63	61	58	55	52	-	1¼"	1"	25,4	**749**

WATER TEMPERATURE MAX 80°C. SURFACES IN CONTACT WITH WATER ARE STAINLESS STEEL.

HORIZONTAL SHAFT MULTI-STAGE 304 COMPLETE STAINLESS STEEL CENTRIFUGAL PUMPS

TYPE	HP	VOLT	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	0,50	1,00	1,50	2,00	2,50	3,00	-	inç	inç	kg	
			lt/sn	0,00	0,14	0,28	0,42	0,56	0,69	0,83	-				
DW 2-60 0.75D	1	220V	MSS	57	53	50	47	44	40	36	-	1"	1"	10,0	**371**

TYPE	HP	VOLT	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	5,00	6,00	7,00	8,00	9,00	12,00	-	inç	inç	kg	
			lt/sn	0,00	1,39	1,67	1,94	2,22	2,50	3,33	-				
DW 8-50 2.2D	3	220V	MSS	52	49	48	47	45	43,5	36	-	1½"	1½"	24,5	**747**
DW 8-50 2.2	3	380V		52	49	48	47	45	43,5	36	-	1½"	1½"	24,5	**652**

WATER TEMPERATURE MAX 100°C. SURFACES IN CONTACT WITH WATER ARE STAINLESS STEEL.

COMPLETE STAINLESS STEEL HOT WATER PUMPS

TYPE	HP	VOLT	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	6,00	9,00	12,00	18,00	20,00	22,00	-	inç	inç	kg	
			lt/sn	0,00	1,67	2,50	3,33	5,00	5,56	6,11	-				
GZA(S) 50-32-200/3	4	380V	MSS	45	41	40	38	34	32	-	-	2"	1½"	35,0	**737**
GZA(S) 50-32-200/4	5,5	380V		55	51	50	49	46	45	43	-	2"	1½"	42,0	**887**

TYPE	HP	VOLT	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	10,00	20,00	30,00	40,00	50,00	60,00	-	inç	inç	kg	
			lt/sn	0,00	2,78	5,56	8,33	11,11	13,89	16,67	-				
GZA 65-50-160/5.5T	7,5	380V	MSS	36	34,5	34	31,5	28,5	24	20	-	2½"	2"	49,0	**947**
GZA 65-50-160/7.5T	10	380V		43	41	40,5	39	36	32	27,5	-	2½"	2"	60,0	**1.072**

WATER TEMPERATURE MAX 110°C. SURFACES IN CONTACT WITH WATER ARE STAINLESS STEEL.

Get Daily Price

has pompa®

HORIZONTAL SHAFT MULTI-STAGE STAINLESS STEEL CENTRIFUGAL PUMPS

TYPE	HP	VOLT	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	1,00	2,00	3,00	4,00	5,00	6,00	-	inç	inç	kg	
			lt/sn	0,00	0,28	0,56	0,83	1,11	1,39	1,67	-				
CM 4-60 (304)	1,5	220V	MSS	52	50	48	45	42	34	25	-	1¼"	1"	12,2	**283**
CM 4-60 (316)	1,5	380V		52	50	48	45	42	34	25	-	1¼"	1"	12,2	**331**

NORYL IMPELLER, SHAFT AND BODY ARE 304-316 STAINLESS STEEL. MAXIMUM SUCTION 4 m, MAXIMUM WATER TEMPERATURE 40°C. 220V PUMPS ARE THERMAL PROTECTED.

HORIZONTAL SHAFT MULTI-STAGE COMPLETE STAINLESS STEEL CENTRIFUGAL PUMPS

TYPE	HP	VOLT	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	1,00	1,50	2,00	2,50	3,00	3,50	-	inç	inç	kg	
			lt/sn	0,00	0,28	0,42	0,56	0,69	0,83	0,97	-				
CMH 2-60 (304)	1	220V	MSS	56	50	48	42	38	32	25	-	1"	1"	11,5	**325**

TYPE	HP	VOLT	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	2,00	3,00	4,00	5,00	6,00	7,00	-	inç	inç	kg	
			lt/sn	0,00	0,56	0,83	1,11	1,39	1,67	1,94	-				
CMH 4-60 (304)	1,5	220V	MSS	58	53	50	45	40	33	24	-	1¼"	1"	13,0	**396**
CMH 4-60 (316)	1,5	220V		58	53	50	45	40	33	24	-	1¼"	1"	13,0	**502**

STAINLESS STEEL IMPELLER AND DIFFUSER. MAXIMUM SUCTION 4 m, MAXIMUM WATER TEMPERATURE 70°C. PUMPS ARE THERMAL PROTECTED. SURFACES IN CONTACT WITH WATER ARE STAINLESS STEEL. ISOLATION CLASS (F).

HORIZONTAL SHAFT MULTI-STAGE COMPLETE STAINLESS STEEL CENTRIFUGAL PUMPS

TYPE	HP	VOLT	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	4,00	6,00	7,00	8,00	9,00	10,00	-	inç	inç	kg	
			lt/sn	0,00	1,11	1,67	1,94	2,22	2,50	2,78	-				
CMH 8-40 (304)	3	220V	MSS	68	65	57	50	48	42	34	-	1½"	1½"	24,1	**618**
CMH 8-40T (304)	3	380V		68	65	57	50	48	42	34	-	1½"	1½"	24,1	**504**

TYPE	HP	VOLT	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	10,00	14,00	18,00	20,00	22,00	24,00	28,00	inç	inç	kg	
			lt/sn	0,00	2,78	3,89	5,00	5,56	6,11	6,67	7,78				
CMH 20-40T	5,5	380V	MSS	-	50	46	42	40	36	28	24	2"	2"	34,0	**658**

STAINLESS STEEL IMPELLER AND DIFFUSER. MAXIMUM SUCTION 4 m, MAXIMUM WATER TEMPERATURE 70°C. 220 V PUMPS ARE THERMAL PROTECTED. SURFACES IN CONTACT WITH WATER ARE STAINLESS STEEL. ISOLATION CLASS (F).

PLASTIC BODY CHEMICAL WATER TRANSFER PUMP

TYPE	HP	VOLT	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	1,20	2,40	3,00	3,60	4,00	4,80	-	inç	inç	kg	
			lt/sn	0,00	0,33	0,67	0,83	1,00	1,11	1,33	-				
CN 142 P	0,65	220V	MSS	26	25	24	23	22	21	18	-	1"	1"	12,2	**159**

IMPELLER AND BACK COVER PPO PUMP BODY IS FIBER GLASS REINFORCED PLASTIC. SHAFT IS SS 304 STAINLESS STEEL. MAXIMUM SUCTION 6 m, MAXIMUM WATER TEMPERATURE 60°C

STAINLESS STEEL BODY OIL TRANSFER PUMPS

TYPE	HP	VOLT	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	0,60	0,90	1,20	1,80	3,00	3,40	-	inç	inç	kg	
			lt/sn	0,00	0,17	0,25	0,33	0,50	0,83	0,94	-				
BEM-20 (2850d/d)	0,6	220V	MSS	18	13	10	8	4	-	-	-	3/4"	3/4"	5,0	**225**
BEM-35 (1450d/d)	1,1	220V		14	13	12	11	9	5	4	-	1¼"	1¼"	11,0	**327**

STAINLESS STEEL IMPELLER AND PUMP BODY. IT IS USED IN LIQUID TRANSFER SUCH AS FRUIT JUICES, VINEGAR, OIL AND WINE. WATER TEMPERATURE MAX 40°C.

PLASTIC BODY SALT WATER TRANSFER PUMP

TYPE	HP	VOLT	CAPACITY									INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	3,00	6,00	7,50	8,50	10,00	11,00	-	inç	inç	kg	
			lt/sn	0,00	0,83	1,67	2,08	2,36	2,78	3,06	-				
TDA 50	0,5	220V	MSS	11,5	10	8	7	6	5	4	-	2"	2"	6,0	**134**
TDA 75	0,75	220V		8	7	5,5	4,5	4	3	2	-	2"	2"	8,0	**177**

TDA75 Plastik Açık IMPELLER

SHAFT WITH PLASTIC IMPELLER (TDA 75 OPEN IMPELLER) IS 316 STAINLESS STEEL. IT IS WITH ON-OFF SWITCH, 1.5 METERS CABLE AND PLUG. WATER TEMPERATURE MAX 40°C. THERMAL PROTECTED. MECHANICAL SEAL: CARBON/SIC/VITON/SUS 316.

Günlük Fiyat Alınız

has pompa®

CENTRIFUGAL AND DRAIN PUMPS T15

ORNAMENTAL POOL PUMPS - WITH 3 KINDS OF HEADS

TYPE	WATT	VOLT	HM	CAPACITY	INPUT	OUT	PRICE (DOLAR)
PFP50-2000	50	220	2,5	2	-	-	**73**
PFP120-3600	120	220	4,2	3,6	-	-	**121**

Viton Gövde

IDIAPHRAGM (12V-24V-220V) FUEL, OIL, ADBLUE, AUS32, UREA, WATER PUMPS

TYPE	WATT	VOLT	HM	CAPACITY	INPUT	OUT	PRICE (DOLAR)
GP 30012H	120	12	20	2	1"	1"	**271**
GP 30024H	180	24	20	2	1"	1"	**271**
GP 40230	330	220	20	2,6	1"	1"	**292**

Viton Gövde

DIAPHRAGM (12V-24V) AUTOMATIC WATER PUMPS - BOAT AND CARAVAN HYDROFOUR

TYPE	WATT	VOLT	HM	CAPACITY	INPUT	OUT	PRICE (DOLAR)
GP 2612	120	12	40	1,4	3/4"	3/4"	**186**
GP 2624	120	24	40	1,4	3/4"	3/4"	**186**

VITON BODY DIAPHRAGM EPDM. PUMP BODY AND CHECK VALVE VITON. CHECK VALVE SPRING AND MOTOR SHAFT ARE AISI 316 STAINLESS STEEL.

DIAPHRAGM (12V) AUTOMATIC WATER PUMPS - BOAT AND CARAVAN HYDROFOUR

TYPE	WATT	VOLT	HM	CAPACITY	INPUT	OUT	PRICE (DOLAR)
FL 35	80	12	20	1,02	3/4"	3/4"	**110**
FL 40	100	12	27	1,02	3/4"	3/4"	**115**
FL 44	100	24	27	1,02	3/4"	3/4"	**115**

FUEL, OIL TRANSFER PUMPS (12V-220V)

Paletli IMPL

TYPE	WATT	VOLT	HM	CAPACITY	INPUT	OUT	PRICE (DOLAR)
DP 70012A	180	12	12	4,2	1"	1"	**231**
DP 70230A	370	220	16	4,2	1"	1"	**246**

IMPORT, Bilge Pumps (12V-24V)

FP3500 FP2000

FP2000A WWB-01301

TYPE	WATT	VOLT	HM	CAPACITY	INPUT	OUT	PRICE (DOLAR)
FP 2000	96	12	4	7,6	1"	1"	**50**
FP 2000	96	24	4	7,6	1"	1"	**50**
FP 3500	120	12	8	13	1½"	1½"	**90**
FP 3500	120	24	8	13	1½"	1½"	**90**
FP 2000A	96	12	4	7,6	1"	1"	**73**
FP 2000A	96	24	4	7,6	1"	1"	**73**
WWB-01301	120	12	6	7,6	1"	1"	**75**

Get Daily Price

CENTRIFUGAL AND DRAIN PUMPS T15

has pompa®

SS 304 CHROME SHAFT 24V DC STAINLESS BODY JET PUMP

TYPE	HP	VOLT	CAPACITY								INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	0,90	1,50	2,00	2,40	2,80	3,00	inç	inç	kg	
			lt/sn	0,00	0,25	0,42	0,56	0,67	0,78	0,83				
SYDC 400-50-1	0,75	24V	MSS	36	29	23	21	18	15	9	1"	1"	7,5	**246**

24 Volt DC

PLASTIC IMPELLER, MAXIMUM SUCTION 9 m, MAXIMUM WATER TEMPERATURE 40°C. THERMAL PROTECTED. SHAFT IS STAINLESS STEEL.

SMART TYPE AUTOMATIC BOOSTER PUMP

TYPE	HP	VOLT	CAPACITY								INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	0,60	1,00	1,20	1,50	1,80	2,10	inç	inç	kg	
			lt/sn	0,00	0,17	0,28	0,33	0,42	0,50	0,58				
PHJ 370A	0,55	220V	MSS	35	31	25	23	20	17	8	1"	1"	9,8	**159**

BRASS IMPELLER, MAXIMUM SUCTION 6 m, MAXIMUM WATER TEMPERATURE 80°C. THERMAL PROTECTED. STAINLESS STEEL SHAFT AND BEARING.
AUTOMATIC STOP FEATURE IN 6 MINUTES WHEN THROUGH THREE.

MECHANICAL SWITCH HOT WATER PUMP

TYPE	WATT	VOLT	CAPACITY								INPUT	OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	1,00	1,30	1,60	2,00	2,50	2,80	inç	inç	kg	
			lt/sn	0,00	0,28	0,36	0,44	0,56	0,69	0,78				
PLX 169EA	200	220V	MSS	15	12	11	10	9	7	5	3/4"	3/4"	12,0	**175**

STAINLESS IMPELLER, WATER TEMPERATURE MAX 100°C.

MECHANICALLY CONTROLLED, PRESSURE INCREASING SOLAR AND HOT WATER PUMP

TYPE	VOLT	WATT	CAPACITY								INPUT	OUT	PRICE (DOLAR)
			m³/h	0,00	0,40	0,60	0,80	1,00	1,30	1,50	inç	inç	
			lt/sn	0,00	0,11	0,17	0,22	0,28	0,36	0,42			
TSP60	220V	260	MSS	16	15	14	12	9	7	5	3/4"	3/4"	**111**

NO SUCTION FEATURE, ENVIRONMENTAL TEMPERATURE MAX 50C, WATER TEMPERATURE MAX 100C.

AUTOMATIC CONTROLLED, PRESSURE INCREASING SOLAR AND HOT WATER PUMP

TYPE	VOLT	WATT	CAPACITY								INPUT	OUT	PRICE (DOLAR)
			m³/h	0,00	0,40	0,60	0,80	1,00	1,20	1,30	inç	inç	
			lt/sn	0,00	0,11	0,17	0,22	0,28	0,33	0,36			
RS 12/9G	220V	120	MSS	9	8	7	6	5	3,5	3	1/2"	1/2"	**95**

AUTOMATIC CONTROLLED, PRESSURE INCREASING SOLAR AND HOT WATER PUMP

TYPE	VOLT	WATT	CAPACITY								INPUT	OUT	PRICE (DOLAR)
			m³/h	0,00	0,40	0,80	1,60	1,80	2,40	2,70	inç	inç	
			lt/sn	0,00	0,11	0,22	0,44	0,50	0,67	0,75			
RS 20/12Z	220V	275	MSS	13	12	11	10	9	7	5	1"	1"	**152**

NO SUCTION FEATURE, MAXIMUM ENVIRONMENT TEMPERATURE 50C, MAXIMUM WATER TEMPERATURE 110C.

Get Daily Price

PLASTIC BODY, AUTOMATIC SWITCH DRAINAGE PUMP

Tabandan
2 mm'ye kadar
suyu emer

It can be used in sea water.

TYPE	WATT	VOLT	CAPACITY							OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	2,00	3,00	4,00	5,00	5,50	inç	kg	
			lt/sn	0,00	0,56	0,83	1,11	1,39	1,53			
M-100A	100	220	MSS	6,5	4,5	3	2,5	2	1	1"	4,5	**127**

IT HAS A PLASTIC IMPELLER. MAXIMUM IMMERSION DEPTH 5 m. THE MAXIMUM PARTICLE DIAMETER THAT IT CAN SHIP IS 2 MM. 10 meters WITH CABLE AND PLUG. RESISTANT TO LONG-TERM OPERATION

PLASTIC BODY, AUTOMATIC SWITCH DRAINAGE PUMP

It can be used in sea water.

TYPE	WATT	VOLT	CAPACITY							OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	3,00	6,00	9,00	12,00	18,00	inç	kg	
			lt/sn	0,00	0,83	1,67	2,50	3,33	5,00			
M-400A	400	220	MSS	10	9	7,5	6	4,5	1	2"	9,5	**298**

INSIDE FLOAT. THE MAXIMUM PARTICLE DIAMETER THAT IT CAN BE POSTED is 5 MM.

304 STAINLESS BODY AUTOMATIC SWITCH DRAINAGE PUMP

It can be used in sea water.

TYPE	WATT	VOLT	CAPACITY							OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	3,00	6,00	9,00	12,00	18,00	inç	kg	
			lt/sn	0,00	0,83	1,67	2,50	3,33	5,00			
50PSF-2.4S	400	220	MSS	9,6	8	6,5	5	4	1	2"	9	**254**

IT HAS A PLASTIC IMPELLER. MAXIMUM IMMERSION DEPTH 5 m. THE MAXIMUM PARTICLE DIAMETER THAT IT CAN BE POSTED 25 MM. 10 meters WITH CABLE AND PLUG.

COMPLETE 304 STAINLESS STEEL AUTOMATIC SWITCH DRAIN PUMP

TYPE	WATT	VOLT	CAPACITY							OUT	WEIGHT	PRICE (DOLAR)
			m³/h	0,00	2,00	3,00	4,00	5,00	5,50	inç	kg	
			lt/sn	0,00	0,56	0,83	1,11	1,39	1,53			
CSSF 250	120	220	MSS	7	5	4	3,5	2	1	1"	5,5	**211**

IT HAS A PLASTIC IMPELLER. MAXIMUM IMMERSION DEPTH 5 m. THE MAXIMUM PARTICLE DIAMETER THAT IT CAN SHIP IS 2 MM. 10 meters WITH CABLE AND PLUG. RESISTANT TO LONG-TERM OPERATION

Get Daily Price

has pompa®

CENTRIFUGAL AND DRAINAGE PUMPS

has pompa®

CENTRIFUGAL PUMPS

TRACTOR - TRUCK TANKER, PUMPS

TRACTOR - BEET SPRINKLER PUMPS

has pompa®

CENTRIFUGAL AND DRAINAGE PUMPS

CENTRIFUGAL PUMPS
TRACTOR AND TRUCK TANKER PUMPS TRACTOR AND BEET SPRINKLER PUMPS

CENTRIFUGAL PUMPS

1 HP - 1"

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)	
		m³/h	0,00	0,80	2,60	4,90	5,40	5,50	5,60	5,70				
		lt/sn	0,00	0,22	0,72	1,36	1,50	1,53	1,56	1,58	inç	inç	MONOFAZE	TRİFAZE
HCP 1-1	1	MSS	29	28	26	21	16	11	6	1	1"	1"	**2.364**	**2.083**

1 HP - 1½"

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)	
		m³/h	0,00	4,20	7,50	10,90	19,00	-	-	-				
		lt/sn	0,00	1,17	2,08	3,03	5,28	-	-	-	inç	inç	MONOFAZE	TRİFAZE
HCP 1-1.5	1	MSS	18	17	15	13	3	-	-	-	1½"	1½"	**2.364**	**2.083**

1 HP - 2"

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)	
		m³/h	0,00	1,00	8,00	10,40	19,20	-	-	-				
		lt/sn	0,00	0,28	2,22	2,89	5,33	-	-	-	inç	inç	MONOFAZE	TRİFAZE
HCP 1-2	1	MSS	18	17	15	13	3	-	-	-	2"	2"	**2.364**	**2.083**

1,5 HP - 1"

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)	
		m³/h	0,00	1,30	1,70	3,60	5,10	5,40	5,60	5,80				
		lt/sn	0,00	0,36	0,47	1,00	1,42	1,50	1,56	1,61	inç	inç	MONOFAZE	TRİFAZE
HCP 1.5-1	1,5	MSS	31	29	28	26	21	16	11	6	1"	1"	**2.594**	**2.211**

1,5 HP - 1½"

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)	
		m³/h	0,00	2,30	6,90	8,70	9,70	10,80	12,40	-				
		lt/sn	0,00	0,64	1,92	2,42	2,69	3,00	3,44	-	inç	inç	MONOFAZE	TRİFAZE
HCP 1.5-1.5	1,5	MSS	33	31	28	23	18	13	3	-	1½"	1½"	**2.594**	**2.211**

Get Daily Price

has pompa®

DOMESTIC CENTRIFUGAL PUMPS

1,5 HP - 2"

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)	
		m³/h	0,00	4,40	11,20	15,50	17,50	19,00	-	-				
		lt/sn	0,00	1,22	3,11	4,31	4,86	5,28	-	-	inç	inç	MONOFAZE	TRİFAZE
HCP 1.5-2	1,5	MSS	29	27	23	19	13	3	-	-	2"	2"	**2.594**	**2.211**

1,5 HP - 3"- 2½"

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)	
		m³/h	0,00	2,40	14,00	30,00	44,00	-	-	-				
		lt/sn	0,00	0,67	3,89	8,33	12,22	-	-	-	inç	inç	MONOFAZE	TRİFAZE
HCP 1.5-3	1,5	MSS	16	15	13	8	3	-	-	-	3"	2½"	**2.663**	**2.280**

2 HP - 1½"

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)	
		m³/h	0,00	3,70	9,60	13,40	17,00	18,00	-	-				
		lt/sn	0,00	1,03	2,67	3,72	4,72	5,00	-	-	inç	inç	MONOFAZE	TRİFAZE
HCP 2-1.5	2	MSS	33	30	28	23	18	13	-	-	1½"	1½"	**2.645**	**2.357**

2 HP - 2"

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)	
		m³/h	0,00	4,20	9,10	15,00	17,60	18,50	19,50	-				
		lt/sn	0,00	1,17	2,53	4,17	4,89	5,14	5,42	-	inç	inç	MONOFAZE	TRİFAZE
HCP 2-2	2	MSS	33	31	28	23	18	13	3	-	2"	2"	**2.645**	**2.357**

2 HP - 3"- 2½"

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)	
		m³/h	0,00	14,00	21,00	47,00	60,00	-	-	-				
		lt/sn	0,00	3,89	5,83	13,06	16,67	-	-	-	inç	inç	MONOFAZE	TRİFAZE
HCP 2-3	2	MSS	15	14	13	8	3	-	-	-	3"	2½"	**2.714**	**2.428**

Get Daily Price

CENTRIFUGAL PUMPS

3 HP - 2" (2 LEVELS)

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)	
		m³/h	0,00	3,50	10,70	12,90	15,70	17,70	18,60	19,50				
		lt/sn	0,00	0,97	2,97	3,58	4,36	4,92	5,17	5,42	inç	inç	MONOFAZE	TRİFAZE
STP2 3-2	3	MSS	45	42	35	30	25	20	15	5	2"	2"	**3.928**	**3.450**

3 HP - 2"

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)	
		m³/h	0,00	4,80	8,10	16,30	17,80	18,90	19,00	23,00				
		lt/sn	0,00	1,33	2,25	4,53	4,94	5,25	5,28	6,39	inç	inç	MONOFAZE	TRİFAZE
HCP 3-2	3	MSS	38	35	33	28	23	18	13	3	2"	2"	**3.047**	**2.594**

3 HP - 3" - 2½"

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)	
		m³/h	0,00	5,80	13,00	37,50	64,00	-	-	-				
		lt/sn	0,00	1,61	3,61	10,42	17,78	-	-	-	inç	inç	MONOFAZE	TRİFAZE
HCP 3-3	3	MSS	19	18	17	13	3	-	-	-	3"	2½"	**3.118**	**2.663**

3 HP - 2" DRIP

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)	
		m³/h	0,00	4,10	6,80	10,00	12,00	17,00	19,00	23,00				
		lt/sn	0,00	1,14	1,89	2,78	3,33	4,72	5,28	6,39	inç	inç	MONOFAZE	TRİFAZE
STPD 3-2	3	MSS	34	32	30	25	20	15	10	3	2"	2"	**3.195**	**2.748**

3 HP - 3" - 2½" DRIP

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)	
		m³/h	0,00	10,00	12,00	21,00	28,00	35,00	37,00	40,00				
		lt/sn	0,00	2,78	3,33	5,83	7,78	9,72	10,28	11,11	inç	inç	MONOFAZE	TRİFAZE
STPD 3-3	3	MSS	28	26	25	20	15	10	5	0,5	3"	2½"	**3.264**	**2.817**

2 HP - 2" TOP CLAMP

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)	
		m³/h	0,00	7,70	12,00	15,00	19,00	20,00	21,00	23,00				
		lt/sn	0,00	2,14	3,33	4,17	5,28	5,56	5,83	6,39	inç	inç	MONOFAZE	TRİFAZE
STPÜK 2-2	2	MSS	26	24	22	20	16	10	5	0,5	2"	2"	**4.383**	**4.089**

Get Daily Price

has pompa®

DOMESTIC CENTRIFUGAL PUMPS

2 HP - 3"- 2½" TOP CLAMP

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)	
		m³/h	0,00	1,40	9,00	13,00	23,00	28,00	31,00	32,0				
		lt/sn	0,00	0,39	2,50	3,61	6,39	7,78	8,61	8,89	inç	inç	MONOFAZE	TRİFAZE
STPÜK 2-3	2	MSS	23	22	20	17	12	7	5	0,5	3"	2½"	**4.427**	**4.133**

3 HP - 3" - 2½" TOP CLAMP

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)	
		m³/h	0,00	3,80	20,00	28,00	34,00	36,00	37,00	38,00				
		lt/sn	0,00	1,06	5,56	7,78	9,44	10,00	10,28	10,56	inç	inç	MONOFAZE	TRİFAZE
STPÜK 3-3	3	MSS	27	26	25	20	15	10	5	0,5	3"	2½"	**4.797**	**4.345**

4 HP - 2"

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)
		m³/h	0,00	1,50	9,80	11,00	12,00	14,00	17,00	20,00			
		lt/sn	0,00	0,42	2,72	3,06	3,33	3,89	4,72	5,56	inç	inç	TRİFAZE
HCP 4-2	4	MSS	43	41	38	33	28	23	18	13	2"	2"	**3.323**

4 HP - 3"- 2½"

POMPA TİPİ	HP	CAPACITY									INPUT	OUT	PRICE (TL)
		m³/h	0,00	19,00	23,00	33,00	37,00	41,00	43,00	44,00			
		lt/sn	0,00	5,28	6,39	9,17	10,28	11,39	11,94	12,22	inç	inç	TRİFAZE
HCP 4-3	4	MSS	39	29	28	23	18	13	8	3	3"	2½"	**3.387**

5,5 HP - 3"- 2½" JUNIOR

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)
		m³/h	0,00	25,00	34,00	39,00	41,00	44,00	46,00	-			
		lt/sn	0,00	6,94	9,44	10,83	11,39	12,22	12,78	-	inç	inç	TRİFAZE
STPJ 5.5-3	5,5	MSS	36	33	28	23	18	13	3	-	3"	2½"	**3.941**

5,5 HP - 3"

TYPE	HP	CAPACITY									INPUT	OUT	PRICE (TL)
		m³/h	0,00	19,00	28,00	41,00	50,00	53,00	56,00	57,00			
		lt/sn	0,00	5,28	7,78	11,39	13,89	14,72	15,56	15,83	inç	inç	TRİFAZE
HCP 5.5-3	5,5	MSS	32	30	28	23	18	13	8	3	3"	3"	**5.436**

Get Daily Price

DOMESTIC CENTRIFUGAL PUMPS

7.5 HP - 3"

TYPE	HP	CAPACITY								INPUT	OUT	PRICE (TL)
		m³/h	0,00	5,00	10,00	32,00	40,00	51,00	56,00	59,0			
		lt/sn	0,00	1,39	2,78	8,89	11,11	14,17	15,56	16,39	inç	inç	TRİFAZE
HCP 7.5-3	7,5	MSS	35	34	33	28	23	18	13	8	3"	3"	**6.420**

10 HP - 3"

TYPE	HP	CAPACITY								INPUT	OUT	PRICE (TL)
		m³/h	0,00	35,00	51,00	68,00	79,00	80,00	81,00	85,00			
		lt/sn	0,00	9,72	14,17	18,89	21,94	22,22	22,50	23,61	inç	inç	TRİFAZE
HCP 10-3	10	MSS	38	36	33	28	23	18	8	3	3"	3"	**6.842**

15 HP - 3"

POMPA TİPİ	HP	CAPACITY								INPUT	OUT	PRICE (TL)
		m³/h	0,00	24,00	32,00	58,00	70,00	76,00	77,00	79,00			
		lt/sn	0,00	6,67	8,89	16,11	19,44	21,11	21,39	21,94	inç	inç	TRİFAZE
HCP 15-3	15	MSS	46	44	43	38	33	28	18	8	3"	3"	**9.410**

7.5 HP - 4" (1500d/d)

TYPE	HP	CAPACITY								INPUT	OUT	PRICE (TL)
		m³/h	0,00	31,00	100,00	135,00	-	-	-	-			
		lt/sn	0,00	8,61	27,78	37,50	-	-	-	-	inç	inç	TRİFAZE
HCP 7.5-4	7,5	MSS	19	18	13	8	-	-	-	-	4"	4"	**7.437**

10 HP - 5" (1500d/d)

TYPE	HP	CAPACITY								INPUT	OUT	PRICE (TL)
		m³/h	0,00	48,00	67,00	116,00	170,00	195,00	-	-			
		lt/sn	0,00	13,33	18,61	32,22	47,22	54,17	-	-	inç	inç	TRİFAZE
HCP 10-5	10	MSS	14	13	12	10	5	2	-	-	5"	5"	**9.482**

15 HP - 6" (1500d/d)

TYPE	HP	CAPACITY								INPUT	OUT	PRICE (TL)
		m³/h	0,00	74,00	199,00	260,00	320,00	-	-	-			
		lt/sn	0,00	20,56	55,28	72,22	88,89	-	-	-	inç	inç	TRİFAZE
HCP 15-6	15	MSS	18	17	12	7	3	-	-	-	6"	6"	**12.873**

Get Daily Price

has pompa®

DOMESTIC, TONSTAL AND PRESSURIZED ELECTROPOMP 3000 d/d (with MECHANICAL SEAL)

20 HP - 3" (3000 d/d)

TYPE	DEVİR	CAPACITY							INPUT	OUT	PRICE (TL)
		m³/h	9,00	68,00	80,00	82,00	83,00	85,00			
		lt/sn	2,50	18,89	22,22	22,78	23,06	23,61	inç	inç	
STP95-220	3000 d/d	MSS	58	50	40	30	20	10	3"	3"	**10.644**

25 HP - 3" (3000 d/d)

TYPE	DEVİR	CAPACITY							INPUT	OUT	PRICE (TL)
		m³/h	57,00	102,00	128,00	138,00	145,00	-			
		lt/sn	15,83	28,33	35,56	38,33	40,28	-	inç	inç	
STP100-220	3000 d/d	MSS	48	40	30	20	10	-	4"	3"	**11948**

30 HP - 3" (3000 d/d)

TYPE	DEVİR	CAPACITY							INPUT	OUT	PRICE (TL)
		m³/h	53,00	112,00	128,00	134,00	140,00	145,00			
		lt/sn	14,72	31,11	35,56	37,22	38,89	40,28	inç	inç	
STP110-220	3000 d/d	MSS	60	50	40	30	20	10	4"	3"	**12.778**

Günlük Fiyat Alınız

DOMESTIC, TRACTOR AND TRUCK TANKER PUMPS

TRACTOR TANKER PUMP

TYPE	DEVİR	FLOW						INPUT	OUT	PRICE (TL)
		m³/h	15,00	23,00	26,00	30,00	-			
		lt/sn	4,17	6,39	7,22	8,33	-	inç	inç	
TTP 2-2	300 d/d	MSS	34	31	15	5	-	2"	2"	**2.760**

TRACTOR TANKER PUMP

TYPE	DEVİR	CAPACITY						INPUT	OUT	PRICE (TL)
		m³/h	12,00	39,00	46,00	49,00	-			
		lt/sn	3,33	10,83	12,78	13,61	-	inç	inç	
TTP 3-2.5	300 d/d	MSS	33	27	20	7	-	3"	2½"	**3.105**

TRACTOR TANKER PUMP

TYPE	DEVİR	CAPACITY						INPUT	OUT	PRICE (TL)
		m³/h	11,00	20,00	22,00	24,00	-			
		lt/sn	3,06	5,56	6,11	6,67	-	inç	inç	
TTPA63 2-2	600 d/d	MSS	124	91	67	41	-	2"	2"	**3.795**

TRACTOR TANKER PUMP

TYPE	DEVİR	CAPACITY						INPUT	OUT	PRICE (TL)
		m³/h	20,00	42,00	45,00	49,00	-			
		lt/sn	5,56	11,67	12,50	13,61	-	inç	inç	
TTPA63 3-2.5	350 d/d	MSS	40	34	23	8	-	3"	2½"	**4.140**

TRUCK TANKER PUMP (PROFILE GRINDING GEAR)

TYPE	DEVİR	CAPACITY						INPUT	OUT	PRICE (TL)
		m³/h	0,00	19,00	24,00	25,00	28,00			
		lt/sn	0,00	5,28	6,67	6,94	7,78	inç	inç	
KTPA63 2-2	750 d/d	MSS	35	33	27	18	8	2"	2"	**4.153**

TRUCK TANKER PUMP (PROFILE GRINDING GEAR)

TYPE	DEVİR	CAPACITY						INPUT	OUT	PRICE (TL)
		m³/h	0,00	20,00	45,00	47,00	48,00			
		lt/sn	0,00	5,56	12,50	13,06	13,33	inç	inç	
KTPA63 3-2.5	750 d/d	MSS	44	40	25	15	7	3"	2½"	**4.370**

Get Daily Price

has pompa®

TRACTOR PTO SHAFT MOTION SPRINKLER PUMP (WITH SEAL)

PTO Speed: 485 rpm • Pump Speed: 2437 rpm • MOTOR Hour: 1200 rpm

Packed

TYPE	CAPACITY									INPUT	OUT	PRICE (TL)
	m³/h	7,00	63,00	92,00	109,00	131,00	136,00	138,00	140,00			
	lt/sn	1,94	17,50	25,56	30,28	36,39	37,78	38,33	38,89	inç	inç	
TKM P-100-90S	MSS	70	65	60	55	45	35	25	15	4"	3"	**8.306**

Tractor power must be at least 55 Hp.

Packed

PTO Speed: 540 rpm • Pump Speed: 2700 rpm • MOTOR Hour: 1600 rpm

TYPE	CAPACITY									INPUT	OUT	PRICE (TL)
	m³/h	-	60,00	121,00	136,00	142,00	144,00	145,00	146,00			
	lt/sn	-	16,67	33,61	37,78	39,44	40,00	40,28	40,56	inç	inç	
TKM P-100-90S	MSS	80	75	65	55	45	35	25	15	4"	3"	**8.306**

Tractor power must be at least 55 Hp.

Packed

PTO Speed: 700 rpm • Pump Speed: 3500 rpm • MOTOR Hour: 1800 rpm

TYPE	CAPACITY									INPUT	OUT	PRICE (TL)
	m³/h	85,00	110,00	115,00	125,00	130,00	134,00	136,00	138,00			
	lt/sn	23,61	30,56	31,94	34,72	36,11	37,22	37,78	38,33	inç	inç	
TKM P-100-90S	MSS	100	90	80	60	50	40	30	20	4"	3"	**8.306**

Tractor power must be at least 55 Hp.

Get Daily Price

Shaft is included in pump prices. All shafts are protected.

LOCAL, TRACTOR AND BEET, SPRINKLER PUMPS

TRACTOR SPRINKLER PUMP

TYPE	DEVİR	CAPACITY					INPUT	OUT	PRICE (TL)
		m³/h	17,00	87,00	89,00	90,00			
		lt/sn	4,72	24,17	24,72	25,00	inç	inç	
TYP 3-3	450 d/d	MSS	58	45	30	15	3"	3"	**7.156**

TRACTOR SPRINKLER PUMP (2 STAGE)

TYPE	DEVİR	CAPACITY					INPUT	OUT	PRICE (TL)
		m³/h	30,00	81,00	86,00	90,00			
		lt/sn	8,33	22,50	23,89	25,00	inç	inç	
TYP2 3-3	450 d/d	MSS	92	80	55	25	3"	3"	**8.945**

TRACTOR SPRINKLER PUMP (3 STAGE)

TYPE	DEVİR	CAPACITY					INPUT	OUT	PRICE (TL)
		m³/h	45,00	59,00	60,00	61,00			
		lt/sn	12,50	16,39	16,67	16,94	inç	inç	
TYP3 3-3	450 d/d	MSS	168	125	91	59	3"	3"	**11373**

TRACTOR SPRINKLER PUMP

TYPE	DEVİR	CAPACITY					INPUT	OUT	PRICE (TL)
		m³/h	40,00	70,00	90,00	110,00			
		lt/sn	11,11	19,44	25,00	30,56	inç	inç	
TYP 4-3	450 d/d	MSS	65	45	35	25	4"	3"	**7.923**

TRACTOR SPRINKLER PUMP

TYPE	DEVİR	CAPACITY					INPUT	OUT	PRICE (TL)
		m³/h	58,00	112,00	118,00	120,00			
		lt/sn	16,11	31,11	32,78	33,33	inç	inç	
TYP 4-4	450 d/d	MSS	53	48	30	15	4"	4"	**9.200**

Get Daily Price

has pompa®

LOCAL, TRACTOR AND BEET, SPRINKLER PUMPS

TRACTOR SPRINKLER PUMP

TYPE	DEVİR	CAPACITY					INPUT	OUT	PRICE (TL)
		m³/h	83,00	160,00	180,00	195,00			
		lt/sn	23,06	44,44	50,00	54,17	inç	inç	
TYP 5-4	450 d/d	MSS	60	52	43	21	5"	4"	**9.648**

TRACTOR SPRINKLER PUMP

TYPE	DEVİR	CAPACITY					INPUT	OUT	PRICE (TL)
		m³/h	75,00	172,00	185,00	190,00			
		lt/sn	20,83	47,78	51,39	52,78	inç	inç	
TYP 5-5	500 d/d	MSS	73	61	52	24	5"	5"	**9.929**

TRACTOR SPRINKLER PUMP

TYPE	DEVİR	CAPACITY					INPUT	OUT	PRICE (TL)
		m³/h	135,00	230,00	265,00	280,00			
		lt/sn	37,50	63,89	73,61	77,78	inç	inç	
TYP 6-5	350 d/d	MSS	31	27	22	19	6"	5"	**11245**

TRACTOR SPRINKLER PUMP

TYPE	DEVİR	CAPACITY					INPUT	OUT	PRICE (TL)
		m³/h	90,00	210,00	240,00	300,00			
		lt/sn	25,00	58,33	66,67	83,33	inç	inç	
TYP 6-6	420 d/d	MSS	44	40	37	21	6"	6"	**11692**

BEET SPRINKLER PUMP

TYPE	GÜÇ	DEVİR	CAPACITY		INPUT	OUT	PRICE (TL)
			m³/h	50,00			
			lt/sn	4,72	inç	inç	
PYP 3-2.5	10 HP	2300 d/d	MSS	40	3"	2½"	**1.764**

TYPE	GÜÇ	DEVİR	CAPACITY		INPUT	OUT	PRICE (TL)
			m³/h	60,00			
			lt/sn	4,72	inç	inç	
PYP 4-2.5	15 HP	2300 d/d	MSS	40	4"	2½"	**1.764**

Get Daily Price

has pompa
LGİÇ POMPALARI
251 17 40 FA
KONYA
Atlas Copco
has Sonda
Sondaj Etüd & Müh.

has pompa
SUBMERSIBLE PUMPS
Suya Ulaştıran Yol...

has pompa

I.Organize Sanayi Atabey Sk. No: 15 42300 Konya /TÜRKİYE

0.332.251 17 40 (Hat 10)

0.332.251 17 39

www.haspompa.com

haspompa@haspompa.com

/ haspompa